

WORKING GROUP ON THE EVALUATION  
OF THE HAZARDS OF HARMFUL  
SUBSTANCES CARRIED BY SHIP  
54th session  
Agenda item 9

EHS 54/9  
26 May 2017  
Original: ENGLISH

## REPORT OF THE FIFTY-FOURTH SESSION

1	INTRODUCTION .....	2
2	OUTCOME OF OTHER BODIES.....	2
3	EVALUATION OF NEW SUBSTANCES .....	3
4	CORRESPONDENCE WITH THE INDUSTRY/GOVERNMENT AND CONSIDERATION OF ISSUES RELATED TO EVALUATIONS .....	7
5	CLASSIFICATION ISSUES .....	14
6	CONSOLIDATION OF EXISTING DATA FILES .....	16
7	COMMUNICATION AND PUBLICATION.....	16
8	ANY OTHER BUSINESS.....	16
9	CONSIDERATION AND ADOPTION OF THE REPORT .....	17

## LIST OF ANNEXES

- ANNEX 1 LIST OF PARTICIPANTS ATTENDING THE FIFTY-FOURTH SESSION OF THE GESAMP/EHS WORKING GROUP
- ANNEX 2 GESAMP HAZARD PROFILES FOR NEW SUBSTANCES SUBMITTED FOR EVALUATION TO GESAMP/EHS 54
- ANNEX 3 UPDATED GESAMP COMPOSITE LIST
- ANNEX 4 THE DELETION OF "TAINTING OF SEAFOOD" FROM COLUMN E1
- ANNEX 5 ASSIGNMENT OF A NEW HAZARD PROPERTY IN COLUMN E1 (FLAMMABILITY)
- ANNEX 6 REFINEMENT OF COLUMN C3 (ACUTE INHALATION TOXICITY)
- ANNEX 7 PROVISIONAL AGENDA FOR THE FIFTY-FIFTH SESSION OF THE GESAMP/EHS WORKING GROUP

## 1 INTRODUCTION

1.1 The fifty-fourth session of the GESAMP/EHS Working Group on the Evaluation of the Hazards of Harmful Substances Carried by Ships was held at IMO in London, United Kingdom from 22 to 26 May 2017, chaired by Dr. Thomas Höfer. The list of experts attending the meeting is set out in annex 1.

1.2 Having reviewed the agenda and provisional timetable, the Group adopted both, without amendment.

## 2 OUTCOME of other bodies

### Outcome of IMO bodies

2.1 The Group noted that the following meetings of relevance had taken place since the fifty-third session of the GESAMP/EHS Working Group:

- .1 the twenty second meeting of the Working Group on the Evaluation of Safety and Pollution Hazards of Chemicals (ESPH 22), which took place from 10 to 14 October 2016 (PPR 4/3);
- .2 the Working Group on the Evaluation of Safety and Pollution Hazards (ESPH) also met during the fourth meeting of the PPR Sub-Committee, which took place from 16 to 20 January 2017 (PPR 4/WP.3);
- .3 the thirty-first and thirty-second sessions of the Sub-Committee of Experts on the Globally Harmonized System of Classification and Labelling of Chemicals (GHS 31 and GHS 32), which took place from 5 to 8 July 2016 and 7 to 9 December 2016, respectively; and
- .4 the forty-seventh session of the Sub-Committee of Experts on the Transport of Dangerous Goods (TDG 47), which took place from 22 to 26 June 2015.

2.2 The Group noted the information provided and the particular items considered at ESPH 22 and PPR 4 related to the work of GESAMP/EHS, in particular the invitation by ESPH 22 to industry and relevant stakeholders to:

- .1 submit information on hydrocarbon waxes, paraffin-type products and mineral oil to GESAMP/EHS 54, with a view to harmonizing the entries for these products in the IBC Code and for the purposes of reviewing the component factor for mineral oil used in the mixture calculation employed by the ESPH Working Group;
- .2 submit information on drilling brines to GESAMP/EHS 54 to establish a series of hazard profiles to cover the range of drilling brines, with a view to establishing generic entries for drilling brines in chapter 17 of the IBC Code; and
- .3 submit inhalation toxicity data to GESAMP/EHS 54 to assist the review of the C3 GESAMP Hazard Rating (inhalation toxicity), to facilitate the implementation of the revised draft chapter 21 of the IBC code, once adopted.

2.3 The Group also noted the discussions at PPR 4 with regard to the application of the D3 rating for methyl alcohol under the IBC Code and its expected consideration of the issue at ESPH 23, based on the submission of documents with an appropriate justification and rationale.

2.4 The Group further noted that a submission had been made for a review of methyl alcohol to this session.

#### **Outcome of GESAMP 43**

2.5 The Group noted the report by the Chair on the outcome of the forty-third session of GESAMP, that took place from 14 to 18 November 2016 in Nairobi, Kenya, hosted by the United Nations Environment Programme (UNEP).

2.6 Two main items of interest to GESAMP/EHS were highlighted, notably the GESAMP website and solicitation of ideas for commemorating GESAMP's 50th anniversary in 2019.

2.7 Having considered possible proposed modifications to the GESAMP website, notably the proposal to include names and email details of all experts of GESAMP/EHS on the portion of the website dedicated to Working Group 1, it agreed that this was not warranted and that no change to the current information was required.

2.8 In discussing possible ideas to commemorate the 50th anniversary of GESAMP in 2019, the Group agreed that a new third edition of Reports and Studies No.64 could be published to coincide with the anniversary, incorporating the new information with regard to the C3 ratings and the re-assignment of the E1 column, and any further modifications, as required. The Group agreed that the necessary changes could potentially be agreed in 2018, with a view to publication for the anniversary in 2019.

#### **Outcome of the UN GHS Sub-Committee**

2.9 The Group noted that work related to the aspiration hazard, as requested by GESAMP/EHS, was ongoing.

#### **Outcome of the UN TDG Sub-Committee**

2.10 The Group noted the information provided by the Chair with regard to the submission of the Republic of Korea to the UN Sub-Committee of Experts on the Transport of Dangerous Goods (TDG 47) that proposed the use of information contained in the GESAMP Hazard Profile for the purposes of defining the UN hazard class for three substances. This Group noted information demonstrated the use of the profile beyond the usual regulatory requirements of the IBC Code.

### **3 EVALUATION OF NEW SUBSTANCES**

3.1 The Group recalled that when submitting new substances for evaluation by the GESAMP/EHS Working Group, a full set of data, addressing all the information requirements set out in the GESAMP/EHS Product Data Reporting Form, was required. The Group further noted that insufficient data, or a lack of adequate supporting arguments, where estimates had been used, would result in no rating being assigned for the end-point concerned or, as a worst case, no full hazard profile being issued for the chemical under review.

3.2 The Group considered the following new substances, which had been submitted for evaluation to this session:

- .1 Hexahydro-1,3,5-trimethyl-1,3,5-triazine solution (45% or less) EHS 2489
- .2 1-Butylpyrrolidin-2-one EHS 2490
- .3 2-Propenoic acid, polymer with 4-(1,1-dimethylethyl)phenol, Formaldehyde, 2,5-Furandione, 2-Methyloxirane and oxirane (65% in Naphtha/Xylene) EHS 2491
- .4 Tall oil acids reaction products with triethanolamine EHS 2492
- .5 [(2-Hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt EHS 2493
- .6 Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)-alkyldimethyl, chlorides solution EHS 2494
- .7 2-Mercaptoethanol EHS 2495
- .8 Thioglycolic acid EHS 2496
- .9 Tall oil acids reaction products with acrylic acid and diethylenetriamine in ethylene glycol EHS 2497
- .10 Benzaldehyde EHS 2498
- .11 Fish by-products (fresh) EHS 2499
- .12 Fish protein concentrate (containing 4% or less formic acid) EHS 2502
- .13 Fish silage (containing 3% or less formic acid with antioxidant) EHS 2500

3.3 The Group, in assessing the submitted products, made the following observations and conclusions, as set out in the ensuing paragraphs. The resultant hazard profiles assigned by the Working Group for inclusion in the GESAMP Composite List are set out in annex 2.

#### **EHS 2489      Hexahydro-1,3,5-trimethyl-1,3,5-triazine solution (45% or less)**

3.4 The Group noted that a comprehensive set of test data had been submitted for this substance and assigned a GESAMP Hazard Profile accordingly.

<i>Rating</i>	A1a=(2) C1=1 E2=D	A1b=NI C2=(1) E3=3	A1=(2) C3=(3)	A2=R D1=3A	B1=3 D2=3	B2=NI D3=Ss
---------------	-------------------------	--------------------------	------------------	---------------	--------------	----------------

**EHS 2490      1-Butylpyrrolidin-2-one**

3.5 In considering the submission, the Group noted that a full set of data had been provided for the product and assigned a GESAMP Hazard Profile accordingly.

<i>Rating</i>	A1a=1	A1b=(1)	A1=1	A2=R	B1=1	B2=0
	C1=1	C2=0	C3=0	D1=1	D2=2	D3=blank
	E2 =D	E3 =2				

**EHS 2491      2-Propenoic acid, polymer with 4-(1,1-dimethylethyl)phenol, formaldehyde, 2,5-furandione, 2-methyloxirane and oxirane (65% in naphtha/xylene)**

3.6 The Group considered the submission and, having noted that a full set of data had been provided for the product, assigned a GESAMP Hazard Profile, as set out below.

<i>Rating</i>	A1a=(5)	A1b=NI	A1=(5)	A2=NR	B1=2	B2=NI
	C1=0	C2=0	C3=(0)	D1=(0)	D2=0	D3= A
	E2=Fp	E3=3				

**EHS 2492      Tall oil acids reaction products with triethanolamine**

3.7 The Group considered the submission and, having noted that a full set of data had been provided for the product, assigned a GESAMP Hazard Profile as set out below.

<i>Rating</i>	A1a=4	A1b=NI	A1=4	A2=NR	B1=2	B2=NI
	C1=0	C2=0	C3=(1)	D1=1	D2=0	D3= blank
	E2=Fp	E3=2				

**EHS 2493      [(2-Hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt**

3.8 Having considered the submission, and having noted that a full set of data had been provided, assigned a GESAMP hazard profile accordingly.

<i>Rating</i>	A1a=0	A1b=NI	A1=0	A2=NR	B1=1	B2=NI
	C1=0	C2=0	C3=(0)	D1=0	D2=1	D3= blank
	E2=D	E3=1				

**EHS 2494      Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)-alkyldimethyl, chlorides solution**

3.9 The Group considered the submission and, taking account of the dataset provided, assigned a GESAMP Hazard Profile accordingly.

<i>Rating</i>	A1a=3	A1b=NI	A1=3	A2=NR	B1=4	B2=NI
	C1=1	C2=0	C3=(3)	D1=3B	D2=3	D3=blank
	E2=D	E3=3				

**EHS 2495      2-Mercaptoethanol**

3.10 The Group considered the data provided for the product and assigned a GESAMP Hazard Profile accordingly.

<i>Rating</i>	A1a=0	A1b=NI	A1=0	A2=NR	B1=1	B2=NI
	C1=2	C2=2	C3=2	D1=2	D2=3	D3=SsT
	E2=D	E3=3				

**EHS 2496      Thioglycolic acid**

3.11 The Group considered the submission and, having noted that a full set of data had been provided for the product, assigned a GESAMP Hazard Profile as set out below.

<i>Rating</i>	A1a=0	A1b=NI	A1=0	A2=R	B1=2	B2=NI
	C1=2	C2=2	C3=3	D1=3B	D2=3	D3=blank
	E2=D	E3=3				

**EHS 2497      Tall oil acids reaction products with acrylic acid and diethylenetriamine in ethylene glycol**

3.12 The Group considered the submission and, noting that a full set of data had been provided, assigned a GESAMP Hazard Profile accordingly.

<i>Rating</i>	A1a=3	A1b=NI	A1=3	A2=R	B1=2	B2=NI
	C1=0	C2=0	C3=(1)	D1=0	D2=1	D3=Ss
	E2=D	E3=2				

**EHS 2498      Benzaldehyde**

3.13 The Group considered the submission and, noting that a full set of data had been provided, assigned a GESAMP Hazard Profile accordingly.

<i>Rating</i>	A1a=1	A1b=NI	A1=1	A2=R	B1=3	B2=NI
	C1=1	C2=(1)	C3=2	D1=2	D2=2	D3=blank
	E2=FD	E3=2				

**EHS 2499      Fish by-products (fresh)**

3.14 In considering the submission, the Group noted that a full set of data had been provided and assigned a GESAMP Hazard Profile accordingly. The Group noted that whilst information had been provided relating to bioaccumulation (A1 rating), it had determined that it could not be used in the assignment of the rating, thus the assignment of NI. The Group, however, concluded that, by expert judgement, a zero in brackets should be assigned for the overall A1 rating, given the nature of the product.

<i>Rating</i>	A1a=NI	A1b=NI	A1=(0)	A2=NR	B1=1	B2=(0)
	C1=(0)	C2=(0)	C3=(0)	D1=(0)	D2=(0)	D3=blank
	E2=F	E3=1				

**EHS 2502      Fish protein concentrate (containing 4% or less formic acid)**

3.15 Having considered the product and noting that a full set of data had been submitted, the Group assigned a GESAMP Hazard Profile, as set out below. The Group noted that whilst information had been provided for bioaccumulation (A1 rating), it had determined that it could not be used in the assignment of the rating, thus the assignment of NI. The Group, however, concluded that, by expert judgement, a zero in brackets should be assigned for the A1 rating, given the nature of the product.

<i>Rating</i>	A1a=NI	A1b=NI	A1=(0)	A2=R	B1=1	B2=(0)
	C1=(0)	C2=(0)	C3=(0)	D1=(1)	D2=(1)	D3=blank
	E2=D	E3=1				

**EHS 2500      Fish silage (containing 3% or less formic acid with antioxidant)**

3.16 The Group considered the submission and having reviewed the data provided, assigned a GESAMP Hazard Profile for the product. The Group noted that whilst information had been provided for bioaccumulation (A1 rating), it had determined that it could not be used in the assignment of the rating, thus the assignment of NI. The Group, however, concluded that, by expert judgement, a zero in brackets should be assigned for the A1 rating, given the nature of the product.

<i>Rating</i>	A1a=NI	A1b=NI	A1=(0)	A2=R	B1=0	B2=(0)
	C1=(0)	C2=(0)	C3=(0)	D1=(1)	D2=(1)	D3=blank
	E2=F	E3=1				

**Additional considerations**

3.17 In considering certain products, the Group noted that with regard to the B1 rating (acute aquatic toxicity), test data had been provided for only one trophic level, rather than the three identified in GESAMP Reports and Studies No.64 (microalgae, crustaceans, fish). Based on differing interpretations of the information contained therein, the experts considered whether ratings assigned based on data for only one trophic level should be placed in brackets, which are normally used for an estimated value (arrived at, for example, by extrapolation or read across), or decided based on the quality of the study provided. The Group concluded that a full unbracketed rating could be assigned based on test data for a single trophic level and that this should be determined on a case by case basis, depending on the specific nature of the product and the quality of data provided. The Group further noted that since the existing text left the matter open to some interpretation, it agreed that the description of the process for assigning the B1 rating in section 4.2.1.3 of GESAMP Reports and Studies No.64 would need to be clarified when next revised.

**4      CORRESPONDENCE    WITH    THE    INDUSTRY/GOVERNMENT    AND  
CONSIDERATION OF ISSUES RELATED TO EVALUATIONS**

**CORRESPONDENCE WITH INDUSTRY/GOVERNMENT**

4.1 The Group recalled that, as part of its work, it routinely considered requests for the re-assessment of products, based on the submission of new data or new scientific insights into the hazards of substances that may result in a change to a hazard profile.

4.2 The Group also recalled its ongoing review and update of the existing GESAMP/EHS files for completeness and consistency and the communication of any amendments relating to such matters to the attention of the IMO (i.e. the ESPH Working Group of the PPR Sub-Committee).

4.3 Further to the requests received, the Group considered the following products:

.1	n-Alkanes (C9-C11)	EHS 2449
.2	Sodium hydroxide(30% or less)/Sodium aluminate (25% or less) solution	EHS 2486
.3	Cyclohexanone	EHS 539
.4	Alkyl (C10-C15, C12 rich) phenol poly(4-12)ethoxylate	EHS 2480
.5	Alkane (C14-C17) sulphonic acid, sodium salt	EHS 334
.6	Fish silage protein concentrate (containing 4 % or less formic acid)	EHS 2487
.7	Drilling brines	EHS 427
.8	Methanol	EHS 951
.9	Ethylene glycol	EHS 761
.10	Products submitted by industry for review of C3 ratings*:	
.1	Methyl diethanolamine	EHS 1491
.2	Triethanolamine	EHS 1338
.3	Ethylenediaminetetraacetic acid, tetrasodium salt solution	EHS 759
.4	Methyl isobutyl ketone	EHS 971
.5	Pentanoic acid	EHS 1109
.6	n-Pentyl propionate	EHS 1484
.7	Propionic acid	EHS 1186
.8	Dodecyl diphenyl ether disulphonate solution	EHS 723
.9	Nonylphenol poly(4+)ethoxylate	EHS 1063
.10	Vinyl acetate	EHS 1400
.11	n-Propyl alcohol	EHS 1180
.12	Alcohol (C12-C16) poly(1-6)ethoxylates	EHS 294
.13	Alcohol (C12-C16) poly(20+)ethoxylates	EHS 1482
.14	Alcohol (C9-C11) poly(2.5-9)ethoxylate	EHS 2094
.15	Diethylene glycol	EHS 628
.16	Dodecene (all isomers)	EHS 720
.17	Alcohol (C12-C16) poly(7-19)ethoxylates	EHS 1481
.18	Dialkyl (C7-C13) phthalates	EHS 566
.19	Methylamyl alcohol	EHS 958
.20	Nonyl alcohol (all isomers)	EHS 1059
.21	Olefin mixtures (C5-C15)	EHS 2321
.22	Sodium alkyl (C14-C17) sulphonates (60-65% solution)	EHS 334
.23	Undecyl alcohol	EHS 1382
.24	White spirit, low (15-20%) aromatic	EHS 1411

4.4 The results of the Group's discussions on the respective substances are set out below. Any agreed modifications to the respective hazard profiles for these substances are highlighted in the revised GESAMP/EHS Composite List, set out in annex 3.

#### **EHS 2449            n-Alkanes (C9-C11)**

4.5 Following a review of the data submitted, the Group agreed that it supported the proposed change in the C3 rating from (2) to (0)

*Amended rating      C3=(0)*

\* Some of the product names used are the TRNs for these products rather than the EHS names used in the Composite List. Transport reference number (TRN) terms are the names employed for shipping purposes, as utilized in the IBC Code and the MEPC.2/Circular.

**EHS 2486      Sodium hydroxide (30% or less)/Sodium aluminate (25% or less) solution**

4.6      The Group considered the data submitted regarding a re-evaluation of B1 rating of the product, initially assessed at EHS 53.

4.7      The Group considered the data submitted for sodium aluminate. However, having reviewed more than 30 studies for an analogous substance, the Group assigned a bracketed rating, using the geometric mean for the most sensitive species for the analogous substance, having determined that this was a better data set on which to review the rating. The Group concluded that based on these data, the B1 rating should be amended from 5 to (4).

*Amended rating      B1=(4)*

**EHS 539      Cyclohexanone**

4.8      Following a review of the data submitted, the Group agreed that the data supported the proposed change in the E2 rating from FE to FED.

*Amended rating      E2=FED*

**EHS 2480      Alkyl (C10-C15, C12 rich) phenol poly(4-12)ethoxylate**

4.9      Following a review of the data submitted, the Group agreed that the data supported the proposed change in the B1 rating from (0) to (2).

*Amended rating      B1=(2)*

**EHS 334      Alkane (C14-C17) sulphonic acid, sodium salt (60-65% solution)**

4.10     The Group considered the name assigned to the product and agreed to add the percentage range of the solution to the name to make it more precise, as follows:

*Amended name    Alkane (C14-C17) sulphonic acid, sodium salt (60-65% solution)*

**EHS 2487      Fish silage protein concentrate (containing 4% or less formic acid)**

4.11     The Group considered a request from industry for a re-evaluation of this material. Having reviewed the data submitted, the Group agreed with the proposed amendments to the E2 rating from Fp to D.

*Amended rating    E2=D*

**EHS 427      Drilling brines**

4.12     The Group, having reviewed the entries in the GESAMP Composite list linked to the entries for drilling brines contained in the IBC Code further to the request of ESPH 22, determined that no modification to the Composite List entries was needed. However, the Group was of the view that a review of the IBC Code entries was required, as the products listed in the IBC Code entries were not in line with the associated Composite List entries. As a consequence, GESAMP/EHS recommended that ESPH review the IBC Code entries against the EHS entries, and consider renaming these as set out below, to better reflect the nature of the product that had been assessed by GESAMP/EHS.

- EHS 427 Calcium bromide (solutions)
  - TRN 308 Drilling brines, including: calcium bromide solution, calcium chloride solution and sodium chloride solution
  - Proposed TRN change Drilling brines (containing calcium bromide)
- 
- EHS 427 Zinc chloride
  - TRN 308 Drilling brines (containing zinc salts)
  - Proposed TRN change Drilling brines (containing zinc chloride)

4.13 Further to its review of drilling brines, the Group also reviewed the text of the Reports and Studies No.64 related to inorganic material, as contained in section 4.1.2 of the document. The Group noted that table 3 in section 4.1.2.2 was potentially misleading and that qualifiers to the *inorganic* ratings set out in the table had never been used in the assignment of hazard profiles. As a consequence the Group noted that this section would need to be reviewed and redrafted. To this end, the Group agreed to work intersessionally on the section and prepare a revised marked up version for consideration at EHS 55.

#### **EHS 951                  Methanol**

4.14 The Group considered a request from industry for a re-evaluation of this product. In particular the Group was requested to review the existing ratings related to acute toxicity under columns C1, C2, C3 and D3. In addition to the rationale and data provided to support the re-assessment, the Group considered a number of additional scientific publications, evaluations by national and international bodies, as well as the existing data on file.

4.15 Having reviewed the justification provided and the supporting data, the Group confirmed the existing ratings for acute oral and dermal toxicity in columns C1 and C2.

4.16 Concerning the lethal effects resulting from acute inhalation, the Group determined that there was insufficient evidence to justify a change to the existing C3 rating. The Group also noted that the data submitted had already been evaluated at a previous session. It further noted that the existing rating was in line with the common classification by industry and the existing legal hazard classification in Europe.

4.17 With regard to the T rating in column D3, the hazard evaluation criteria outlined in GESAMP Reports and Studies No.64 (2nd edition) specify that an assigned rating for target organ specific effects can be triggered by either oral, dermal or inhalation exposure.

4.18 The Group, nevertheless, considered a single exposure to Methanol via inhalation. Scientific studies concerning occupational intoxication, data on metabolism in primates and recent substance evaluation reports, including those addressing acute exposure guidelines, were taken into consideration. The reports, in particular those referring to cases of occupational exposure leading to long term visual impairment, confirmed the existing T rating under column D3 for inhalation exposure. The Group concluded that there was no scientific evidence to clearly demonstrate that a single high-level inhalation exposure would not cause damage to the optical nerve. It was also noted that the GHS classifications used by chemical companies in Europe were consistent with the current evaluation.

**EHS 761      Ethylene glycol**

4.19 The Group, having reviewed the data provided for ethylene glycol, determined that it justified the removal of the T from the D3 rating and that the E3 rating should be amended from 2 to 1. Recalling that this rating had been assigned based on data considered for ethylene glycol at EHS 53, the Group agreed that the ratings for Ethylene glycol/sodium alkyl carboxylates mixture (EHS 2475) and Ethylene glycol/sodium alkyl carboxylates/borax mixture (EHS 2477) would also need to be reviewed.

*Amended rating    D3=blank    E3=1*

**EHS 2475      Ethylene glycol (>85%)/Sodium alkyl carboxylates mixture**

4.20 As a result of its discussions related to Ethylene glycol, the Group reviewed the data submitted to EHS 53 for this product and agreed to remove the T from the D3 rating and amend the E3 from 2 to 1.

*Amended rating    D3=blank    E3=1*

**EHS 2477      Ethylene glycol (>75%)/Sodium alkyl carboxylates/borax mixture**

4.21 As a result of its discussions related to ethylene glycol, the Group reviewed the data submitted to EHS 53 for this product and agreed to remove the T from the D3 rating.

*Amended rating    D3=R*

**Products submitted by industry for review of C3 rating**

4.22 A number of products were submitted by industry, as set out below, with a request to review the C3 ratings. In considering the submissions, the Group noted that, in most cases, the necessary test studies and data required to consider a change in rating had not been provided. Consequently, the Group concluded that it would not be in position to consider the products at this session and noted that further information would be needed for it to consider the products at its next session.

.1	Methyl diethanolamine	EHS 1491
.2	Triethanolamine	EHS 1338
.3	Ethylenediaminetetraacetic acid, tetrasodium salt solution	EHS 759
.4	Methyl isobutyl ketone	EHS 971
.5	Pentanoic acid	EHS 1109
.6	n-Pentyl propionate	EHS 1484
.7	Propionic acid	EHS 1186
.8	Dodecyl diphenyl ether disulphonate solution	EHS 723
.9	Nonylphenol poly(4+)ethoxylate	EHS 1063
.10	Vinyl acetate	EHS 1400
.11	n-Propyl alcohol	EHS 1180
.12	Alcohol (C12-C16) poly(1-6)ethoxylates	EHS 294
.13	Alcohol (C12-C16) poly(20+)ethoxylates	EHS 1482
.14	Alcohol (C9-C11) poly(2.5-9)ethoxylate	EHS 2094
.15	Diethylene glycol	EHS 628
.16	Dodecene (all isomers)	EHS 720
.17	Alcohol (C12-C16) poly(7-19)ethoxylates	EHS 1481
.18	Dialkyl (C7-C13) phthalates	EHS 566

.19	Methylamyl alcohol	EHS 958
.20	Nonyl alcohol (all isomers)	EHS 1059
.21	Olefin mixtures (C5-C15)	EHS 2321
.22	Sodium alkyl (C14-C17) sulphonates (60-65% solution)	EHS 334
.23	Undecyl alcohol	EHS 1382
.24	White spirit, low (15-20%) aromatic	EHS 1411

**Note:** Some of the names given above are the shipping TRN terms rather than the EHS names used in the Composite List. Transport reference number (TRN) terms are the names employed for shipping purposes, as set out in the IBC Code.

4.23 With regard to the information requirements, the Group agreed that the following properties and technical information would be required in order to re-evaluate the C3 rating for these products:

- .1 vapour pressure;
- .2 saturated vapour concentration; and
- .3 specific test reports, studies or summaries submitted as separate pdf or MS Word files. The submission of web links to relevant reference information would not suffice.

4.24 Where information is provided based on read across or by analogy, a clear rationale and explanation would be needed.

4.25 Submissions should be made on an individual chemical basis, rather than as a consolidated list or table, together with by the necessary supporting evidence, to facilitate the work of the experts during the session.

4.26 The above, together with the Group's consideration of the submissions for a number of new products, led to a general discussion regarding the quality of submissions, in particular with regard to the format for submission of test studies and supporting technical data. To this end, the Group agreed that guidance was needed that clearly set out the type and format of information to be submitted for both new products and re-assessments and requested the Secretariat to develop this intersessionally for review at EHS 55.

#### ISSUES RELATED TO EVALUATIONS

##### Paraffins

4.27 Further to the work initiated at EHS 52 on the alkanes, the Group had agreed to review the entries of paraffins, as part of the family of alkanes, to ensure the same consistency in the ratings. This work was initiated at EHS 53, with a view to further progressing it at EHS 54.

4.28 Based on the information considered at EHS 53, the Group concluded that there were four possible groupings for paraffins and agreed to further refine these and develop appropriate names and profiles at EHS 54.

4.29 Taking into consideration the background documentation prepared by the Chair noting that no information had been received from industry, further to the request made by ESPH 22 and PPR 4, the Group agreed to the following revised entries for paraffins in the Composite List:

- .1 **n-Alkanes (C10-C20)** (EHS 0296) containing predominantly n-alkanes but with "contamination" of up to 5% iso- and cyclo- alkanes as well as sometimes aromatics (below 2%), but no carcinogenic aromatic compounds

- .2 **Paraffin wax, highly-refined** (EHS 1086) of pharmaceutical or food grade consisting of n-, iso-, and cyclo- alkanes, mineral oil up to 0.5%, but very low in polycyclic aromatic hydrocarbons (below 0.1%)
- .3 **Paraffin wax, semi-refined** (EHS 2244) of technical quality consisting of n-, iso-, and cyclo- alkanes with aromatic hydrocarbons up to 15%, mineral oil up to 5%, and polycyclic aromatic hydrocarbons with up to 1%, in general, but carcinogens (e.g. Benzene) always below 0.1%; and
- .4 **Hydrocarbon wax**, (EHS 2278) crude material from the refinery, consisting of n-, iso-, and cyclo- alkanes with aromatic hydrocarbons up to 15%, and polycyclic aromatic hydrocarbons (above 0.1%).

4.30 Having agreed to the entries and their general compositional characteristics, the Group reviewed the associated GESAMP Hazard Profiles and modified these based on data compiled by the Group, as set out in the ensuing paragraphs.

**EHS 296            n-Alkanes (C10-C20)**

4.31 Based on a review of the data, the Group agreed to amend the ratings as follows: A1b from NI to (5), B2 from (0) to NI, C3 from (1) to (0), D2 from (0) to (1) and E2 from F to Fp.

<i>Amended rating</i>	A1b=(5)	B2=NI	C3=(0)	D2=(1)	E2=Fp
-----------------------	---------	-------	--------	--------	-------

**EHS 1086            Paraffin wax, highly-refined (previously Paraffin wax)**

4.32 The Group agreed to rename the entry from "Paraffin wax" to "Paraffin wax, highly-refined" to better define the specific nature of the product and agreed to amended ratings as follows: A1a amended from 0 to (5), A1 from 0 to (5), A2 from R to (NR), B2 from NI to (0), C3 from (1) to (0), D1 from 1 to (0), D2 from 1 to (0).

<i>Amended rating</i>	A1a=(5)	A1=(5)	A2=(NR)	B2=(0)	C3=(0)
	D1=(0)	D2=(0)			

**EHS 2244            Paraffin wax, semi-refined (previously Petrolatum)**

4.33 The Group agreed to rename the entry from "Petrolatum" to "Paraffin wax, semi-refined" to better define the specific nature of the product and agreed to amended ratings as follows: A1a amended from 0 to (5), A1 from 0 to (5), B2 from NI to (0), C1 from 0 to (0), C2 from 0 to (0), C3 from 2 to (0), D1 from 1 to (0), D2 from 1 to (0), T added to D3, E3 from 2 to 3.

<i>Amended rating</i>	A1a=(5)	A1=(5)	B2=(0)	C1=(0)	C2=(0)
	C3=(0)	D1=(0)	D2=(0)	D3=T	E3=3

**EHS 2278            Hydrocarbon wax (previously Hydrocarbon waxes)**

4.34 The Group agreed to rename the entry from Hydrocarbon waxes to Hydrocarbon wax. Based on the data, the Group agreed to amend the ratings as follows: A1a amended from 0 to (5), A1 from 0 to (5), C1 from 0 to (0), C2 from 0 to (0), D1 from 1 to (0), D2 from 1 to (0), C and T added to D3, E3 from 2 to 3.

<i>Amended name</i>	Hydrocarbon wax
---------------------	-----------------

<i>Amended rating</i>	A1a=(5)	A1=(5)	C1=(0)	C2=(0)
	D1=(0)	D2=(0)	D3=CT	E3=3

4.35 The Group further noted that the outcome of this work would need to be duly communicated to the ESPH Working Group, as there would be a need to review the corresponding chapter 17 entries and chapter 19 synonyms, to ensure these were in line with the new Composite List entries, in particular given the deletion of Petrolatum wax from the Composite List.

**EHS 1122      *Petrolatum wax***

4.36 The Group agreed to delete the entry for "Petrolatum wax (EHS 1122)", noting that this would now be adequately covered by the revised entry for "Hydrocarbon wax (EHS 2278)".

**Alkylphenols**

4.37 Having reviewed the two alkylphenol submissions at EHS 53 (EHS 2476 and EHS 2478), the Group noted potential inconsistencies in the ratings of structurally similar products on the GESAMP Composite List to the ratings assigned to these products and agreed to review these at a future session, with a view to ensuring a consistent approach in the assessment of all substances within the product family. Due to time constraints, the Group was unable to consider these at this meeting and agreed to defer these for consideration at EHS 55, time permitting.

**5      CLASSIFICATION ISSUES**

**Elimination of information on tainting of seafood within the Composite List**

5.1 Further to a proposal by the Chair, the Group discussed whether information on tainting of seafood, which is currently included in column E1, should be eliminated from the Composite List.

5.2 The Group noted that data on tainting in the scientific literature was scarce and little testing had been done since this criterion was first introduced. The last review of the available data on tainting of seafood had been carried out some 30 years ago. The Group further recalled that the ratings for tainting in the GESAMP Composite List were last verified in 2000 and that GESAMP/EHS had stopped assigning ratings for tainting in 2002.

5.3 The Group further noted that, more recently, tainting had been deleted from all regulations for classifying substances carried by ships in both bulk and packaged form. Additionally, the Group noted that, from a scientific standpoint, no relevant work on tainting of seafood had been published in the scientific literature in the past 20 years, nor had there any requests for information or comments on tainting in the intervening period.

5.4 Taking the above information into account, the Group agreed to delete all references to tainting in column E1 in the next revision of Reports and Studies No.64. The Group noted, however, that the existing rating information on tainting would be retained within the GISIS database for historical purposes, should there be any queries about tainting in the future.

5.5 The full rationale for the elimination of tainting and the specific amendments required to Reports and Studies No.64 are set out in annex 4.

### **Introduction of new column E1 on flammability**

5.6 The Group recalled that at EHS 51 it had considered the use of the GESAMP Hazard Profile for chemical spill response. Initial discussions confirmed that the addition of flammability in the GESAMP Hazard Profile would be valuable information for first responders when responding to incidents involving hazardous materials.

5.7 The Group further recalled that it had revisited the topic at EHS 53 and had agreed that flashpoint information would be the most appropriate flammability property to use for developing a new rating in the GESAMP Hazard Profile.

5.8 The Group considered information prepared intersessionally providing the full background and rationale for establishing a new rating for flammability that also proposed criteria and ratings for, based on flashpoint ranges.

5.9 In this connection, the following ratings for flammability were agreed by the Group:

<i>Ratings for flammability</i>			
Rating	Flash point range (°C)		
Non-flammable	0	>93	
Combustible	1	>60	<93
Flammable	2	>23	<60
Highly flammable	3		<23

5.10 Given that it had agreed to remove all tainting information currently included in column E1 earlier in this agenda item, the Group agreed to re-assign column E1 for the purposes of capturing the new flammability ratings.

5.11 The Group also undertook an initial review of the proposed text for revising Reports and Studies No.64, but noted it would require a more detailed review at EHS 55, with a view to final agreement at that session.

5.12 The Group also agreed to review flashpoint information for products, extracted from the GISIS database, intersessionally.

5.13 The document considered by the Group containing the rationale and proposed new criteria the assignment of a flammability rating in column E1 is as set out in annex 5.

### **Amendments to the column C3**

5.14 The Group considered information prepared intersessionally that expanded on the initial discussions initiated at EHS 53 regarding the review of the C3 rating criteria. The information proposed a new categorization and related rating criteria for the C3 column, as well as amended text for inclusion in Reports and Studies No.64.

5.15 Having determined that more time would be needed to conduct a more thorough review of the proposed changes and to test out the new criteria on a number of substances to ensure its applicability, the Group agreed to work intersessionally and defer a more detailed review of the amendments to EHS 55.

5.16 The document considered by Group on the proposed refinement of column C3 (Acute inhalation toxicity) is as set out in annex 6.

## **6 CONSOLIDATION OF EXISTING DATA FILES**

6.1 The Group recalled the ongoing review of the GESAMP/EHS files was a regular agenda item.

6.2 Not having had sufficient time to review these files during the session, in light of other higher priority work on its agenda, the Group agreed to defer consideration of this item to its next session.

## **7 COMMUNICATION AND PUBLICATION**

7.1 Under this agenda item, the Group reconfirmed its intention, as had been discussed under agenda item 2, to initiate a revision of the second edition of Reports and Studies No.64 for finalization and publication in time for the 50<sup>th</sup> anniversary of GESAMP in late 2019.

7.2 Noting that the Group had discussed a number of revisions to the Reports and Studies No.64 during the session, the Group instructed the Secretariat to disseminate a Word version of the current version to all members of the Group, to facilitate the intersessional work of the sub-groups working on the revision of the respective sections.

## **8 ANY OTHER BUSINESS**

### **Membership issues**

8.1 The Group invited Dr. Bette Meek to formally join GESAMP/EHS as a standing member of the expert group, further to her initial participation as a first time expert at GESAMP/EHS 53, and welcomed her important contribution to the Group's work going forward.

### **Note of condolence**

8.2 The Group noted with sadness the passing of Mr. Peter Howgate, a long-time member and contributor as a past expert of the GESAMP/EHS Working Group.

### **Note of thanks**

8.3 Having noted that this would be the last session of Mr. Derek James, the Group expressed its deep appreciation for the long and dedicated service to the Group. The Group also recognized his immense contribution over many years, together with his good humour and quick wit, which would be sorely missed.

### **Redevelopment of GISIS**

8.4 The Group noted the information provided by the Secretariat on the current redevelopment of the GISIS Bulk Chemicals Module to, primarily, create an online reporting capability for:

- .1 GESAMP Product Data Reporting Form;
- .2 PPR Product Data Reporting Form; and
- .3 Tripartite agreements.

8.5 In addition, the Secretariat noted that many new efficiencies were being introduced, as well as new querying capability, to facilitate the extraction of relevant information from the database in support of the work of both the ESPH Working Group and GESAMP/EHS Working Group.

8.6 Having considered the information presented, the Group indicated its interest in having a presentation on the revised GISIS module at EHS 55.

**Draft provisional agenda and date of the next session**

8.7 The Group agreed to the draft provisional agenda for its next session, set out in annex 7 and that its next meeting would be held in the April/May 2018, at IMO headquarters in London, with specific dates to be determined.

**9 CONSIDERATION AND ADOPTION OF THE REPORT**

9.1 The Group adopted its report, noting that it would be circulated, together with the updated GESAMP Composite List, as PPR.1/Circ.4.

\*\*\*



**ANNEX 1**

**LIST OF MEMBERS ATTENDING THE FIFTY-FOURTH SESSION  
OF THE GESAMP/EHS WORKING GROUP**

Dr. Thomas Höfer (Chairman)  
Federal Institute for Risk Assessment  
Max-Dohrn-Str. 8-10  
D-10589 Berlin  
Germany

E-mail: [thomas.hoefer@online.de](mailto:thomas.hoefer@online.de)  
Mob.: +49 152 539 005 34

Dr. Derek James  
Ty Llwyd  
Llanwrda  
Carmarthenshire  
Wales SA19 8AW  
United Kingdom

E-mail: [derek777.james@gmail.com](mailto:derek777.james@gmail.com)  
Tel: +44 1550 779034

Mr. M. Morissette  
Dangerous Goods Advisory Council  
Suite 760  
7501 Greenway Center Drive  
Greenbelt, MD 20770  
United States

E-mail: [mmorissette@dgac.org](mailto:mmorissette@dgac.org)  
Tel: +1 202 289 4550  
Fax: +1 202 289 4074

Dr. Hotaka Saito  
LSI Medience Corporation  
subsidiary of Mitsubishi Chemical Holdings  
The Kaiteki Bldg., 13-4,  
Uchikand1-chome Chiyoda-ku,  
Tokyo 101-8517  
Japan

E-mail: [Saito.Hotaka@mh.medience.co.jp](mailto:Saito.Hotaka@mh.medience.co.jp);  
[saito.hotaka@ma.medience.co.jp](mailto:saito.hotaka@ma.medience.co.jp);  
Tel: +81 3 5577 0409  
Fax: +81 3 5577 0459

Dr. Stéphane Le Floch  
Cedre  
715 rue Alain Colas  
CS 41836  
29218 Brest Cedex 2  
France

E-mail: [Stephane.Le.Floch@cedre.fr](mailto:Stephane.Le.Floch@cedre.fr)  
Tel: +33 2 98 33 67 02  
Fax: +33 2 98 44 91 38  
Mob.: +33 627 46 11 53

Dr. Wenxin Jiang  
Tianjin Research Institute of  
Water Transport Engineering (TRIWTE)  
2618#, Xingang Road No.2  
Tanggu, Tianjin  
China

E-mail: [wenxin-jiang@126.com](mailto:wenxin-jiang@126.com);  
[wenxjiang@aliyun.com](mailto:wenxjiang@aliyun.com)  
Tel: +86 22 59812345 8428  
Fax: +86 22 59812 118  
Mob.: +86 186 2259 9805

Mr. Richard Luit  
RIVM, Centre for Safety of Substances and  
Products,  
PO Box 1, 3720 BA Bilthoven  
Netherlands

E-mail: [richard.luit@rivm.nl](mailto:richard.luit@rivm.nl)  
Tel: +31 302743073  
Fax: +31 302744401  
Mob: +31 646860770

Dr. Patricio Hernan Rodriguez Neira  
Centro de Investigacion Minera y Metalurgica,  
Santiago-Chile  
Av. Diagonal Las Torres 2640  
Peñalolen 794 1169  
Santiago, Chile

E-mail: [patricio.rodriguez@cimm.cl](mailto:patricio.rodriguez@cimm.cl)  
Tel: +56-2-2331 1566  
Mob: +56-9-9889 6027

Dr. Bette Meek  
McLaughlin Centre for Risk Science  
University of Ottawa  
600 Peter-Morand Crescent, Room 216  
Ottawa, ON K1G 5Z3

E-mail: [bmeek@uottawa.ca](mailto:bmeek@uottawa.ca)  
Tel: +613-276-4134  
Fax: +613-562-5944  
[www.mclaughlincentre.ca](http://www.mclaughlincentre.ca)

## IMO SECRETARIAT

Ms. Patricia Charlebois  
Head, Carriage of Chemicals in Bulk &  
Technical Secretary of the GESAMP/EHS  
Working Group  
International Maritime Organization  
Marine Environment Division  
4 Albert Embankment  
London SE1 7SR  
United Kingdom

E-mail: [pcharlebois@imo.org](mailto:pcharlebois@imo.org)  
Tel: +44 20 7587 3163  
Fax: +44 20 7587 3210

Dr. Ken McDonald  
GESAMP Technical Advisor  
International Maritime Organization  
Marine Environment Division  
4 Albert Embankment  
London SE1 7SR  
United Kingdom

E-mail: [kmcdonald@imo.org](mailto:kmcdonald@imo.org)  
Tel: +44 20 7587 3249  
Fax: +44 20 7587 3210

Ms. E. Patricia H. Santos  
Secretary  
International Maritime Organization  
Marine Environment Division  
4 Albert Embankment  
London SE1 7SR  
United Kingdom

Email: [psantos@imo.org](mailto:psantos@imo.org)  
Tel: +44 20 7463 4171  
Fax: +44 20 7587 3210

\*\*\*

## ANNEX 2

### GESAMP HAZARD PROFILES FOR NEW SUBSTANCES SUBMITTED FOR EVALUATION TO GESAMP/EHS 54

1 This annex sets out the GESAMP Hazard Profiles (GHP) assigned for the products submitted to the current session. The respective substances and their GHPs are summarized in the subsequent table.

\*\*\*

**ANNEX 2 - GESAMP HAZARD PROFILES FOR NEW SUBSTANCES SUBMITTED FOR EVALUATION TO GESAMP/EHS 54**

**26 May 2017  
Page 1 of 1**

<b>EHS Name TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Benzaldehyde	2498 1 4132	Nl	1	R	3	Nl	1	(1)	2	2	2	2	2		FD	2
Benzaldehyde	2490 1 4124	(1)	1	R	1	0	1	0	0	1	2					
1-Butylpyrrolidin-2-one	2499 Nl 3893	Nl	(0)	NR	1	(0)	(0)	(0)	(0)	(0)	(0)			D	2	
Fish by-products (fresh)	2502 Nl 4090	Nl	(0)	R	1	(0)	(0)	(0)	(0)	(0)	(0)			F	1	
Fresh grinded fish by-products	2500 Nl 3892	Nl	(0)	R	0	(0)	(0)	(0)	(0)	(0)	(0)			D	1	
Fish protein concentrate (containing 4% or less formic acid)	2489 (2) 4123	Nl	(2)	R	3	Nl	1	(1)	(3)	3A	3	Ss				
Fish silage (containing 3% or less formic acid with antioxidant)	2493 0 4127	Nl	0	NR	1	Nl	0	0	(0)	0	1			F	1	
Fish silage	2495 0 4129	Nl	0	NR	1	Nl	2	2	2	2	3	SsT		D	3	
Hexahydro-1,3,5-trimethyl-1,3,5-triazine solution (45% or less)	2491 (5) 4125	Nl	(5)	NR	2	Nl	0	0	(0)	(0)	0	A		Fp	3	
[(2-hydroxyethyl)iminodimethylene]bisphosphonic acid, sodium salt	2493 0 4127	Nl	0	NR	1	Nl	0	0	(0)	0	1			D	1	
2-Mercaptoethanol	2496 0 4129	Nl	0	NR	1	Nl	2	2	2	2	3					
2-Propenoic acid polymer with 4-(1,1-dimethyl ethyl)phenol, formaldehyde, 2,5-furandione, 2-methyloxirane and oxirane (65% in naphthalaxylene)	2491 (5) 4125	Nl	(5)	NR	2	Nl	0	0	(0)	(0)	0					
Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)-alkyldimethyl chlorides solution	2494 3 4128	Nl	3	NR	4	Nl	1	0	(3)	3B	3			D	3	
Tall oil acids reaction products with diethylenetriamine and acrylic acid in ethylene glycol	2497 3 4131	Nl	3	R	2	Nl	0	0	(1)	0	1	Ss		D	2	
Tall oil acids reaction products with triethanolamine	2492 4 4126	Nl	4	NR	2	Nl	0	0	(1)	1	0			Fp	2	
Thioglycolic acid	2496 0 4130	Nl	0	R	2	Nl	2	2	3	3B	3		D	3		

\*\*\*

## ANNEX 3

### UPDATED GESAMP COMPOSITE LIST

#### Notes:

- 1 In the Composite List, both EHS and TRN (shipping) names are shown for each product. The alphabetical listing of the products is based on the EHS names.
- 2 Any changes introduced in the table since the last issue of the Composite List are highlighted.
- 3 Entries with an EHS name marked with a single asterisk (\*) represent cleaning additive components that have only a partial hazard profile assigned. These profiles **cannot be used** for mixture calculations in relation to bulk shipments.
- 4 Entries with an EHS name marked with a double asterisk (\*\*) represent mixture components for which only a partial hazard profile has been assigned. These profiles **may be used** for mixture calculations in relation to bulk shipments.
- 5 Entries with an EHS name marked with a hash mark (#) reflect that for the **C3 rating**, the product, as a vapour rather than an aerosol or mist, could be considered to have a lower inhalation hazard for the purposes of risk management.
- 6 Entries with an EHS name marked with an exclamation mark (!) refer to a mixture that contains components with substantially different physical properties and therefore different physical behaviours when released in the marine environment. The **E2 rating** assigned reflects the most severe impact from an environmental standpoint. For example, a mixture assigned a rating of Fp may also have a major component(s) with sinker characteristics (S) or dissolver characteristics (D).

\*\*\*

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 1 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Acetic acid		13	0	0	0	R	1	NI	1	1	3C	3			D	3	
Acetic acid		64															
Acetic anhydride		12	0	0	0	R	1	NI	1	0	2	3	3	A	D	3	
Acetic anhydride		65															
Acetochlor (ISO)		2047	3	2	2	NR	4	NI	1	0	(1)	0	0		S	2	
Acetochlor		66													NT	DE	2
Acetone		15	0	0	0	R	0	0	0	0	0	0	1	2			
Acetone		67															
Acetone cyanohydrin		14	0	0	0	R	4	NI	3	4	3	(3)	(3)		D	3	
Acetone cyanohydrin		68															
Acetonitrile		16	0	0	0	R	1	NI	1	1	2	1	2		D	2	
Acetonitrile		69															
Acetonitrile (Low purity grade)		2333	0	NI	0	R	3	NI	1	1	2	1	2		D	2	
Acetonitrile (Low purity grade)		2876															
Acid mixtures (nitrating acid)		289	Inorg	NI	0	Inorg	(2)	NI	3	3	4	3C	3		D	3	
Nitration acid (mixture of sulphuric and nitric acids)		497															
Acrylamide		23	0	0	0	R	2	0	2	2	(2)	1	2	CMSs	D	3	
Acrylamide solution (50% or less)		70															
Acrylic acid		24	0	0	0	R	4	NI	2	2	2	3C	3		D	3	
Acrylic acid		71															
Acrylic acid / dimethylidiallyl ammonium chloride copolymer, partial sodium salt (MWt 1500-4000, aqueous solution)		2406	0	NI	0	R	0	0	0	0	(0)	0	0		D	0	
Acrylic acid / dimethylidiallyl ammonium chloride copolymer, partial sodium salt (MWt 1500-4000, aqueous solution)		3682															
Acrylic acid/ethenesulphonic acid copolymer with phosphonate groups, sodium salt (aqueous solution)		2417	0	NI	0	NR	0	NI	0	(0)	(0)	0	0		D	0	
Acrylic acid/ethenesulphonic acid copolymer with phosphonate groups, sodium salt solution		3693															
Acrylonitrile		25	0	2	2	NR	3	0	2	3	3	2	2	CMSs	NT	DE	3
Acrylonitrile		72															
Acrylonitrile-styrene copolymer dispersion in polyether polyol (LOA)		1432	NI	0	0	NI	1	NI	0	(0)	(0)	0	(0)		S	0	
Acrylonitrile-Styrene copolymer dispersion in polyether polyol		73															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 2 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Adiponitrile	26	0	0	R	1	NI	3	(3)	3	3	(3)					FD
Adiponitrile	74															3
Alachlor (ISO)	1488	3	3	3	NI	4	1	1	0	(2)	1	0	CSS		S	3
Alachlor technical (90% or more)	75															
Alcoholic beverages	293	0	0	R	0	0	0	0	0	0	0	0		D		1
Alcoholic beverages, n.o.s.	85															DE
Alcoholic silicasol	2198	0	0	R	0	0	0	0	0	0	0	1	2			
Tetraethyl silicate monomer/oligomer (20% in ethanol)	2475															
Alcohol(C12-C16) poly(20 and above)ethoxylates	1482	4	(3)	(3)	R	2	0	(0)	(0)	(0)	2	1				D
Alcohol(C12-C16) poly(20+)ethoxylates	78															2
Alcohol(C6-C17)(secondary) poly(3-6)ethoxylate	722	4	3	3	R	4	2	0	(0)	(3)	3	2				D
Alcohol(C6-C17) (secondary) poly(3-6)ethoxylates	81															3
Alcohol(C6-C17)(secondary) poly(7-12)ethoxylate	295	3	3	R	4	1	1	0	(3)	3	3	3				D
Alcohol(C6-C17) (secondary) poly(7-12)ethoxylates	80															3
Alcohol(C10-C18) poly (7) ethoxylate (#)	2488	NI	(3)	(3)	R	3	1	(1)	(0)	(2)	(2)	(2)				D
Alcohol(C10-C18) poly (7) ethoxylate	3979															3
Alcohol(C8-C11) poly(2-5-9)ethoxylates	2094	3	3	R	3	NI	1	0	(2)	(2)	(2)	(2)				D
Alcohol(C9-C11) poly(2-5-9)ethoxylate	2209															2
Alcohol(C12-C16) poly(1-6) ethoxylates	294	5	3	3	R	4	1	0	0	(2)	2	2				FD
Alcohol(C12-C16) poly(1-6) ethoxylates	77															2
Alcohol(C12-C16) poly(7-19)ethoxylates	1481	4	3	3	R	4	1	1	0	(3)	3	3				D
Alcohol(C12-C16) poly(7-19)ethoxylates sulphate, sodium salt (*)	79															3
Alcohols (C8-C11)	2419	2	NI	2	R	3	NI	NI	NI	NI	NI	NI				N
Alcohols (C8-C11), primary, linear and essentially linear	3695															N
Alcohols, C13 and above as individuals and mixtures	2279	5	2	2	(R)	(3)	(1)	(0)	(0)	(2)	(2)	(2)				Fp
Alcohols, (C13+)	2887															2
Alcohols, C10-C16 ethoxylated propoxylated (*)	2039	5	2	2	R	4	1	0	0	0	(1)	(1)				Fp
Alcohols, C10-C16 ethoxylated propoxylated (*)	86															2
	2450	0	NI	0	R	3	NI	NI	NI	NI	NI	NI				N  N
	3868															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 3 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Alcohols (C12-C13), linear		2294	5	2	2	R	4	(1)	0	0	(1)	1	1			Fp	2
Alcohols (C12-C13), primary, linear and essentially linear		2950															
Alcohols (C14-C18), linear		2293	5	2	2	R	0	1	0	0	(1)	1	1			Fp	2
Alcohols (C14-C18), primary, linear and essentially linear		2951															
Alcohols, linear (C10-C14)		2365	(5)	(2)	(2)	(R)	(4)	(1)	0	0	(2)	(2)	(2)			Fp	2
Decyl/Dodecyl/Tetradecyl alcohol mixture		3128															
Alkanes (C6-C9)		2202	(5)	Nl	(5)	(R)	(4)	Nl	(0)	(0)	(1)	(2)	(2)	N		FE	2
Alkanes (C6-C9)		88															
Iso- and cyclo-alkanes (C10-C11)		2203	(5)	Nl	(5)	Nl	(0)	(0)	(0)	(0)	(1)	(1)	(0)			F	1
Iso- and cyclo-alkanes (C10-C11)		393															
Iso- and cyclo-alkanes (C12+)		2204	(5)	Nl	(5)	Nl	(0)	Nl	0	0	(1)	(0)	(0)	A		Nl	2
Iso- and cyclo-alkanes (C12+)		394															
Alkanes (C5-C7), linear and branched		2464	(5)	Nl	(5)	(R)	(3)	(0)	0	0	0	2	0	NA		E	2
Alkanes (C5-C7), linear and branched		3799															
Alkanes (C10-C17), linear and branched		2463	(5)	Nl	(5)	R	0	1	0	0	(0)	0	0	A		F	3
Alkanes (C10-C17), linear and branched		3815															
Alkanes (C10-C26), linear and branched		2392	0	Nl	0	R	0	Nl	0	0	(1)	1	1	A		F	3
Alkanes (C10-C26), linear and branched, (flashpoint > 60°C)		3562															
Alkanes (C10-C26), linear and branched		2392	0	Nl	0	R	0	Nl	0	0	(1)	1	1	A		F	3
Alkanes (C10-C26), linear and branched (flashpoint ≤ 60°C)		3736															
n-Alkanes (C9-C11)		2449	(5)	Nl	(5)	R	0	(0)	0	0	(0)	1	0	A		F	3
n-Alkanes (C9-C11)		3867															
n-Alkanes (C10-C20)		296	(5)	(5)	(5)	(R)	(0)	Nl	(0)	(0)	(0)	(1)	(1)	A		Fp	3
n-Alkanes (C10+)		471															
Alkane (C14-C17) sulphonic acid, sodium salt (60-65% solution)		334	2	2	2	R	3	1	0	0	(2)	2	2	D		2	
Sodium alkyl (C14-C17) sulphonates (60-65% solution)		1153															
Alkaryl polyether (C9-C20) (LOA)		1974	4	Nl	4	NR	3	Nl	0	0	(3)	2	3		S	2	
Alkaryl polyethers (C9-C20)		90															
Alkenoic acid ester, borated		2376	5	(3)	(3)	R	2	Nl	0	0	(2)	2	0		Fp	2	
Alkenoic acid ester, borated		3153															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 4 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Alkenylamide, long chain, more than C10	1858	3	NI	3	(NR)	4	NI	0	(0)	(1)	0	1		Fp	2	
Alkenyl (C11+) amide	838	0	0	0	NR	1	NI	0	0	(2)	2	(2)	SsSr	FD	2	
Alkenyl succinic anhydride	298	2336	2	2	R	2	0	0	0	(2)	2	2	RNA	F/Fp	3	
Alkenyl acrylate/Vinyl pyridine copolymer in toluene	299	94	2	2	R	2	0	0	0	(2)	(2)	(3)		FED	3	
Alkenyl acrylate/vinylpyridine copolymer in toluene	2447	3825	(1)	(1)	(R)	(2)	(0)	(1)	(1)	(2)	(2)	(3)		FED	3	
Alkyl/cyclo(C4-C5)alcohols	2447	3962	(1)	(1)	(R)	(2)	(0)	(1)	(1)	(2)	(2)	(3)		FED	3	
Alkyl/cyclo (C4-C5) alcohols	1433	98	NI	NI	NI	1	NI	(0)	(0)	NI	NI	NI		Fp	2	
Alkyl amine, alkennylic acid ester, mixture	2267	280	4	4	R	4	4	0	0	(1)	1	0		S	1	
Alkyl(C8+)amine, Alkenyl (C12+) acid ester mixture	2273	2575	0	2	0	NR	1	0	1	0	(2)	1	1	Fp	2	
Alkylaryl phosphate mixtures (more than 40% Diphenyl tolyl phosphate, less than 0.02% ortho-isomers)	1872	3106	0	2	NR	0	(3)	0	0	1	1	1		Fp	2	
Alkylaryl phosphate mixtures (more than 40% Diphenyl tolyl phosphate, less than 0.02% ortho-isomers)	103													FE	2	
Alkylated phenols (C4-C9) hindered phenols	2303	2909	(2)	(2)	(R)	(3)	(0)	0	0	(2)	2	2	ACMNR	FE	3	
Alkylbenzene distillation bottoms	2206	91	(3)	R	4	NI	0	0	0	(2)	(2)	(1)		FE	2	
Alkylbenzene distillation bottoms	2207	92	5	4	(NR)	4	NI	0	0	(2)	(2)	(1)		F	2	
Alkyl (C12-C15) benzene/indane/indene mixture	1783	100	0	4	NR	1	NI	0	(0)	(1)	(1)	(1)		F	1	
Alkylbenzene, alkylindane, alkylindene mixture (each C12-C17)	2206															
Alkylbenzene mixtures (containing at least 50% of toluene)	2207															
Alkylbenzene mixtures (containing at least 50% of toluene)	2208															
Alkyl (C3-C4) benzenes	2206															
Alkyl (C3-C4) benzenes	91															
Alkyl (C5-C8) benzenes	2207															
Alkyl (C5-C8) benzenes	92															
Alkylbenzenes, C9-C17 (straight or branched)	1783	100	3	3	NR	4	NI	0	0	(2)	(2)	(1)		F	1	
Alkylbenzenes	2423	3600	3	3	NR	4	NI	0	0	(2)	2	1	AC	F	3	
Alkylbenzenes mixture (containing less than 1% naphthalene)																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 5 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Alkybenzenes mixtures (containing naphthalene)	2424	(3)	(3)	(3)	(NR)	(4)	NI	0	0	(1)	1	1	AC		F	3
Alkybenzenes mixture (containing naphthalene)	3698															
Alkybenzenes mixtures (containing naphthalene)	2424	(3)	(3)	(3)	(NR)	(4)	NI	0	0	(1)	1	1	AC		F	3
Alkybenzenes mixtures (containing naphthalene)	39966															
Alky(C11-C13)benzenesulphonates, straight chain	301	3	3	3	R	3	1	1	(1)	(3)	2	3		FD		3
Alkybenzene sulphonic acid, sodium salt solution	102															
Alkyl thiocarbamate (C19-C35)	2236	0	NI	0	NI	1	NI	0	0	(0)	0	0		S	0	
Alkyl thiocarbamate (C19-C35)	2538															
Alky dithio thiadiazole (C6-C24) (LOA)	1981	5	NI	5	NR	1	NI	0	0	(0)	0	0		S	0	
Alky dithio thiadiazole (C6-C24)	104															
Alky(C4-C20) ester copolymer (LOA)	1986	NI	0	0	NR	0	NI	0	0	(0)	0	0		Fp	2	
Alkyl ester copolymer (C4-C20)	2202															
Alkylnaphthalenes, crude (containing less than 1% naphthalene)	2425	4	4	4	R	4	NI	0	0	(1)	1	1	AC		F	3
Alkylnaphthalenes (containing less than 1% naphthalene), crude	3601															
Alkylnaphthalenes, crude (containing naphthalene)	2426	(4)	(4)	(4)	(R)	(4)	NI	0	0	(1)	1	1	AC		F	3
Alkylnaphthalenes (containing naphthalenes), crude	3699															
Alky (C7-C9) nitrates	8	4	NI	4	NR	3	NI	0	0	(3)	2	(3)		F	3	
Alky (C7-C9) nitrates	93															
Alky(C8-C40)phenol sulphide (LOA)	1985	0	NI	0	NR	0	NI	0	0	(1)	1	1		FD	1	
Alky (C8-C40) phenol sulphide	2253															
Alky(C8-C9)phenylamine, in aromatic solvent (LOA)	2096	2	NI	2	NR	3	NI	(0)	(0)	(2)	2	2		S	2	
Alky (C9-C15) phenyl propoxylate	2188	0	NI	0	NR	0	NI	0	0	(2)	2	2		FD	2	
Alky (C9-C15) phenyl propoxylate	2430															
Alky[(C8-C10)/(C12-C14);(<40%/>60%)polyglucoside mixture solution (max 55% active material)]	2134	3	NI	3	R	3	0	0	0	(3)	2	3		D	3	
Alky [(C8-C10)/(C12-C14);(40% or less/60% or more) polyglucoside solution (55% or less)]	2248															
Alky[(C8-C10)/(C12-C14);(>60%/ $<40\%$ )polyglucoside mixture solution (max 55% active material)]	2135	3	NI	3	R	2	0	0	0	(2)	2	2		D	2	
Alky (C8-C10)/(C12-C14);(60% or more/40% or less) polyglucoside solution(55% or less)	2246															
Alky(C8-C10)polyglucoside solution (max 65% active material)	2136	1	NI	1	R	2	0	0	0	(2)	2	2		D	2	
Alky (C8-C10) polyglucoside solution (65% or less)	2245															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 6 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Alkyl (C8-C10)/(C12-C14):(50%/50%) polyglucoside solution (55% or less)	2133	3	NI	3	R	2	0	0	0	(3)	2	(3)			D	3
Alkyl (C8-C10)/(C12-C14):(50%/50%) polyglucoside solution (55% or less)	2247															
Alkyl(C12-C14)polyglucoside solution (max 55% active material)	2137	3	NI	3	R	3	0	0	0	(3)	2	3			D	3
Alkyl (C12-C14) polyglucoside solution (55% or less)	2249															
Alkyl (C10-C12) phenol poly(4-12)ethoxylate (#)	2480	(5)	(4)	(4)	(NR)	(2)	NI	(0)	(0)	(2)	(2)	(1)			SD	2
Alkyl (C10-C15, C12 rich) phenol poly(4-12)ethoxylate	3953															
Alkylsulphonic acid ester of phenol (MESAMOLL)	1878	5	NI	5	NR	0	NI	0	0	(0)	0	0			S	0
Alkyl sulphonic acid ester of phenol	1701															
Alkytoluenes	2374	0	2	2	NR	0	NI	0	0	(0)	(1)	0	1		Fp	2
Alkyl (C18+) toluenes	3148															
Alkyl(C18-C28)toluenesulphonic acid (>90% in mineral oil)	2429	0	4	4	NR	3	NI	0	0	(3)	2	3	SS		Fp	3
Alkyl(C18-C28)toluenesulphonic acid	3658															
Alkyl(C18-C28)toluenesulphonic acid, calcium salts, borated (up to 70% in mineral oil)	2404	0	4	4	NR	0	NI	(0)	(0)	(1)	(1)	(1)	SS		S	2
Alkyl(C18-C28)toluenesulphonic acid, calcium salts, borated	3661															
Alkyl(C18-C28)toluenesulphonic acid, calcium salts, high overbase (up to 70% in mineral oil)	2373	(0)	(4)	(4)	(NR)	(0)	NI	0	0	(0)	0	0	SS		S	2
Alkyl (C18-C28) toluenesulphonic acid, calcium salts, high overbase	3149															
Alkyl(C18-C28)toluenesulphonic acid, calcium salts, low overbase (up to 60% in mineral oil)	2409	0	4	4	NR	0	NI	0	0	(2)	2	0	SS		Fp	3
Alkyl (C18-C28) toluenesulphonic acid, calcium salts, low overbase	3685															
Allyl alcohol	28	0	0	0	R	4	NI	2	3	3	2	3	A		D	3
Allyl alcohol	105															
Aluminium chloride/hydrogen chloride solution	336	Inorg	NI	2	Inorg	3	1	1	(0)	3	(3C)	3			D	3
Aluminium chloride (30% or less)/Hydrochloric acid (20% or less) solution	110															
Aluminium hydroxide, sodium hydroxide, sodium carbonate solution (40% or less)	2438	Inorg	0	0	Inorg	3	NI	0	0	(3)	3B	(3)			D	3
Aluminium hydroxide, sodium hydroxide, sodium carbonate solution (40% or less)	3807															
Aluminium sulphate solution	2205	Inorg	Inorg	2	Inorg	3	1	1	(0)	(3)	(2)	(3)			D	3
Aluminium sulphate solution	111															
2-(2-Aminoethoxy) ethanol	75	0	0	0	NR	1	0	0	1	(3)	3	3			D	3
2-(2-Aminoethoxy) ethanol	37															
Aminoethyl ethanolamine	68	0	0	0	NR	1	0	0	0	(3)	3B	2	SsSr		D	3
Aminoethyl ethanolamine	112															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 7 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Aminoethylethanolamine/Aminooethylidethanolamine solution		74	Inorg	0	0	NR	1	0	(0)	(0)	(3)	(3B)	(2)	SsSr		D	3
Aminoethylethanolamine/Aminooethylidethanolamine solution		113															
N-Aminoethylpiperazine		88	0	0	0	NR	1	NI	0	2	(3)	3	3	Ss	D	D	3
N-Aminoethylpiperazine		472															
2-Amino-2-(hydroxymethyl)-1,3-propanediol solution(40% or less)		89	0	NI	0	NI	1	NI	0	0	NI	NI	NI		D	NI	
2-Amino-2-(hydroxymethyl)-1,3-propanediol solution (40% or less)		38															
2-Amino-2-methyl-1-propanol		90	0	0	0	NR	1	NI	0	0	(3)	3	3		DE		3
2-Amino-2-methyl-1-propanol		39															
Ammonia (anhydrous and aqueous, 28% or less)		91	0	0	0	R	3	2	1	(2)	3	3	3		DE		3
Ammonia aqueous (28% or less)		114															
Ammonium bisulphite solution, greater than 15%		1730	NI	NI	NI	NI	1	NI	NI	NI	NI	NI	2	2		D	2
Ammonium bisulphite solution (70% or less)		115															
Ammonium chloride solution (less than 25%)		2388	0	NI	0	Inorg	1	0	0	(0)	(2)	2	2		D	2	
Ammonium chloride solution (less than 25%) (*)		3411															
Ammonium lignosulphonate (46% solution in water)		2086	0	NI	0	NR	0	NI	0	(0)	(0)	0	0		D	0	
Ammonium lignosulphonate solutions		118															
Ammonium nitrate solutions		1912	Inorg	0	0	Inorg	1	NI	0	0	(2)	1	2		D	2	
Ammonium nitrate solution (93% or less)		119															
Ammonium polyphosphate solution		1764	Inorg	0	0	Inorg	1	NI	0	0	0	1	0		D	1	
Ammonium polyphosphate solution		120															
Ammonium sulphate		99	0	0	0	Inorg	1	(0)	0	(0)	(0)	0	0		D	0	
Ammonium sulphide solution (45% or less)		121															
Ammonium sulphide solution		310	Inorg	0	0	Inorg	3	NI	1	0	(2)	2	2	N	D	2	
Ammonium thiocyanate/ Ammonium thiosulphate solution		1732	Inorg	0	0	Inorg	1	NI	1	NI	NI	NI	NI		D	NI	
Ammonium thiocyanate (25% or less)/Ammonium thiosulphate (20% or less) solution		123															
Ammonium thiosulphate solution (60% or less)		312	Inorg	0	0	Inorg	1	NI	0	(0)	(1)	(1)	(1)		D	1	
Ammonium thiosulphate solution (60% or less)		124															
Amyl acetate		255	2	2	2	NR	2	NI	0	(0)	0	1	1	NT	FED	2	
Amyl acetate (all isomers)		125															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 8 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
tert-Amyl ethyl ether	2428	3	NI	3	NR	1	NI	0	(0)	0	2	2		E	2	
tert-Amyl ethyl ether	3623															
tert-Amyl methyl ether	2141	1	NI	1	NI	4	NI	1	0	2	0	1		ED	2	
tert-Amyl methyl ether	2210															
Amyl propionate	1484	2	NI	2	R	2	NI	0	0	(2)	2	1		F	2	
n-Pentyl propionate	484															
Aniline	261	0	0	0	R	3	2	2	2	3	1	3	CTSS	NT	FD	3
Aniline	127															
Apple juice	275	0	NI	0	R	0	0	0	0	0	0	0		D	0	
Apple juice	130															
Aryl polyolefin (C11-C50) (LOA)	1979	NI	NI	0	NR	0	NI	0	0	0	0	0		Fp	2	
Aryl polyolefins (C11-C50)	131															
L-Aspartic acid, homopolymer, sodium salt (aqueous solution)	2421	0	0	0	NR	0	NI	0	(0)	0	0	0		D	0	
L-Aspartic acid, homopolymer, sodium salt (aqueous solution)	3697															
Aviation alkylates (C8 paraffins and iso-paraffins BPT 95-120 Celcius)	286	(5)	NI	(5)	(R)	(4)	NI	0	0	(0)	(0)	(0)		FE	2	
Aviation alkylates (C8 paraffins and iso-paraffins BPT 95 - 120°C)	132															
Aziridine polymer with methyloxirane (78% in diethylene glycol monoethyl ether)	2436	0	NI	0	NR	2	0	0	0	1	0			Fp	2	
Aziridine polymer with methyloxirane (78% in diethylene glycol monoethyl ether)	3751															
Barium long chain alkaryl sulphonate (C11-C50) (LOA)	1978	4	NI	4	NR	3	NI	2	0	(2)	0	0		S	2	
Barium long chain (C11-C50) alkaryl sulphonate	2370															
Benzaldehyde	2498	1	NI	1	R	3	NI	1	(1)	2	2	2		FD	2	
Benzaldehyde	4132															
Benzene	324	2	1	1	R	2	NI	1	0	0	2	2	CTM	NT	E	3
Benzene and mixtures having 10% benzene or more (i)	133															
Benzene propanoic acid, 3,5-bis(1,1-dimethyl ethyl), 4-hydroxy-C7-C9 alcohols branched and linear	2378	0	3	3	NR	3	0	0	0	(0)	0	0		Fp	2	
Benzene propanoic acid, 3,5-bis(1,1-dimethyl ethyl), 4-hydroxy-C7-C9 alcohols branched and linear	3405															
Benzene sulphonyl chloride	320	1	1	1	R	3	NI	1	(2)	(3)	3	3	Ss	SD	3	
Benzene sulphonyl chloride	134															
1,2,4-Benzene tricarboxylic acid, trioctyl ester	1733	0	0	0	NR	0	NI	0	(0)	2	1	1		Fp	2	
Benzene tricarboxylic acid, trioctyl ester	136															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 9 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Benzyl acetate	348	1	NI	1	R	3	1	1	0	2	1	1			SD	2
Benzyl acetate	138															
Benzyl alcohol	349	1	NI	1	R	2	NI	1	1	2	2	2			SD	2
Benzyl alcohol	139															
Benzyl chloride	352	NI	1	1	R	3	1	1	(2)	3	3	3	CsA	S	S	3
Benzyl chloride	140												CAS No 100-44-7			
Bis(2-ethylhexyl) terephthalate	2437	0	3	3	R	0	0	0	0	(1)	1	1			Fp	2
Bis(2-ethylhexyl) terephthalate	3752												CAS No			
N,N-Bis(2-hydroxyethyl)oleamide (LOA)	2110	5	NI	5	NR	NI	NI	0	0	(2)	2	2			Fp	2
N,N-bis(2-hydroxyethyl)oleamide	2201												CAS No 1304-76-3			
Bismuth oxide	2483	Inorg	(0)	(0)	Inorg	(0)	(0)	0	(0)	0	0	0			S	0
Bismuth oxide	4059												CAS No 13497-18-2			
Bis[3-(triethoxysilyl)propyl]amine	2444	1	NI	1	R	1	NI	0	0	(2)	2	2			D	2
3-(Triethoxysilyl)propylamine	3823												CAS No 13497-18-2			
Borax, anhydrous or hydrated, crude or refined	359	Inorg	0	0	Inorg	1	0	0	0	(1)	1	1	R		S	3
Borax	143												CAS No 1303-96-4			
Boric acid	360	Inorg	0	0	Inorg	1	0	0	(0)	(1)	1	1			S	3
Boric acid	2254												CAS No 10043-35-3			
Bromochloromethane	2084	1	1	1	NR	1	NI	0	0	0	1	0			SD	1
Bromochloromethane	145												CAS No 74-97-5			
1-Bromopropane	2229	2	NI	2	NI	NI	NI	0	(0)	0	(2)	(2)			SD	2
1-Bromopropane	2696												CAS No 71-36-3			
Butanol	381	0	(0)	0	R	0	NI	0	0	0	2	3		NT	D	3
Butanol	474												CAS No 71-36-3			
n-Butyl alcohol	383	0	(0)	0	R	0	NI	0	0	0	0	2		NT	D	2
sec-Butanol	638												CAS No 78-92-2			
sec-Butyl alcohol	384	0	0	0	NR	1	NI	0	0	0	1	3		NT	D	3
tert-Butanol	686												CAS No 75-65-0			

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
2-Butanone		385	0	NI	0	R	1	0	0	0	1	2	2			DE	2
Methyl ethyl ketone		446															
Butene oligomer		386	0	NI	0	NR	(4)	0	0	0	0	0	1			FE	2
Butene oligomer		146															
Butyl acetate		387	1	NI	1	R	2	NI	0	0	0	0	1			FED	2
Butyl acetate (all isomers)		147															
Butyl acrylate		390	2	NI	2	R	3	NI	1	1	1	2	2	SsA		FED	2
Butyl acrylate (all isomers)		148															
Butylamine		392	0	NI	0	R	2	NI	2	2	3	3C	3			DE	3
Butylamine (all isomers)		154															
Butyl benzene		1774	4	NI	4	NI	4	1	0	0	(2)	2	1			Fp	2
Butylbenzene (all isomers)		155															
Butyl benzyl phthalate		398	4	4	4	R	4	2	0	0	(0)	(0)	(0)	R		S	3
Butyl benzyl phthalate		149															
Butyl butyrate		399	2	NI	2	(R)	2	NI	0	0	(1)	1	NI			FE	2
Butyl butyrate (all isomers)		150															
Butyl/I-Decyl/Cetyl/Eicosyl methacrylate mixture		2295	(5)	NI	(5)	(R)	(3)	NI	0	0	(1)	1	NI				
Butyl/I-Decyl/Cetyl/Eicosyl methacrylate mixture		153															
Butylene glycol(s)		402	0	NI	0	R	1	NI	1	0	0	0	0			D	1
Butylene glycol		156														FED	1
Butylene glycol methyl ether acetate		953	1	1	1	R	3	NI	0	(0)	(1)	1	1				
3-Methoxybutyl acetate		58															
Butylene glycol monomethyl ether		952	0	NI	0	R	1	NI	0	0	(1)	0	1			D	1
3-Methoxy-1-butanol		57															
1,2-Butylene oxide		403	0	NI	0	NR	2	NI	1	1	2	2	2	C		DE	3
1,2-Butylene oxide		8														FE	2
Butyl methacrylate		409	2	NI	2	NR	1	NI	0	0	0	2	2	Ss			
Butyl methacrylate		151															
Butyl octyl phthalate		410	5	NI	5	(R)	0	2	0	(0)	(1)	(1)	(1)		Fp		2
Butyl octyl phthalate		2749															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 11 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Butyl phosphate/dibutyl phosphate mixture	2434	2	NI	2	R	1	0	0	(0)	(3)	2	3		D	3	
Butyl phosphate/dibutyl phosphate mixture	3749															
Butyl propionate	1483	2	NI	2	R	2	NI	0	0	0	1	1		FED	2	
n-Butyl propionate	476															
1-Butylpyrrolidin-2-one	2490	1	(1)	1	R	1	0	1	0	0	1	2		D	2	
	4124															
Butyl stearate	413	0	NI	0	(R)	0	NI	0	NI	NI	2	NI		Fp	2	
Butyl stearate	152															
Butyraldehyde	416	1	NI	1	R	2	0	0	1	0	3	3		DE	3	
Butyraldehyde (all isomers)	157															
Butyric acid	418	0	NI	0	R	2	0	0	0	0	3A	3		D	3	
Butyric acid	158															
Butyrolactone	420	0	NI	0	R	(3)	NI	1	(0)	0	0	1	C		D	
gamma-Butyrolactone	360															
Calcium alkyl (long chain) salicylate (overbased) in mineral oil (LOA)	70	0	NI	0	NR	2	NI	0	0	(1)	(1)	(1)	Ss		Fp	
Calcium long-chain alkyl salicylate (C13+)	166															
Calcium alkyl phenol sulphide/polyolefin phosphorosulphide mixture (LOA)	1435	NI	NI	NI	NR	4	NI	0	0	(1)	(1)	(1)				
Calcium alkyl (C9) phenol sulphide/Polyolefin phosphorosulphide mixture	160															
Calcium alkyl salicylate	2015	3	NI	3	NR	2	NI	0	0	(0)	NI	NI		NI	NI	
Calcium alkyl (C10-C28) salicylate	3152															
Calcium bromide (solutions)	427	Inorg	NI	0	Inorg	0	0	(0)	(0)	(2)	2	2		Fp	2	
Drilling brines, including; calcium bromide solution, calcium chloride solution and sodium chloride solution	308															
Calcium carbonate slurry	2016	Inorg	0	0	Inorg	0	NI	0	(0)	(0)	0	0		S	0	
Calcium carbonate slurry	161															
Calcium hydroxide	431	Inorg	0	0	Inorg	2	NI	0	(0)	(2)	1	2		S	2	
Calcium hydroxide slurry	162															
Calcium hypochlorite solutions containing 15% Ca(OCl)2 or more	432	Inorg	0	0	Inorg	5	NI	1	0	2	3A	3		D	3	
Calcium hypochlorite solution (more than 15%)	164															
Calcium hypochlorite solutions containing less than 15% but more than 1.5% Ca(OCl)2	2073	Inorg	0	0	Inorg	(4)	NI	1	0	2	3A	3		D	3	
Calcium hypochlorite solution (15% or less)	163															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 12 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Calcium lignosulphonate (52% solution in water)	2087	0	NI	0	NR	0	NI	0	(0)	(0)	0	0	0	0	0	D 0
Calcium lignosulphonate solutions	165															
Calcium long chain alkaryl sulphonate (C11-C50) (LOA)	1973	NI	0	0	NR	0	NI	0	0	(1)	1	1				FD 1
Calcium alkaryl sulphonate (C11-C50)	169															
Calcium long chain alkyl (C5-C10) phenate (LOA)	2106	0	NI	0	NR	2	NI	0	0	(0)	0	0				FD 1
Calcium long-chain alkyl (C5-C10) phenate	168															
Calcium long chain alkyl (C11-C40) phenate (LOA)	2097	0	NI	0	NR	0	NI	0	0	(1)	1	1				Fp 2
Calcium long-chain alkyl (C11-C40) phenate	167															
Calcium long chain alkyl phenate sulphide (C8-C40) (LOA)	1756	0	NI	0	NR	1	NI	0	0	(1)	1	1				Fp 2
Calcium long-chain alkyl phenate sulphide (C8-C40)	170															
Calcium long-chain alkyl phenolic amine (C8-C40)	1728	NI	NI	NI	NR	0	NI	0	0	(1)	1	(1)				Fp 2
Calcium long-chain alkyl phenolic amine (C8-C40)	171															
Calcium long-chain alkyl (C18-C28) salicylate	2383	0	NI	0	NR	0	NI	0	0	(1)	1	0				Fp 3
Calcium long-chain alkyl (C18-C28) salicylate	3426															
Calcium nitrate																
Calcium nitrate solutions (50% or less)	1803	Inorg	0	0	Inorg	0	NI	0	(0)	(1)	1	1				D 1
Calcium nitrate/Magnesium nitrate/Potassium chloride solution	1734	Inorg	0	0	Inorg	1	0	0	(0)	(1)	(1)	1				
Calcium nitrate/Magnesium nitrate/Potassium chloride solution	173															
Camellina oil	2440	(0)	NI	(0)	(R)	(0)	(0)	(0)	(0)	(1)	(0)	(1)				Fp 2
Camellina oil	3767															
Camphor oil, white	1897	NI	NI	NI	NI	NI	NI	2	NI	(2)	1	NI				
Camphor oil	174															
Caprolactam	436	0	NI	0	R	1	0	1	1	2	1	2				D 3
epsilon-Caprolactam (molten or aqueous solutions)	310															
Carbolic oil	437	(3)	3	(3)	(NR)	(3)	(1)	2	2	3	3	3	ATNCM	FED	3	
Carbolic oil	176															
Carbon disulphide	439	2	1	1	NR	3	NI	2	(3)	4	3A	3	RN	SD	3	
Carbon disulphide	177															
Cashew nut shell oil (untreated)	443	0	NI	0	R	0	NI	(0)	(0)	(2)	2	(2)	Ss	Fp	3	
Cashew nut shell oil (untreated)	179															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 13 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	<b>Fp</b>	<b>2</b>
Castor oil (containing less than 10% free fatty acids)		2314	0	Nl	0	R	(2)	Nl	0	0	(1)	1	1						
Castor oil		3044																	
Cesium Formate, drilling brines		2384	0	3	3	Inorg	2	Nl	1	0	(2)	2	2					D	
Cesium formate solution (*)		3421																2	
Cetyl/Eicosyl methacrylate (mixture)		445	0	Nl	0	(NR)	(0)	Nl	0	(0)	(1)	(1)	(1)					Fp	
Cetyl/Eicosyl methacrylate mixture		180																2	
Chlorinated paraffins (C18 and above) with any level of chlorine		2024	0	4	4	NR	0	2	0	0	(1)	(1)	(1)	C				S	
Chlorinated paraffins (C18+) with any level of chlorine		183																3	
Chlorinated paraffins (C10-C13) with 60% chlorine or more		2021	5	5	5	NR	5	2	0	0	(1)	1	1	C				S	
Chlorinated paraffins (C10-C13) with less than 60% chlorine		2020	5	5	5	NR	5	3	(0)	(0)	(1)	(1)	(1)	C				S	
Chlorinated paraffins (C10-C13) (60% chlorine or less)		2832																3	
Chlorinated paraffins (C14-C17) with less than 1% shorter chain length		2112	5	4	4	NR	6	3	0	0	(2)	2	2	C				S	
Chlorinated paraffins (C14-C17) (with 50% chlorine or more, and less than 1% C13 or shorter chains)		182																3	
Chloroacetic acid		450	0	Nl	0	R	2	0	2	3	(4)	3C	3	A				D	
Chloroacetic acid (80% or less)		184																3	
Chlorobenzene		456	2	2	2	NR	3	0	1	0	2	2	0					S	
Chlorobenzene		185																2	
Chlorohydriins		463	0	Nl	0	R	0	Nl	(2)	(2)	(3)	(3A)	3	C			D		
Chlorohydriins (crude)		187																3	
N-(3-Chloro-2-hydroxypropyl) trimethylammonium chloride solution (75% or less)		2286	0	0	0	NR	1	Nl	0	0	(2)	0	(2)	C			D		
N-(3-Chloro-2-hydroxypropyl)trimethyl ammonium chloride solution (75% or less)		2579																3	
4-Chloro-2-methylphenoxyacetic acid, dimethylamine salt solution		1536	2	Nl	2	Nl	2	Nl	1	0	2	1	1					S	
4-Chloro-2-methylphenoxyacetic acid, dimethylamine salt solution		62																2	
Chloronitrobenzenes		467	2	2	2	NR	3	Nl	2	2	2	1	1					S	
o-Chloronitrobenzene		533																2	
1-(4-Chlorophenyl)-4,4-dimethyl-3-pentanone		1772	3	3	3	NR	3	Nl	0	0	(1)	1	0				S		
1-(4-Chlorophenyl)-4,4-dimethyl-pentan-3-one		21																1	
2-Chloropropionic acid		474	0	Nl	0	R	1	Nl	1	(3)	2	3A	3	D				3	
2- or 3-Chloropropionic acid		36																3	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 14 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
3-Chloropropylene		478	1	1	1	R	3	NI	1	0	2	1	3	T			E 3
Allyl chloride		106													<b>CAS No</b>	107-05-1	
Chlorsulphonic acid		479	Inorg	0	0	Inorg	2	NI	(2)	(3)	4	3C	3				D 3
Chlorsulphonic acid		188										<b>CAS No</b>	7790-94-5				
m-Chlorotoluene		481	3	NI	3	NR	2	NI	2	0	(2)	1	1				S 2
m-Chlorotoluene		426										<b>CAS No</b>	108-41-8				
o-Chlorotoluene		480	3	3	3	NR	3	1	0	0	0	0	1	1			S 1
o-Chlorotoluene		534										<b>CAS No</b>	95-49-8				
o-Chlorotoluene		480	3	3	3	NR	3	1	0	0	0	1	1				S 1
Chlorotoluenes (mixed isomers)		189										<b>CAS No</b>	95-49-8				
p-Chlorotoluene		482	3	3	3	NR	3	0	0	0	0	0	1	1			S 2
p-Chlorotoluene		551										<b>CAS No</b>	106-43-4				
Choline chloride, solutions		485	0	NI	0	R	1	NI	0	(0)	(0)	0	0				D 0
Choline chloride solutions		190										<b>CAS No</b>	67-48-1				
Cinnamaldehyde		2485	1	(2)	(2)	R	2	0	1	1	(2)	2	1	Ss		SD	2
Cinnamaldehyde		4061										<b>CAS No</b>	104-55-2				
Citric acid		493	0	NI	0	R	1	0	0	(0)	(3)	1	3				D 3
Citric acid (70% or less)		748										<b>CAS No</b>	77-92-9				
Citric juices		494	0	0	0	Inorg	0	0	0	0	0	0	0				D 0
Water		740										<b>CAS No</b>					
Clay		495	Inorg	0	0	Inorg	0	0	0	0	0	0	0			S 0	
Clay slurry		191															
Coal slurry		498	Inorg	0	0	Inorg	0	0	0	0	0	0	0				
Coal slurry		192										<b>CAS No</b>					
Coal tar		499	(4)	4	NR	3	1	0	0	0	0	2	2	CMR	(T)	S 3	
Coal tar		193										<b>CAS No</b>	8007-45-2				
Coal tar naphtha		500	3	NI	3	NR	3	NI	0	0	(1)	1	1	C	(T)	FE	3
Coal tar naphtha solvent		194	3	(3)	(3)	NR	(4)	(2)	0	0	(1)	1	0	CM	S	3	
Coal tar pitch (molten)		491										<b>CAS No</b>	8030-30-6				
Coal tar pitch (molten)		195										<b>CAS No</b>	65996-93-2				

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 15 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Cobalt naphthenate in solvent naphtha		501	NI	NI	NI	NR	3	NI	0	(0)	(1)	NI	1	C		FE	3
Cobalt naphthenate in solvent naphtha		196															
Cocoa butter		2342	0	NI	0	R	0	NI	(0)	(0)	(1)	(0)	(1)			Fp	2
Cocoa butter		3096															
Coconut acid oil		2370	0	0	0	R	3	NI	(0)	(0)	(1)	(1)	(1)			Fp	2
Coconut acid oil		3139															
Coconut fatty acid distillate		2366	0	NI	0	R	(3)	NI	0	(0)	(1)	(1)	(1)			Fp	2
Coconut fatty acid distillate		3130															
Coconut oil		503	0	NI	0	R	1	NI	0	(0)	(1)	0	(1)			Fp	2
Coconut oil		2772															
Coconut oil fatty acid		505	0	0	0	(R)	(3)	NI	0	(0)	(1)	(1)	(1)			Fp	2
Coconut oil fatty acid		197															
Coconut oil fatty acid methyl ester		506	5	0	0	R	0	NI	(0)	(0)	(0)	(0)	(1)			Fp	2
Coconut oil fatty acid methyl ester		198															
Copper salt of long chain(>C17) alkanoic acid (LOA)		2111	0	NI	0	(R)	2	NI	0	0	(0)	0	0			Fp	2
Copper salt of long chain (C17+) alkanoic acid		2214															
Corn oil		521	0	NI	0	R	(2)	NI	0	(0)	(1)	1	1			Fp	2
Corn Oil		2781															
Cotton seed oil		523	0	NI	0	R	(2)	NI	(0)	(0)	(1)	0	1			Fp	2
Cotton seed oil		2783															
Creosote (coal tar)		524	(4)	(4)	(4)	NR	4	(2)	1	0	2	2	1	CM	(T)	S	3
Creosote (coal tar)		199															
Creosote (wood tar)		525	NI	NI	NI	NR	5	NI	1	0	2	2	1	CM	(T)	SD	3
Creosote (wood)		200															
Cresol/Phenol/Xylenol mixture		2471	(2)	(2)	(2)	R	(3)	(1)	1	2	3	3B	3		SD	3	
Cresol/Phenol/Xylenol mixture		4021															
Cresols (mixed isomers)		527	2	2	2	R	3	(1)	2	2	4	3A	3	T	SD	3	
Cresols (all isomers)		201															
Cresylic acids, dephenolized		1875	2	2	2	R	3	0	(2)	(2)	(3)	(3A)	(3)	(T)	S	3	
Cresylic acid, dephenolized		202															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Cresylic acid, sodium salt solution		1914	(2)	(2)	(R)	(3)	(0)	1	(1)	(3)	3	3	TCM	(T)	D	3	
Cresylic acid, sodium salt solution		203	0	NI	0	NR	4	1	2	4	4	2	3		D	3	
Crotonaldehyde		528	0														
		204															
Crude Piperazine		2331	0	NI	0	R	2	NI	(1)	(2)	(3)	3	3	SsSr	D	3	
Crude Piperazine		2810															
Crude Tall Oil		2357	4	NI	4	R	2	0	0	0	(0)	0	0	Ss	Fp	3	
Tall oil, crude		3118															
1,5,9-Cyclododecatriene		534	5	5	5	NR	4	NI	0	0	1	2	1	A	F	3	
		17															
Cycloheptane		535	4	NI	4	(NR)	4	NI	(0)	0	(1)	(0)	(1)		FE	2	
Cycloheptane		205															
Cyclohexane		536	3	3	3	NR	3	NI	0	0	1	0	1		E	2	
Cyclohexane		206															
Cyclohexane-1,2-dicarboxylic acid, diisomyonyl ester		2472	0	3	3	R	0	0	0	0	(1)	1	0		Fp	2	
Cyclohexane-1,2-dicarboxylic acid, diisomyonyl ester		3915															
Cyclohexane oxidation products, sodium salts solution		2458	0	NI	0	Inorg	1	0	0	0	(0)	(0)	0				
Cyclohexane oxidation products, sodium salts solution		3739															
Cyclohexanol		537	1	NI	1	R	2	NI	0	0	0	2	2		Fp	2	
Cyclohexanol		207															
Cyclohexanone		539	0	1	1	R	1	0	1	1	1	2	2		FED	2	
Cyclohexanone		208															
Cyclohexanone/Cyclohexanol mixture		1436	1	1	1	R	2	NI	1	1	1	2	2		FED	2	
Cyclohexanone, Cyclohexanol mixture		209															
Cyclohexyl acetate		541	2	NI	2	(R)	(2)	NI	0	0	(2)	2	1		FED	2	
Cyclohexyl acetate		210															
Cyclohexylamine		542	1	NI	1	R	2	NI	2	2	3	3	3		D	3	
Cyclohexylamine		211															
1,3-Cyclopentadiene dimer (molten)		545	3	3	3	NR	3	NI	2	0	2	2	2		Fp	2	
1,3-Cyclopentadiene dimer (molten)		11															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 17 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Cyclopentane	546	3	NI	3	NR	3	NI	(0)	(0)	0	1	(1)			E	2
Cyclopentane	212				(R)	3	NI	1	1	0	2	(0)				
Cyclopentene	547	2	NI	2	NR	3	NI	0	0	2	2	1				
Cyclopentene	213															
Decahydronaphthalene	551	4	4	4	NR	3	NI	0	0	2	2	1				
Decahydronaphthalene	214															
Decane	554	5	NI	5	R	0	0	0	0	0	1	0				
Decane	2620															
Decanoic acid	555	4	NI	4	R	4	1	0	0	(2)	2	2			Fp	2
Decanoic acid	215															
1-Decene	558	5	NI	5	R	4	2	0	0	0	2	0	A		F	3
Decene	216															
Decyl acetate	1767	4	NI	4	NI	NI	NI	0	0	(1)	(1)	(1)			F	1
Decyl acetate	217															
Decyl acrylate	559	5	NI	5	(R)	5	NI	0	0	(2)	2	1			Fp	2
Decyl acrylate	218															
Decyloxytetrahydrothiophene dioxide	1859	3	NI	3	NR	4	NI	0	0	(1)	1	0			Fp	2
Decyloxytetrahydrothiophene dioxide	220															
Dextrose solution	562	0	0	0	R	0	NI	0	0	0	0	(0)		D	0	
Dextrose solution	221															
Dextrose solution	562	0	0	0	R	0	NI	0	0	0	0	(0)		D	0	
Glucose solution	361															
Diacetone alcohol	563	0	NI	0	R	1	0	0	0	(2)	2	2			D	2
Diacetone alcohol	226															
Dialkylidiphenylamines (LOA)	1852	5	NI	5	NR	1	0	0	0	(0)	0	0		FD	0	
Dialkyl (C8-C9) diphenylamines	2255		(0)	(0)	(R)	(0)	(0)	(0)	(0)	(1)	(1)	(1)		Fp	2	
Dialkyl (C9 - C10) phthalates	2359	(0)	(0)	(0)	(R)	(0)	(0)	(0)	(0)	(1)	(1)	(1)				
Dialkyl (C9 - C10) phthalates	3121															
Dialkyl phthalates C9-C13	566	(0)	(4)	(4)	(NR)	(0)	(2)	(0)	(0)	(1)	(1)	(1)	R	Fp	3	
Dialkyl (C7-C13) phthalates	227															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 18 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
2,6-Diaminohexanoic acid phosphonate mixed salts solution (#)	2469	1	NI	1	NR	1	(0)	(1)	(1)	(3)	(3)	(3)	(3)	(3)	(3)	D 3
2,6-Diaminohexanoic acid phosphonate mixed salts solution	3989	98	0	0	0	Inorg	1	NI	0	0	(0)	(1)	(1)			
Diammonium hydrogen phosphate		117	574	1	NI	1	NR	(2)	NI	1	0	0	(2)			
Ammonium hydrogen phosphate solution		228	577	2	NI	2	R	3	NI	2	2	3	3	3		
Dibromomethane		231	578	3	3	3	NR	2	NI	0	0	0	1	1		
Dibromomethane		475	1857	1	NI	1	NI	2	NI	0	0	(3)	3	3		
Di-n-butylamine		229	2083	5	4	4	NR	4	NI	FD 3						
Dibutylamine		2339	2082	4	NI	4	NR	4	NI	0	0	(1)	1	1		
Di-butyl ether		2250	582	4	4	4	NR	4	NI	0	0	(1)	1	1		
n-Butyl ether		230	2430	5	(3)	R	4	2	0	0	(0)	0	0			
Diethyl hydrogen phosphonate		3596	333	3	4	4	NR	3	1	1	0	1	(2)	2		
Diethyl hydrogen phosphonate		232	2079	2	2	2	NR	3	NI	1	0	2	2	3		
2,4-Di-tert-butyl phenol		56	590	1	NI	1	NR	1	NI	1	(1)	0	2	2		
2,4-Di-tert-butylphenol		4	591	1	1	NR	2	0	1	0	2	1	2	C	SD 2	
2,6-Di-tert-butyl phenol		330	593	3	NI	3	NR	3	NI	0	(0)	0	0			SD 3
2,6-Di-tert-butylphenol		19												S 0		
Di-n-butyl phthalate																
Diethyl phthalate																
Diethyl terephthalate																
Diethyl terephthalate																
Dichlorobenzene (all isomers)																
Dichlorobenzene (all isomers)																
3,4-Dichlorobut-1-ene																
3,4-Dichloro-1-butene																
1,1-Dichloroethane																
1,1-Dichloroethane																
1,2-Dichloroethane																
Ethylene dichloride																
1,6-Dichlorohexane																
1,6-Dichlorohexane																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 19 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b> <b>TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Dichlormethane	594	1	2	2	NR	1	0	1	0	0	2	2	C		SD	3
Dichlormethane	234												<b>CAS No</b>	75-09-2		
2,4-Dichlorophenol	596	3	2	2	NR	3	2	3	2	3	3	3		T	S	3
2,4-Dichlorophenoxyacetic acid, diethanolamine salt, solution	599	0	1	1	R	2	NI	1	0	(3)	1	3		(T)	D	3
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	30												<b>CAS No</b>	120-83-2		
2,4-Dichlorophenoxyacetic acid, dimethylamine salt, 70 % or less solution	600	0	1	1	R	3	NI	1	0	(3)	1	3		(T)	D	3
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution (70% or less)	33												<b>CAS No</b>			
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt soln.	602	0	NI	0	R	2	NI	1	0	(3)	(1)	3		(T)	D	3
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	34												<b>CAS No</b>			
1,1-Dichloropropane	605	2	1	1	NR	2	1	0	0	1	1	1		SD	1	
1,1-Dichloropropane	5												<b>CAS No</b>	78-99-9		
1,2-Dichloropropane	606	2	1	1	NR	2	0	1	0	2	2	2		SD	2	
1,2-Dichloropropane	9												<b>CAS No</b>	78-87-5		
1,3-Dichloropropane	607	2	1	1	NR	2	1	0	NI	NI	NI	NI		SD	NI	
1,3-Dichloropropane	12												<b>CAS No</b>	142-28-9		
Dichloropropane and dichloropropene, mixture	608	(2)	(1)	(1)	(NR)	(4)	(1)	2	1	2	3	3	<b>CSS</b>	SD	3	
Dichloropropene/Dichloropropane mixtures	235												<b>CAS No</b>	8003-19-8		
1,3-Dichloropropene	612	1	NI	1	NR	4	1	2	1	2	3	3		SD	3	
1,3-Dichloropropene	13												<b>CAS No</b>	542-75-6		
2,2-Dichloropropionic acid	609	2	2	2	NR	2	NI	1	0	(3)	3	3		D	3	
2,2-Dichloropropionic acid	28												<b>CAS No</b>	75-99-0		
Di-(2-chloro-iso-propyl) ether	615	2	2	2	NR	2	NI	2	0	2	0	2		SD	2	
2,2-Dichloroisopropyl ether	25												<b>CAS No</b>	108-60-1		
Dicyclopentadiene(80-90%)/Co-dimers(10-20%), mixtures	2389	2	3	3	NR	3	0	2	0	3	2	2	AR	FED	3	
Dicyclopentadiene, Resin Grade, 81-89%	3559												<b>CAS No</b>			
Diethanolamine	620	0	NI	0	R	1	0	1	0	0	2	3	T	D	3	
Diethanolamine	236												<b>CAS No</b>	111-42-2		
Diethylamine	621	0	NI	0	R	2	NI	1	2	3	3C	3		DE	3	
Diethylamine	240												<b>CAS No</b>	109-89-7		

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 20 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	
2,6-Diethylaniline	1437	3	3	3	NR	2	NI	1	1	(2)	1	2				FD	2
2,6-Diethylaniline	35												<b>CAS No</b>	579-66-8			
Diethyl benzene (mixed isomers)	624	4	4	4	NR	3	NI	0	(0)	(2)	2	1				F	2
Diethylbenzene	242												<b>CAS No</b>	25340-17-4			
Di-(2-ethylbutyl) phthalate	625	5	NI	5	R	0	2	0	0	(1)	1	(1)				Fp	3
Di-(2-ethylbutyl) phthalate	2730												<b>CAS No</b>	84-75-3			
Diethylene glycol	628	0	NI	0	R	0	0	1	0	0	2	1	1			D	2
Diethylene glycol	243												<b>CAS No</b>	111-46-6			
Diethylene glycol di-n-butyl ether	629	2	NI	2	NI	1	NI	0	0	(1)	1	1				FD	1
Diethylene glycol diethyl ether	244												<b>CAS No</b>	112-73-2			
Diethylene glycol di-n-butyl ether	630	0	NI	0	NR	0	NI	1	0	(2)	(2)	2				D	2
Diethylene glycol diethyl ether	245												<b>CAS No</b>	112-36-7			
Diethylene glycol initiated polyoxypropylene diamine	2353	0	NI	0	NR	2	NI	0	0	(3)	3B	(3)				D	3
Diethylene glycol initiated polyoxypropylene diamine	3113												<b>CAS No</b>				
Diethylene glycol initiated polyoxypropylene diamine	2353	0	NI	0	NR	2	NI	0	0	(3)	3B	(3)				D	3
Polyetheramine	2946												<b>CAS No</b>				
Diethylene glycol phthalate	1438	2	NI	2	NR	1	NI	0	0	(2)	(1)	2			S	2	
Diethylene glycol phthalate	247												<b>CAS No</b>				
Diethylene triamine	638	0	1	1	(R)	2	NI	1	3	3	3A	3				FD	3
Diethylenetriamine	248												<b>CAS No</b>	111-40-0			
Diethylenetriamine pentaacetic acid, pentapotassium salt solution (40%) (**)	2466	1	NI	1	NR	2	NI	NI	NI	NI	NI	NI					
Diethylenetriamine pentaacetic acid, pentasodium salt (40% solution in water)	3929												<b>CAS No</b>				
Diethylenetriamine pentaacetic acid, pentasodium salt solution	2076	0	NI	0	NR	0	NI	0	(0)	(0)	0	0				D	0
Diethylenetriamine pentamethylene phosphonic acid, pentasodium salt solution	249												<b>CAS No</b>				
Diethylenetriamine pentamethylene phosphonic acid, pentasodium salt solution (47 %) (**)	2467	0	NI	0	R	2	NI	NI	NI	NI	NI	NI				D	3
Diethylenetriamine pentamethylene phosphonic acid, pentasodium salt solution	3930												<b>CAS No</b>	100-37-8			
Diethyl ethanolamine	622	0	NI	0	NR	3	NI	1	1	2	3	3				D	3
Diethylaminoethanol	241												<b>CAS No</b>				
Diethyl ether	640	0	1	1	NR	0	NI	1	0	0	1	1				DE	2
Diethyl ether	237												<b>CAS No</b>	60-29-7			

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 21 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Di-(2-ethylhexyl) adipate		641	0	2	2	R	4	2	0	0	0	1	1	R		Fp	3
Di-(2-ethylhexyl) adipate		222															
Di-(2-ethylhexyl) phosphoric acid		643	(2)	1	1	NR	2	NI	0	1	(2)	2	2			Fp	2
Di-(2-ethylhexyl) phosphoric acid		223															
Di-(2-ethylhexyl) phthalate		642	0	4	4	R	0	0	0	0	1	1	1	R		Fp	3
Di-(2-ethylhexyl) phthalate		2751															
Diethyl phthalate		648	3	3	3	R	2	0	0	0	(1)	1	1		S		1
Diethyl phthalate		238															
Diethyl sulphate		649	1	NI	1	R	(2)	NI	1	2	3	2	3	CM	SD	SD	3
Diethyl sulphate		239															
Diglycidyl ether of Bisphenol A		653	3	NI	3	NR	4	NI	0	0	(2)	1	2	SS	S	S	2
Diglycidyl ether of bisphenol A		250															
Diglycidyl ether of Bisphenol F		728	0	NI	0	NR	3	NI	0	(0)	(2)	1	(2)	SsR	S	S	3
Diglycidyl ether of bisphenol F		251															
Dihexyl phthalate		655	0	(4)	(4)	R	0	NI	0	0	(1)	1	1		Fp	3	
Dihexyl phthalate		252															
Di-n-hexyl adipate		656	5	NI	5	(NR)	5	0	0	0	(1)	0	1		FE	1	
Di-n-hexyl adipate		224															
Di-hexyl phthalate		2125	5	NI	5	R	0	2	0	0	(1)	1	1		Fp	3	
Dihexyl phthalate		253															
1,4-Dihydro-9,10-dihydroxy anthracene disodium salt (soln.)		657	1	NI	1	NI	1	NI	0	NI	NI	NI	NI	D	Nl		
1,4-Dihydro-9,10-dihydroxyanthracene, disodium salt solution		15															
Disobutene		575	4	4	4	NR	3	NI	0	0	0	1	0		FE	2	
Disobutylene		257															
Disobutylamine		576	(2)	NI	(2)	(R)	(3)	NI	2	(2)	2	(3)	(3)		FED	3	
Disobutylamine		256															
Disobutyl ketone		579	3	NI	3	R	2	NI	0	0	2	2	2		F	2	
Disobutyl ketone		254															
Disobutyl phthalate		581	4	(4)	4	R	(4)	1	0	0	1	0	0	R	S	S	3
Disobutyl phthalate		255															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 22 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Diisodecyl phthalate		619	0	0	0	(R)	0	(0)	0	0	(1)	0	1			Fp	2
Diisodecyl phthalate		3119										<b>CAS No</b>	26761-40-0				
Disoheptyl phthalate		2391	0	(4)	(4)	R	0	0	0	0	(1)	1	1	R		Fp	3
Disoheptyl phthalate		3561										<b>CAS No</b>	33703-08-1				
Disononyl adipate		690	0	NI	0	R	0	0	0	0	(1)	1	1			Fp	2
Disononyl adipate		258										<b>CAS No</b>					
Disononyl phthalate		691	0	0	0	R	0	0	0	0	(0)	0	0			Fp	2
Disononyl phthalate		3120										<b>CAS No</b>					
Disooctyl phthalate		693	0	4	4	(R)	0	0	0	0	(1)	1	0			Fp	2
Disooctyl phthalate		259										<b>CAS No</b>	27554-26-3				
Disopropanolamine		703	0	NI	0	NR	1	NI	0	0	0	2	3			FD	3
Disopropanolamine		260										<b>CAS No</b>	110-97-4				
Disopropylamine		705	1	NI	1	NR	2	0	1	1	2	3	3			ED	3
Disopropylamine		261										<b>CAS No</b>	108-18-9				
Disopropyl benzene (mixed isomers)		2220	5	4	4	NR	4	NI	0	0	2	2	1		(T)	F	2
Disopropylbenzene (all isomers)		262										<b>CAS No</b>					
1,3-Diisopropylbenzene		706	5	4	4	NR	4	NI	0	0	2	2	1			F	2
1,3-Diisopropylbenzene		2626										<b>CAS No</b>	25321-09-9				
Diisopropyl ether		711	1	NI	1	NR	2	NI	0	0	0	1	2			E	2
Isopropyl ether		406										<b>CAS No</b>	108-20-3				
Disoproplynaphthalene, mixed isomers		712	5	4	4	NR	3	NI	0	0	(1)	1	1			Fp	2
Disoproplynaphthalene		263										<b>CAS No</b>	38640-62-9				
Dimethyl acetamide		658	0	NI	0	R	1	NI	0	0	2	1	2			D	2
N,N-Dimethylacetamide solution (40% or less)		466										<b>CAS No</b>	127-19-5				
Dimethyl acetamide		658	0	NI	0	R	1	NI	0	0	2	1	2			SD	2
N,N-Dimethylacetamide		2730										<b>CAS No</b>	127-19-5				
Dimethyl adipate		659	1	NI	1	(R)	4	NI	0	0	(0)	1	1				
Dimethyl adipate		264										<b>CAS No</b>	627-93-0				
Dimethylamine (40-50% aq.sol.)		661	0	NI	0	R	3	0	2	0	2	3B	3	Ss	NT	DE	3
Dimethylamine solution (greater than 45% but not greater than 55%)		271										<b>CAS No</b>	124-40-3				

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 23 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Dimethylamine (40-50% aq.sol.)		661	0	NI	0	R	3	0	2	0	2	3B	3	Ss	NT	DE	3
Dimethylamine solution (greater than 55% but not greater than 65%)		272										<b>CAS No</b>	124-40-3				
Dimethylamine (40-50% aq.sol.)		661	0	NI	0	R	3	0	2	0	2	3B	3	Ss	NT	DE	3
Dimethylamine solution (45% or less)		270										<b>CAS No</b>	124-40-3				
N,N-Dimethyl cyclohexylamine		665	2	NI	2	NR	2	NI	1	2	3	3C	3		FD		3
N,N-Dimethylcyclohexylamine		467										<b>CAS No</b>	98-94-2				
Dimethyl disulphide		1616	1	NI	1	NR	3	2	2	0	2	1	1		SD		2
Dimethyl disulphide		2504										<b>CAS No</b>	624-92-0				
N,N-Dimethyldodecylamine		2126	3	NI	3	R	4	NI	1	(1)	(3)	3	3		F		3
N,N-Dimethyldodecylamine		468										<b>CAS No</b>	112-18-5				
Dimethyllethanolamine		667	0	NI	0	R	2	NI	1	1	2	3	3		D		3
Dimethyllethanolamine		273										<b>CAS No</b>	108-01-0				
Dimethyl formamide		676	0	0	0	R	1	0	0	1	2	1	2	R	D		3
Dimethylformamide		274										<b>CAS No</b>	68-12-2				
Dimethyl glutarate		670	0	NI	0	R	3	NI	0	0	2	3	2	A	SD		3
Dimethyl glutarate		265										<b>CAS No</b>	26717-67-9				
Dimethyl hydrogen phosphite		673	0	NI	0	NR	2	NI	1	0	0	1	1		D		3
Dimethyl hydrogen phosphite		266										<b>CAS No</b>	868-89-9				
2,2-Dimethyloctanoic acid		675	3	NI	3	R	4	1	0	0	(2)	2	2		Fp		2
Dimethyl octanoic acid		267										<b>CAS No</b>	29662-90-6				
Dimethyl phthalate		678	2	2	2	R	2	0	0	0	(1)	0	1		SD		1
Dimethyl phthalate		268										<b>CAS No</b>	131-11-3				
2,2-Dimethylpropane-1,3-diol		679	0	0	0	NR	0	0	0	0	0	2	2		FD		2
2,2-Dimethylpropane-1,3-diol (molten or solution)		29										<b>CAS No</b>	126-30-7				
Dimethyl succinate		681	0	NI	0	NI	2	NI	0	0	0	0	2		SD		2
Dimethyl succinate		269										<b>CAS No</b>	106-65-0				
Dinitrotoluene		688	2	2	2	NR	4	2	2	(2)	(2)	1	0	CMR	S		3
Dinitrotoluene (molten)		276										<b>CAS No</b>	25321-14-6				
Dinonyl phthalate		689	0	NI	0	R	0	0	0	(1)	1	1		Fp		2	
Dinonyl phthalate		2993										<b>CAS No</b>	84-76-4				

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 24 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	Fp	2
Di-n-octyl phthalate	692	0	(4)	(4)	(R)	0	0	0	0	0	(1)	1	(1)					
Diocyl phthalate	277																	
1,4-Dioxane	682	0	0	0	NR	0	0	0	0	0	0	0	2	C	D			
1,4-Dioxane	16																	
Dipentene	686	4	NI	4	NR	2	NI	0	0	(2)	2	2	Ss	F				
Dipentene	278																	
Diphenyl	694	3	4	4	R	4	1	0	0	(1)	0	1		S				
Diphenyl	279																	
Diphenylamine (molten)	2186	3	3	3	NR	3	1	0	0	(1)	1	1		S				
Diphenylamine, reaction product with 2,4,4-trimethylpentene	1500	NI	1	1	NR	3	NI	0	0	(1)	1	1						
Diphenylamine, reaction product with 2,2,4-Trimethylpentene	286																	
Diphenylamines, alkylated	1770	5	NI	5	NR	(3)	NI	0	0	(1)	(1)	(1)						
Diphenylamines, alkylated	287																	
Diphenyl/Diphenyl ether (mixtures)	698	NI	NI	4	NR	4	1	0	0	(1)	1	1						
Diphenyl/Diphenyl ether mixtures	283																	
Diphenyl ether	699	4	4	4	NR	4	NI	0	0	0	1	1						
Diphenyl ether	281																	
Diphenyl/Biphenyl phenyl ether mixtures	702	5	NI	5	NR	4	NI	0	0	0	1	1						
Diphenyl ether/Diphenyl phenyl ether mixture	282																	
Diphenyl/methane-4,4'-diisocyanate (#)	700	5	2	2	NR	0	0	0	0	3	2	2	SsSr	S				
Diphenyl/methane diisocyanate	288																	
Diphenylol propane-epichlorohydrin resins	2237	3	NI	3	NR	4	NI	0	0	(2)	1	2		S				
Diphenylol propane-epichlorohydrin resins	290																	
Di-n-propylamine	704	1	NI	1	NR	3	NI	2	2	3C	3		FED	3				
Di-n-propylamine	225																	
Dipropylene glycol	707	0	1	1	R	0	NI	0	0	0	0	1		D				
Dipropylene glycol	291																	
Dipropylene glycol dibenzoate	708	3	NI	3	R	3	NI	0	0	0	0	0		S				
Dipropylene glycol dibenzoate	2431																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 25 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
	<b>TRN</b>															
Di-n-propyl phthalate	713	3	NI	3	(R)	3	NI	(0)	(0)	(1)	(1)	(1)	R		S	3
Di-n-propyl phthalate	2752	(3)	NI	(3)	(NR)	(3)	NI	0	0	(2)	2	1	MN		FE	3
Distilled Resin Oil, DRO	2299	(3)	NI	(3)	(NR)	(3)	NI	0	0	(1)	1	1		S		1
Resin oil, distilled	2958	2185	NI	2	2	NR	4	NI	0	0	(1)	1				
Dithiocarbamate ester (C7-C35)	2371	2351	0	NI	0	NR	0	NI	0	0	(2)	2	1		Fp	2
Dithiocarbamate ester (C7-C35)	293	714	0	(0)	0	NR	0	(0)	0	0	(1)	1	(1)		Fp	2
Ditridecyl adipate	2994	715	0	(0)	0	NR	0	0	0	0	(1)	1	1		Fp	2
Ditridecyl adipate	294	718	5	NI	5	(R)	0	NI	0	0	(1)	(1)	(0)			
Ditridecyl phthalate	295	2233	5	4	4	NR	0	0	0	0	(2)	2	1	Ss		F
Diundecyl phthalate	2418	719	5	2	2	R	4	1	0	0	(1)	1	(1)		Fp	2
Diundecyl phthalate	298	720	5	NI	5	NR	4	NI	0	0	(2)	2	1	A	F	3
Dodecane	296	2473	5	NI	5	R	0	NI	0	0	1	2	1	A	F	3
Dodecane (all isomers)	3990	727	4	NI	4	NR	1	NI	(0)	(0)	NI	NI	NI		D	N
Dodecene (all isomers)	297	721	3	NI	3	R	4	NI	1	0	(3)	3	3		F	3
Dodecene (all isomers)	303	126	0	NI	0	NR	0	3	0	0	(2)	(2)	(1)		F	2
1-Dodecene	304	1739	NI	NI	3	R	3	1	1	(1)	(2)	(1)	(1)	D	2	
1-Dodecanol	101															
Dodecyl alcohol																
Dodecene (all isomers)																
Dodecene (all isomers)																
Dodecene																
1-Dodecene																
1-Dodecene																
2-Dodecyl succinic acid, dipotassium salt, solution																
Dodecylsuccinic acid, dipotassium salt solution																
Dodecylamine/Tetradecylamine mixture																
Dodecylamine/Tetradecylamine mixture																
Dodecylbenzene																
Dodecylbenzene																
Dodecyl benzene sulphonic acid (contains 1.5% Sulphuric acid)																
Alkyl (C11-C17) benzene sulphonic acid																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 26 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Dodecyl diphenyl oxide disulphonate (solns.)	723 (5)	NI	5	NR	4	1	1	0	(3)	1	3			D	3	
Dodecyl diphenyl ether disulphonate solution	299															
Dodecyl hydroxypropyl sulphide (LOA)	1861	5	NI	5	NI	4	NI	0	0	(0)	0	0				FD 0
Dodecyl hydroxypropyl sulphide	2252															
n-Dodecyl mercaptan	2462	5	3	3	NR	5	NI	0	0	(3)	3	(3)	Ss		F	3
n-Dodecyl mercaptan	3743															
Dodecyloctadecyl methacrylate (mixtures)	2116 (5)	NI	(5)	(NR)	(0)	NI	0	0	(1)	1	(1)				Fp	2
Dodecyloctadecyl methacrylate mixture	1717															
Dodecylpentadecyl methacrylate (mixture)	724 (5)	NI	(5)	(NR)	(0)	NI	0	0	(1)	(1)	(1)				Fp	2
Dodecylpentadecyl methacrylate mixture	302															
Dodecyl phenol	725	0	4	4	NI	4	NI	0	0	(3)	3	2			Fp	3
Dodecyl phenol	301															
Dodecyl-, Tetradecyl-, Hexadecyl-dimethylamine mixture	2248	3	NI	3	R	5	2	1	(1)	(3)	3C	3				
Alkyl (C12+) dimethylamine	2485															
Dodecyl Xylene	1763	0	NI	0	NI	0	NI	0	0	(1)	1	1				
Dodecyl Xylene	306															
Epichlorohydrin	731	0	0	0	R	2	NI	2	2	3	3A	3	CsS		D	3
Epichlorohydrin	309															
Ethanol	732	0	NI	0	R	0	NI	0	0	0	1	2			D	2
Ethyl alcohol	315															
Ethanolamine	733	0	NI	0	R	2	0	1	1	3	3A	3			D	3
Ethanolamine	311															
Ethanoltriazine (aqueous solution)	2411 (0)	NI	(0)	R	3	NI	1	0	4	0	2	Ss		D	3	
Ethanoltriazine (aqueous solution)	4022															
Ethanoltriazine (aqueous solution)	2411 (0)	NI	(0)	R	3	NI	1	0	4	0	2	Ss		D	3	
1,3,5-Hexahydrotriethanol-1,3,5-triazine	3687															
Ethoxylated long chain (>C16)alkyloxyalkanamine (LOA)	2103	5	NI	5	NR	1	NI	0	0	(3)	3	(3)		Fp	3	
Ethoxylated long chain (C16+) alkylalkyloxyalkylamine	2203															
Ethoxylated tallow amine (>95%)	2313	0	NI	0	NR	4	NI	1	(1)	3	2	3	Ss		Fp	3
Ethoxylated tallow amine (>95%)	2959															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 27 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	
EthoxyLATED tallow amine, glycol mixture		2252	2	NI	2	NR	6	NI	1	0	0	0	1	0	3	2	3	
EthoxyLATED tallow amine, glycol mixture		2476	0	2	2	R	1	0	0	0	0	1	0	1	0	1	D	
Ethyl acetate	Ethyl acetate	735	0	0	0	R	1	NI	0	0	(1)	1	1	0	1	0	DE	
Ethyl acetate	Ethyl acetate	312	736	0	0	R	1	NI	0	0	(1)	1	1	0	1	0	DE	
Ethyl acrylate	Ethyl acrylate	313	734	1	NI	1	R	3	1	1	2	2	2	2	2	2	3	
Ethyl acrylate	Ethyl acrylate	314	1016	0	NI	0	R	2	NI	2	2	1	3	3	0	1	ED	
Ethylamine	Ethylamine	322	2219	NI	NI	0	R	2	NI	2	2	1	3	3	0	1	GD	
Ethylamine solutions (72% or less)	Ethylamine solutions (72% or less)	323	1784	2	NI	2	NI	2	NI	0	0	(2)	2	NI	0	1	3	
Ethyl amyl ketone	Ethyl amyl ketone	316	740	3	2	2	R	3	(1)	0	0	0	2	2	C	0	FD	
Ethylbenzene	Ethylbenzene	324	745	1	NI	1	NI	NI	NI	1	1	2	3	3	0	1	FE	
N-Ethyl butylamine	N-Ethyl butylamine	477	2085	1	NI	1	NI	2	NI	0	0	2	2	2	0	1	FED	
Ethyl tert-butyl ether	Ethyl tert-butyl ether	320	748	1	NI	1	NI	2	NI	0	0	(2)	2	NI	0	1	3	
Ethyl butyrate	Ethyl butyrate	317	751	4	4	4	NR	3	NI	(0)	(0)	(1)	(1)	(1)	0	1	E	
Ethyl cyclohexane	Ethyl cyclohexane	325	752	2	NI	2	NI	(3)	NI	1	2	2	3	3	0	1	FE	
Ethylcyclohexane	Ethylcyclohexane	478	2081	3	2	2	NI	3	NI	1	1	2	2	2	0	1	FED	
N-Ethyl cyclohexylamine	N-Ethyl cyclohexylamine	2302	755	0	NI	0	R	0	NI	0	0	(2)	1	2	0	1	F	
S-Ethyl dipropylthiocarbamate	S-Ethyl dipropylthiocarbamate	326	326	96-49-1	<b>CAS No</b>	759-94-4	<b>CAS No</b>	5459-93-8	<b>CAS No</b>	5459-93-8	<b>CAS No</b>	1678-91-7	<b>CAS No</b>	105-54-4	<b>CAS No</b>	13360-63-9	<b>CAS No</b>	10-54-4
Ethylene carbonate	Ethylene carbonate																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Ethylene chlorohydrin		756	0	0	0	R	3	NI	2	3	4	2	3			D	3
Ethylene chlorohydrin		327												<b>CAS No</b>	107-07-3		
Ethylene cyanohydrin		757	0	0	0	NI	2	NI	1	0	(2)	1	2			D	2
Ethylene cyanohydrin		328												<b>CAS No</b>	109-78-4		
Ethylene diamine		758	0	1	1	R	3	1	1	2	1	3	3	SsSr		D	3
Ethylenediamine		343												<b>CAS No</b>	107-15-3		
Ethylene diamine, tetra acetic acid, di- and tetra-sodium salt		759	0	NI	0	NR	2	0	1	(1)	(2)	1	2			D	2
Ethylenediaminetetraacetic acid, tetrasodium salt solution		344												<b>CAS No</b>	64-02-8		
Ethylene dibromide		760	1	2	2	NR	3	NI	2	2	2	3	3	CRT		SD	3
Ethylene dibromide		329												<b>CAS No</b>	106-93-4		
Ethylene glycol		761	0	NI	0	R	0	NI	1	(1)	(1)	0	0			D	2
Ethylene glycol		331												<b>CAS No</b>	107-21-1		
Ethylene glycol acrylate		869	0	NI	0	R	4	NI	1	3	3	3	3	MSs		D	3
Ethylene glycol		51												<b>CAS No</b>	818-61-1		
2-Hydroxyethyl acrylate		764	1	NI	1	R	2	NI	1	1	(1)	1	1			FD	1
Ethylene glycol butyl ether acetate (#)		334												<b>CAS No</b>	112-07-2		
Ethylene glycol butyl ether acetate		765	0	NI	0	NI	2	NI	0	0	(1)	1	NI			D	3
Ethylene glycol diacetate		335												<b>CAS No</b>	111-55-7		
Ethylene glycol ethyl ether acetate		767	0	NI	0	R	2	0	1	0	1	1	1	R		D	1
Ethylene glycol diacetate		41												<b>CAS No</b>	111-15-9		
Ethylene glycol methyl butyl ether		772	1	NI	1	NI	1	NI	NI	NI	NI	NI	NI			D	3
Ethylene glycol methyl butyl ether		336												<b>CAS No</b>	13343-98-1		
Ethylene glycol methyl ether acetate		773	0	NI	0	R	2	NI	0	0	(0)	(1)	1	R		D	3
Ethylene glycol methyl ether acetate		337												<b>CAS No</b>	110-49-6		
Ethylene glycol monoacetate		762	0	NI	0	R	2	NI	0	0	(3)	NI	(3)			D	3
Ethylene glycol acetate		333												<b>CAS No</b>	542-59-6		
Ethylene glycol monoalkyl ethers		2268	0	NI	0	R	2	NI	1	2	2	1	2			D	2
Ethylene glycol monoalkyl ethers		338												<b>CAS No</b>			
Ethylene glycol monoethyl ether		766	0	NI	0	R	0	0	0	1	2	2				D	3
2-Ethoxyethanol		40												<b>CAS No</b>	110-80-5		

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 29 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Ethylene glycol phenyl ether		775	1	NI	1	R	1	0	1	0	0	1	2		SD	2	
Ethylene glycol phenyl ether		339															
Ethylene glycol phenyl ether/Diethylene glycol phenyl ether, mixture		1740	NI	NI	1	R	1	NI	1	0	(2)	(2)	(2)		SD	2	
Ethylene glycol (>75%)/Sodium alkyl carboxylates/borax mixture (#)		340															
Ethylene glycol (>75%)/Sodium alkyl carboxylates/borax mixture		2477	NI	(1)	(1)	R	1	NI	1	(1)	(2)	(1)	(1)	R		D	3
Ethylene glycol (>85%)/Sodium alkyl carboxylates mixture (#)		4006														D	1
Ethylene oxide		2475	NI	(1)	(1)	R	1	NI	1	(1)	(1)	0	0				
Ethylene oxide		4005															
Ethylene-propylene copolymer		77	NI	NI	NI	NI	NI	NI	1	(1)	3	3	3	CMR	GD	3	
Propylene-Butylene copolymer		2744															
Ethylene vinyl acetate copolymer (emulsion)		1508	NI	NI	NI	NI	NI	NI	(0)	(0)	(0)	(0)	(0)		NI	0	
Ethylene-vinyl acetate copolymer (emulsion)		633															
Ethyl 3-ethoxypropionate		779	0	1	1	NR	0	0	0	(0)	(0)	(0)	(0)		S	2	
Ethyl 3-ethoxypropionate		342															
2-Ethylhexanoic acid		1439	1	NI	1	NR	2	NI	0	0	0	0	1	1	FD	1	
2-Ethylhexanoic acid		321															
2-Ethylhexyl acrylate		776	2	NI	2	R	2	NI	0	0	(2)	2	2		FD	3	
2-Ethylhexyl acrylate		45															
2-Ethylhexyl esters of fatty acids		782	3	NI	3	R	2	NI	0	0	(2)	2	2	Ss	F	3	
2-Ethylhexyl esters of fatty acids		46															
2-Ethyl-1-(hydroxymethyl)propane-1,3-diol C8-C10 ester (LOA)		2221	0	NI	0	R	1	NI	0	(0)	(0)	1	0		F	1	
2-Ethyl-1-(hydroxymethyl) propane-1,3-diol (C8-C10) ester		2578															
5-Ethylidene-2-norbornene		2054	0	NI	0	R	0	NI	0	(0)	(0)	0	(0)		Fp	2	
Ethyldiene norbornene		42															
Ethyl isoamyl ketone		783	3	3	3	NR	3	0	0	0	2	1	2		FE	2	
Ethyl isoamyl ketone		345															
Ethyl methacrylate		737	NI	NI	NI	NI	NI	NI	0	0	(1)	1	(2)		FD	2	
Ethyl methacrylate		2618															
Ethyl methacrylate		785	1	NI	1	R	2	0	0	0	0	(2)	(2)	Ss	FE	2	
Ethyl methacrylate		318															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
N-Ethyl-2-methallylamine		2228	0	NI	0	NR	2	NI	3	2	2	3A	3			D	3
N-Ethylmethylallylamine		2417															
o-Ethyl phenol																	
o-Ethylphenol																	
Ethyl propionate																	
Ethyl propionate																	
2-Ethyl-3-propylacrolein																	
2-Ethyl-3-propylacrolein																	
Ethyl toluene (all isomers)																	
Ethyl toluene																	
Fatty acid methyl esters																	
Fatty acid methyl esters (m)																	
Fatty acids, essentially linear, C6-C18, 2-ethylhexyl ester																	
Fatty acid (C8-C16) ethyl hexyl esters																	
Fatty acids, essentially linear, C6-C18, 2-ethylhexyl ester																	
Fatty acids, essentially linear (C6-C18) 2-ethylhexyl ester																	
Fatty acids, linear, C8-C18 saturated with C18 unsaturated																	
Fatty acids, (C8-C18)																	
Fatty acids, linear C12+ saturated with C12+ unsaturated																	
Fatty acids, (C12+)																	
Fatty acids saturated, C8-C10																	
Fatty acids, (C8-C10)																	
Fatty acids saturated, C12+																	
Fatty acids, unsaturated, linear, C16+																	
Fatty acids, (C16+)																	
Fatty alcohols, linear, (C12+)																	
Alcohols (C12+), primary, linear																	
Fatty alcohols, linear, (C16+)																	
Alcohols, linear (C16+)																	
Ferric chloride																	
Ferric chloride solutions																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 31 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	
Ferric hydroxyethyl ethylene diamine triacetic acid, tri- sodium salt, solution	796	NI	NI	NI	NI	NI	NI	0	0	(1)	(0)	1			D	1	
Ferric hydroxyethyl ethylenediaminetriacetic acid, trisodium salt solution	349																
Ferric nitrate/nitric acid solution	337	Inorg	(5)	(5)	Inorg	(2)	(0)	0	(0)	(3)	3	3				D	3
Ferric nitrate/Nitric acid solution	350																
Fish by-products (fresh)	2499	NI	NI	(0)	NR	1	(0)	(0)	(0)	(0)	(0)	(0)				F	1
Fresh grinded fish by-products	3893																
Fish oil (containing less than 10% free fatty acids)	2316	0	NI	0	R	2	NI	(0)	(0)	(1)	(0)	(1)				Fp	2
Fish oil	3046																
Fish protein concentrate (containing 4% or less formic acid)	2502	NI	NI	(0)	R	1	(0)	(0)	(0)	(1)	(1)	(1)				D	1
Fish protein concentrate (containing 4% or less formic acid with antioxidant)	4090																
Fish silage (containing 3% or less formic acid with silage)	2500	NI	NI	(0)	R	0	(0)	(0)	(0)	(1)	(1)	(1)				F	1
Fish silage	3892																
Fish sludge protein concentrate (containing 4% or less formic acid)	2487	NI	0	0	R	2	NI	(0)	(0)	(1)	(1)	(1)				D	2
Fish sludge protein concentrate (containing 4% or less formic acid)	4062																
Fish solubles	1509	NI	NI	NI	NI	NI	NI	(0)	(0)	(0)	(0)	(0)				NI	NI
Fish solubles (water-based fish meal extract)	351																
Fluorosilicic acid	806	Inorg	0	0	Inorg	2	NI	2	(2)	4	3	3				D	3
Fluorosilicic acid	2716																
Fluorosilicic acid solution (20-30%)	2240	Inorg	2	2	Inorg	2	0	(1)	(1)	(3)	3B	3				D	3
Fluorosilicic acid solution (20-30%)	353																
Formaldehyde (37%-50% solution)	807	0	NI	0	R	2	NI	2	2	3	3	3	CMSs	NT	D	3	
Formaldehyde solutions (45% or less)	354																
Formaldehyde, polymer with isobutyl/enated phenol	2377	NI	NI	NI	NR	NI				Fp	NI						
Formaldehyde, polymer with isobutyl/enated phenol	1203																
Formamide	808	0	NI	0	NR	1	NI	0	0	1	1	2	R	D	3		
Formamide	355																
Formic acid	809	0	NI	0	R	2	NI	1	(1)	2	3C	3				D	3
Formic acid (85% or less acid)	356																
Formic acid mixture (containing up to 18% propionic acid and up to 25% sodium formate)	2408	0	NI	0	R	1	NI	(0)	(0)	(2)	(2)	(3)				D	3
Formic acid mixture (containing up to 18% propionic acid and up to 25% sodium formate)	3684																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Fumaric adduct of rosin (water dispersion)		810	3	NI	3	NR	3	NI	0	(0)	(3)	0	3	Ss		D	3
Fumaric adduct of rosin, water dispersion		357										<b>CAS No</b>	65997-04-8				
Furfural		812	0	NI	0	R	2	1	2	(2)	3	2	2	C		D	3
Furfural		358										<b>CAS No</b>	98-01-1				
Furfuryl alcohol		813	0	NI	0	R	1	NI	2	2	3	2	2		D		2
Furfuryl alcohol		359										<b>CAS No</b>	98-00-0				
Glucitol/glycerol blend propoxylated (containing 10% or more amines)		2441	2	NI	2	NR	1	1	1	0	(2)	(1)	(1)		D		2
Glucitol/glycerol blend propoxylated (containing 10% or more amines)		3919										<b>CAS No</b>					
Glucitol/glycerol blend, propoxylated (containing less than 10% amines)		2368	0	NI	0	NR	1	NI	1	0	(2)	(1)	(1)		SD		2
Glucitol/glycerol blend propoxylated (containing less than 10% amines)		3074										<b>CAS No</b>					
Glycerine		814	0	NI	0	R	0	0	0	0	(1)	0	1		D		1
Glycerine		363										<b>CAS No</b>	56-81-5				
Glycerine (83%), Dioxane-dimethanol (17%) mixture		1743	NI	NI	NI	R	1	NI	0	(0)	(1)	(0)	1		D		1
Glycerine (83%), Dioxanedimethanol (17%) mixture		364										<b>CAS No</b>					
Glycerol ethoxylated		2360	0	NI	0	R	0	NI	0	0	(0)	0	0		D		0
Glycerol ethoxylated		3123										<b>CAS No</b>					
Glycerol monooleate		1898	0	0	0	R	0	NI	0	(0)	(1)	1	1		Fp		2
Glycerol monooleate		365										<b>CAS No</b>	25496-72-4				
Glycerol propoxylated		2346	0	NI	0	NR	1	NI	1	0	(2)	1	0		D		2
Glycerol propoxylated		3110										<b>CAS No</b>					
Glycerol, propoxylated and ethoxylated		2276	0	NI	0	NR	1	0	0	0	0	0	0		SD		2
Glycerol, propoxylated and ethoxylated		2872										<b>CAS No</b>					
Glycerol/sorbitol blend, propoxylated and ethoxylated		2372	0	NI	0	NR	2	NI	NI	NI	NI	NI	NI		Nl		Nl
Glycerol/sorbitol blend, propoxylated and ethoxylated		3136										<b>CAS No</b>					
Glycerol/sucrose blend, propoxylated and ethoxylated		2361	0	NI	0	NR	1	NI	0	0	0	0	0		SD		0
Glycerol/sucrose blend propoxylated and ethoxylated		3124										<b>CAS No</b>	102-76-1				
Glyceryl triacetate		816	0	NI	0	R	1	0	1	0	0	0	1		D		1
Glyceryl triacetate		367										<b>CAS No</b>					
Glycidyl ester of C10 trialkyl acetic acid		441	3	NI	3	NR	3	NI	0	0	(2)	2	1		F		2
Glycidyl ester of C10 trialkylacetic acid		368										<b>CAS No</b>					

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 33 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Glycine, Sodium salt, solution		817	0	NI	0	NI	0	NI	0	(0)	(1)	(0)	(1)			D	1
Glycine, sodium salt solution		369												<b>CAS No</b>	56-40-6		
Glycolic acid		2218	0	0	0	R	1	NI	1	(1)	2	3C	3			D	3
Glycolic acid solution (70% or less)		2539												<b>CAS No</b>	107-22-2		
Glyoxal solutions (40% or less)		84	0	NI	0	R	1	NI	0	0	2	2	3	<b>MSSr</b>		D	3
Glyoxal solution (40% or less)		370												<b>CAS No</b>	298-12-4		
Glyoxylic acid		1535	0	NI	0	R	2	0	0	0	(3)	0	3	<b>Ss</b>		D	3
Glyoxylic acid solution (50 % or less)		371												<b>CAS No</b>	1071-83-6		
Glyphosate solution, without surfactant		1765	0	0	0	NR	3	0	0	0	(3)	0	3			D	3
Glyphosate solution (not containing surfactant)		2204	(0)	NI	(0)	(R)	(0)	(0)	(0)	(0)	(1)	(0)	(1)	<b>CAS No</b>	8024-22-4		
Grape Seed Oil		2442	0	NI	(0)	(R)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	<b>CAS No</b>	8002-03-7		
Grape Seed Oil		3643												<b>CAS No</b>	8024-22-4		
Groundnut oil		820	0	NI	0	R	(2)	NI	(0)	(0)	(0)	(0)	0			Fp	2
Groundnut oil		2769												<b>CAS No</b>	8002-03-7		
Heptane		827	4	NI	4	R	4	NI	0	0	0	(1)	1	<b>A</b>		E	2
Heptane (all isomers)		372												<b>CAS No</b>	142-82-5		
Heptanoic acid		831	2	NI	2	R	1	NI	0	0	1	3B	(3)			FD	3
n-Heptanoic acid		479												<b>CAS No</b>	111-14-8		
Heptanol (all isomers)		2223	2	NI	2	R	(2)	NI	0	0	(2)	(1)	(2)			FD	2
Heptanol (all isomers) (d)		373												<b>CAS No</b>	111-70-6		
1-Heptanol		828	2	NI	2	R	2	0	1	0	2	(2)	(2)			FD	2
1-Heptanol		2688												<b>CAS No</b>	111-70-6		
Heptene (all isomers)		2225	3	NI	3	NI	2	NI	(0)	(0)	(2)	(1)	(1)			E	2
Heptene (all isomers) (d)		374												<b>CAS No</b>	112-06-1		
1-Heptene		832	3	NI	3	NI	2	NI	(0)	(0)	(2)	(1)	(1)			E	2
1-Heptene		2685												<b>CAS No</b>	112-06-1		
Heptyl acetate		833	3	NI	3	(R)	(3)	NI	0	0	(2)	1	2			F	2
Heptyl acetate		375												<b>CAS No</b>	112-06-1		
Hexadecyl naphthalene/dihexadecyl naphthalene mixture		2159	0	NI	0	NR	0	NI	0	0	(1)	1	1			Fp	2
1-Hexadecyl naphthalene / 1,4-bis(hexadecyl)naphthalene mixture		2373												<b>CAS No</b>			

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 34 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Hexahydro-1,3,5-trimethyl-1,3,5-triazine solution (45% or less)		2489	(2)	NI	(2)	R	3	NI	1	(1)	(3)	3A	3	Ss	D	3
	4123															
Hexamethylene diamine		845	0	NI	0	R	2	NI	1	1	(3)	3A	3	R	D	3
Hexamethylenediamine (molten)		378														
Hexamethylene diamine		845	0	NI	0	R	2	NI	1	1	(3)	3A	3	R	D	3
Hexamethylenediamine solution		380														
Hexamethylene diamine		845	0	NI	0	R	2	NI	1	1	(3)	3A	3	R	D	3
Hexamethylenediamine		377														
Hexamethylene diamine adipate, 50% in water		846	0	NI	0	R	1	NI	0	(0)	(0)	0	0	D	0	
Hexamethylene diamine adipate (50% in water)		379														
Hexamethylene diisocyanate		2142	3	0	0	NR	2	NI	1	2	4	3	3	SsSr	S	3
Hexamethylene diisocyanate		18														
Hexamethylene glycol		847	0	NI	0	R	1	NI	0	0	(1)	0	1	D	1	
Hexamethylene glycol		376														
Hexamethylene imine		848	1	NI	1	NI	2	NI	3	1	2	2	2	FED	2	
Hexamethylene imine		381														
Hexamethylene tetramine (40% solution)		849	0	NI	0	R	0	NI	0	0	(1)	0	1	Ss	D	2
Hexamethylenetetramine solutions		382														
Hexane		850	3	NI	3	R	4	NI	0	0	0	2	2	NA	E	2
Hexane		2683														
Hexane		850	3	NI	3	R	4	NI	0	0	0	2	2	NA	E	2
Hexane (all isomers)		383														
1,6-Hexanediol, distillation overheads		2143	4	NI	4	NR	2	NI	0	0	2	1	2	FED	2	
1,6-Hexanediol, distillation overheads		2641														
Hexanoic acid		853	2	NI	2	R	2	NI	0	0	(3)	(3)	3	FD	3	
Hexanoic acid		384														
1-Hexanol		854	1	0	0	(R)	2	NI	1	0	(3)	1	3	FD	3	
Hexanol		385														
Hexene (all isomers)		2224	3	NI	3	R	3	NI	(0)	(0)	(1)	(1)	(1)	E	2	
Hexene (all isomers)		386														

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 35 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
1-Hexene	855	3	Nl	3	R	3	Nl	0	0	0	1	1			E	2
1-Hexene	2681							(0)	(0)	(0)	(1)	(1)				
2-Hexene (mixed isomers)	856	3	Nl	3	R	3	Nl	0	0	0	(1)	1			E	2
2-Hexene (mixed isomers)	2682							(0)	(0)	(0)	(1)	1				
Hexyl acetate	857	2	Nl	2	Nl	3	Nl	0	0	0	(1)	1			FE	2
Hexyl acetate	387							(0)	(0)	(0)	(1)	1			FED	2
sec-Hexyl acetate	858	2	Nl	2	Nl	3	Nl	0	0	0	(1)	1				
Methylamyl acetate	456							(0)	(0)	(0)	(3)	2	3			
Hexylene glycol	859	0	Nl	0	R	0	0	0	0	0	(3)	2	3		D	2
Hexylene glycol	388							(0)	(0)	(0)	(0)	(0)	107-41-5			
Hydrocarbon wax	2278	(5)	Nl	(5)	NR	0	0	(0)	(0)	(0)	(0)	CT			Fp	3
Hydrocarbon waxes	2886							(0)	(0)	(0)	(0)					
Hydrochloric acid	864	Inorg	0	0	Inorg	1	Nl	1	1	3	3C	3			DE	3
Hydrochloric acid	389							(0)	(0)	(0)	(0)		7647-01-0			
Hydrogenated Starch Hydrolysate	2347	0	Nl	0	R	0	Nl	0	0	0	(0)	0	0			
Hydrogenated starch hydrolysate	3077							(0)	(0)	(0)	(0)					
Hydrogen peroxide, more than 60%	867	Inorg	0	0	Inorg	3	Nl	1	0	2	3	3			D	0
Hydrogen peroxide, more than 60%	2689							(0)	(0)	(0)	(0)		7722-84-1			
Hydrogen peroxide solutions (over 60% but not over 70% by mass)	867	Inorg	0	0	Inorg	3	Nl	1	0	2	3	3			D	3
Hydrogen peroxide solutions (over 60% but not over 70% by mass)	390							(0)	(0)	(0)	(0)					
Hydrogen peroxide, more than 8% but not more than 60%	2231	Inorg	0	0	Inorg	3	Nl	1	0	(2)	3	3				
Hydrogen peroxide solutions (over 8% but not over 60% by mass)	391							(0)	(0)	(0)	(0)		7722-84-1			
Hydrogen peroxide, more than 8% but not more than 60%	2231	Inorg	0	0	Inorg	3	Nl	1	0	(2)	3	3				
Hydrogen peroxide, more than 8% but not more than 60%	2690							(0)	(0)	(0)	(0)					
N-(2-Hydroxyethyl) ethylene diamine triacetic acid, trisodium salt (solution)	870	0	Nl	0	Nl	1	Nl	0	0	(1)	1	1		R	D	3
N-(Hydroxyethyl)ethylenediaminetriacetic acid, trisodium salt solution	470							(0)	(0)	(0)	(0)		150-30-0			
[(2-hydroxyethyl)imino]dimethyl[ethylene]bisphosphonic acid, sodium salt	2493	0	Nl	0	NR	1	Nl	0	0	0	1			22036-78-8		
2-Hydroxy-4-(methylthio) butanoic acid	4127							(0)	(0)	(0)	(0)					
2-Hydroxy-4-(methylthio)butanoic acid	49							(0)	(0)	(0)	(0)		583-91-5			

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Icosa(oxypropane-2,3-diy)s		2092	NI	NI	NI	NI	NI	NI	0	(0)	(2)	2	(2)		Fp	2	
Icosa(oxypropane-2,3-diy)s		392	NI	NI	NI	NI	NI	NI	0	(0)	(2)	2	(2)		Fp	2	
Icosa(oxypropane-2,3-diy)s		2092	NI	NI	NI	NI	NI	NI	0	(0)	(2)	2	(2)		Fp	2	
Icosa(oxypropane-2,3-diy)s		2691															
Ilippe oil (containing less than 10% free fatty acids)		2304	(0)	NI	(0)	(R)	(0)	NI	(0)	(0)	(0)	(0)	(0)		Fp	2	
Ilippe oil		3034															
Interesterified Mixed Vegetable Oils		2355	0	NI	0	R	(0)	NI	(0)	(0)	(1)	(1)	(1)		Fp	2	
Interestesterified vegetable oils		3115															
Isobutanol		382	0	NI	0	R	1	0	0	0	1	2	3		D	3	
Isobutyl alcohol		397															
Isobutyl formate		405	1	NI	1	NI	1	NI	0	(0)	0	(1)	(2)		Fp	2	
Isobutyl formate		398															
Isobutyl methacrylate		408	2	NI	2	NR	1	NI	0	0	0	2	2		FED	2	
Isobutyl methacrylate		2673															
Isobutyric acid		419	0	NI	0	R	2	NI	2	2	(3)	3	3		E	2	
Isodecanol		2459															
Decyl alcohol (all isomers)		557	3	2	2	R	3	NI	0	0	0	2	1		Fp	2	
Isononanol		219															
Nonyl alcohol (all isomers)		1059	3	NI	3	NR	3	1	0	0	(2)	2	2		Fp	2	
Isononylaldehyde		510															
Isooctaldehyde		2300	3	NI	3	NR	(3)	NI	0	0	(2)	2	1		F	2	
Octyl aldehydes		2754															
Isooctanol		1071	2	NI	2	NI	3	NI	0	0	(1)	1	1		F	1	
iso-Octanol		542															
Isooctylamine		1076	3	NI	3	R	2	0	1	0	(2)	2	(2)		F	2	
2-Ethylhexylamine		2675													FD	3	
Isopentene		1081	2	NI	2	NI	3	NI	1	1	3	3	3				
iso-Pentene		48															
		1113	2	NI	2	NI	2	NI	(0)	(0)	(0)	(1)		E	2		
		2677															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 37 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Isophorone		879	1	1	1	R	2	0	1	1	(2)	1	2			FD	2
Isophorone		399												<b>CAS No</b>	78-59-1		
Isophorone diamine		880	0	0	0	NR	2	0	1	(1)	(3)	3	3	Ss		D	3
Isophorone diamine		401												<b>CAS No</b>	2855-13-2		
Isophorone diisocyanate		881	1	NI	1	NR	3	NI	0	0	3	3	3	SsSr		S	3
Isophorone diisocyanate		400												<b>CAS No</b>	4098-71-9		
Isoprene		882	2	2	2	NR	3	1	0	0	0	0	1	2	CM	E	3
Isoprene		402												<b>CAS No</b>	78-79-5		
Isopropanol		1181	0	NI	0	R	0	0	0	0	0	1	2			D	2
Isopropanol alcohol		405												<b>CAS No</b>	67-63-0		
Isopropanolamine		1182	0	NI	0	R	2	NI	0	1	0	3	3			D	3
Isopropanolamine		403												<b>CAS No</b>	78-96-6		
Isopropyl acetate		1192	1	NI	1	R	1	NI	0	0	0	1	2			ED	2
Isopropyl acetate		404												<b>CAS No</b>	108-21-4		
Isopropylamine		1195	0	NI	0	R	2	NI	2	2	1	3	3			DE	3
Isopropylamine		407												<b>CAS No</b>	75-31-0		
Isopropylamine (70%)		2350	0	NI	0	R	2	NI	2	2	1	3	3			DE	3
Isopropylamine (70% or less) solution		395												<b>CAS No</b>	98-82-8		
Isopropyl benzene		1197	3	2	2	R	3	NI	0	0	0	2	1			FE	2
Isopropylbenzene		2687												<b>CAS No</b>	98-82-8		
Isopropyl benzene		1197	3	2	2	R	3	NI	0	0	0	2	1			FE	2
Propylbenzene (all isomers)		623												<b>CAS No</b>	98-82-8		
Isopropyl cyclohexane		1199	4	NI	4	(NR)	(3)	NI	(0)	(0)	(1)	(0)	(1)			FE	2
Isopropyl/cyclohexane		408												<b>CAS No</b>	696-29-7		
Isopropyltoluenes		549	4	4	4	(NR)	3	NI	0	(0)	1	2	(1)			FE	2
p-Cymene		552												<b>CAS No</b>	99-87-6		
Isovaleraldehyde		1390	1	NI	1	R	3	NI	0	0	0	2	2			D	2
Valeraldehyde (all isomers)		731												<b>CAS No</b>	590-86-3		
Jatropha oil		2402	0	NI	(0)	(R)	(2)	NI	(0)	(0)	(0)	(0)	(0)			Fp	2
Jatropha oil		3637												<b>CAS No</b>			

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Kaolin slurry		883 Inorg 409	Nl	0	Inorg	0	Nl	0	0	0	0	0	0	0	0	0	S 0
Kaolin slurry		886 0 NI 0 R 1 NI 0 0 (3) 2 3	<b>CAS No</b>	1332-58-7													D 3
Lactic acid		410															
Lactic acid		887 0 NI 0 R 4 NI 3 4 (4) NI NI	<b>CAS No</b>	50-21-5													
Lactonitrile solution (80% or less)		411															
Lactonitrile solution (80% or less)		2317 0 NI 0 R 0 NI 0 (0) (1) 0 1	<b>CAS No</b>	78-97-7													Fp 2
Lard (containing less than 10% free fatty acids)		3047															
Lard		889 0 NI 0 NI (2) NI 0 0 (1) 0 1	<b>CAS No</b>														D 1
Latex, ammonia (1% or less)- inhibited		413															
Lauric acid		891 4 NI 4 R 1 0 (0) (2) 1 2	<b>CAS No</b>	143-07-7													Fp 2
Lauric acid		415															
Lauroamidopropyl betaine solution (#)		2479 (4) (2) (2) R (4) (1) (0) (0) (3) (1) (3)	<b>CAS No</b>	4292-10-8													D 3
		4055															
Lauryl methacrylate		893 0 2 2 R 0 0 (0) (1) 1 1	<b>CAS No</b>	142-90-5													
Dodecyl methacrylate		300															
Lecithin (soybeans)		2146 0 NI 0 R 0 NI 0 0 (0) 0 (0)	<b>CAS No</b>	142-90-5													
Lecithin		417															
Lignin sulphonic acid, salt solution		34 0 NI 0 (NR) (0) NI 0 0 (0) (0) (0)	<b>CAS No</b>													D 0	
Ligninsulphonic acid, sodium salt solution		419															
Linear alkyl (C12-16) propoxyamine ethoxylate		2380 3 0 3 NR 4 NI 1 (1) (3) 3 (3)	<b>CAS No</b>														D 3
Alkyl(C12-C16) propoxyamine ethoxylate		3423															
Linseed oil (containing less than 4% free fatty acids)		2318 0 NI 0 R (2) NI 0 (0) (1) 0 (1)	<b>CAS No</b>														
Linseed oil		3048															
Long chain alkaryl polyether (C11-C20) (LOA)		1982 (4) NI (4) NR 3 (1) 0 0 (2) 0 2	<b>CAS No</b>														Fp 2
Long-chain alkaryl polyether (C11-C20)		421															
Long-chain alkaryl sulphonic acid (C16-C80) (LOA)		1966 0 NI 0 (NR) 0 NI 0 0 (2) (1) 2	<b>CAS No</b>														Fp 2
Long-chain alkaryl sulphonic acid (C16-C60)		424															
Long-chain alkyl/phenate/Phenol sulphide mixture		1754 (0) NI (0) (NR) 0 NI 0 0 (2) 2 2	<b>CAS No</b>														Fp 2
Long-chain alkyl/phenate/Phenol sulphide mixture		425															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 39 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Long chain alkylphenol (C14-C18) (#)	2478	(0)	NI	(0)	NR	(0)	(0)	(0)	(0)	(0)	(2)	(2)	(0)		Fp	2
Long-chain alkylphenol (C14-C18)	4029															
Long chain alkylphenol (C18-C30) (#)	2476	(0)	NI	(0)	(NR)	(1)	(0)	(0)	(0)	(0)	(2)	(2)	(0)		Fp	2
Long-chain alkylphenol (C18-C30)	4040															
Long-chain polyetheramine in alkyl(C2-C4)benzenes	1457	NI	NI	NI	NR	2	NI	0	0	(2)	2	2			Fp	2
Lubrizol polyolefin anhydride	422															
Polyolefin anhydride	1865	0	NI	0	NR	1	NI	0	0	(2)	1	(2)			Fp	2
L-Lysine solution (50% or less)	605															
L-Lysine solution (60% or less)	2199	0	0	0	R	1	0	0	0	0	1	NI			D	1
Magnesium alkyl (long chain) salicylate (overbased) in mineral oil (LOA)	71	(0)	NI	(0)	NR	(2)	NI	0	0	(1)	(1)	(1)	SS		S	2
Magnesium long-chain alkyl salicylate (C11+)	429															
Magnesium chloride	915	Inorg	0	0	Inorg	1	0	0	0	(0)	0	0			D	0
Magnesium chloride solution	427															
Magnesium hydroxide slurry	916	Inorg	0	0	Inorg	0	NI	0	0	(1)	(0)	1				
Magnesium hydroxide slurry	428															
Magnesium lignosulphonate solutions	2356	(0)	NI	(0)	(NR)	(0)	NI	0	0	(0)	(0)	(0)			D	0
Ligninsulphonic acid, magnesium salt solution	3116															
Magnesium long chain alkaryl sulphonate (C11-C50) (LOA)	1967	0	NI	0	NR	0	NI	0	0	(2)	1	2			Fp	2
Magnesium long-chain alkaryl sulphonate (C11-C50)	430															
Maleic acid/allyl sulphonic acid copolymer with phosphonate groups, partial sodium salt (aqueous solution)	2412	0	NI	0	NR	0	NI	(0)	(0)	(0)	(0)	(0)			D	0
Maleic acid/allyl sulphonic acid copolymer with phosphonate groups, partial sodium salt (aqueous solution)	3688															
Maleic anhydride	921	1	NI	1	R	2	0	1	2	(3)	3	3	SsSr		D	3
Maleic anhydride	431															
Maleic anhydride - sodium allylsulphonate copolymer (aqueous solution)	2410	0	NI	0	NR	1	NI	0	0	(0)	0	0			D	0
Maleic anhydride - sodium allylsulphonate copolymer solution	3686															
Maltitol Syrup	2348	0	NI	0	R	0	NI	0	0	(0)	0	0			D	0
Maltitol solution	3078															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 40 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Mango kernel oil (containing less than 10% free fatty acids)	2305	(0)	NI	(0)	(R)	(0)	NI	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	Fp
Mango kernel oil	3035	925	2	1	1	NR	4	2	0	0	(0)	0	0	Ss	S	2
2-Mercaptobenzothiazol	432	2495	0	NI	0	NR	1	NI	2	2	2	2	3	SsT	D	3
Meraptobenzothiazol, sodium salt solution	4129	946	1	NI	1	R	(1)	NI	1	0	2	2	2		D	2
2-Mercaptoethanol	433	202	0	NI	0	NR	4	NI	1	2	(2)	2	1	Ss	D	2
Mesityl oxide	434	2288	NI	0	0	NR	1	NI	0	(0)	(1)	1	0		D	2
Mesityl oxide	435	2819	948	0	NI	0	R	2	0	1	2	2	3	3		2
Metam-sodium (SO)	436	2046	1	1	1	NR	2	0	(1)	(0)	(2)	(1)	(2)	C	SD	3
Metam sodium solution	437	949	0	NI	0	R	2	0	2	2	3	1	1	Ss	NT	3
Methacrylic acid-alkoxypoly (alkylene oxide) methacrylate co-polymer sodium salt (45% or less solution)	438	2452	0	NI	0	R	0	0	(2)	(2)	2	2	T	DE	3	
Methacrylic acid - alkoxypoly (alkylene oxide) methacrylate copolymer, sodium salt aqueous solution (45% or less)	441	3870	951	0	NI	0	R	0	0	0	0	0	0	D	0	
Methacrylic acid, inhibited	442	954	0	NI	0	R	1	NI	0	0	0	1	2	DE	2	
Methacrylic acid	443	438	335	0	NI	0	R	1	NI	0	0	(2)	1	2	D	2
Methacrylic resin in 1,2 Dichloroethane soln.	444	439	955	0	NI	0	R	3	NI	1	1	2	2	MSs	D	3
Methacrylic resin in ethylene dichloride	445	440	957	0	NI	0	R	2	NI	2	(2)	3	3	M	NT	3
Methacrylonitrile	446	958	455	96-33-3	105-45-3	74-89-5										
Methanol	447	959	456	79-20-9												
Methyl alcohol	448	960	457	126-98-7												
(2-Methoxymethylethoxy)propanols	449	961	458	67-56-1												
Methyl acetate	450	962	459	105-45-3												
Methyl acetate	451	963	460	105-45-3												
Methyl acetoacetate	452	964	461	105-45-3												
Methyl acetoacetate	453	965	462	105-45-3												
Methyl acrylate	454	966	463	105-45-3												
Methyl acrylate	455	967	464	105-45-3												
Methylamine solution 42% or less	456	968	465	105-45-3												
Methylamine solutions (42% or less)	457	969	466	105-45-3												

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 41 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Methyl amyl alcohol		958	1	NI	1	R	1	NI	1	0	2	1	3		FED	3	
Methylamyl alcohol		457															
Methyl amyl ketone		959	1	NI	1	NI	1	NI	1	0	0	1	1		FED	2	
Methyl amyl ketone		442															
N-Methyl aniline		961	1	NI	1	(NR)	3	1	1	1	(2)	(1)	1		FD	2	
N-Methylaniline		3107															
alpha-Methylbenzyl alcohol with acetophenone (15% or less)		2399	1	NI	1	(R)	(1)	NI	(1)	(0)	(3)	(2)	(3)	R	Fp	3	
alpha-Methylbenzyl alcohol with acetophenone (15% or less)		3634															
2-Methyl-2-butanol		964	1	1	1	(R)	(1)	0	1	1	1	3	2		D	3	
tert-Amyl alcohol		685															
3-Methyl-1-butanol		965	1	1	1	(R)	1	0	1	0	(2)	2	2		FED	2	
Isoamyl alcohol		396															
Amyl alcohol, primary		965	1	1	1	(R)	1	0	1	0	(2)	2	2		FED	2	
Methyl butenol		126															
Methyl butenol		967	0	NI	0	R	2	NI	1	0	(2)	2	2		D	2	
Methyl tert-butyl ether		458															
Methyl tert-butyl ether		969	1	NI	1	NR	1	0	0	0	0	2	1	T	ED	2	
Methyl tert-butyl ether		454															
Methyl butyl ketone		970	1	NI	1	(R)	1	(0)	0	0	0	1	1	RN	FED	3	
Methyl butyl ketone		443															
Methylbutynol		968	0	NI	0	NR	1	NI	1	1	0	0	2		D	2	
Methylbutynol		459															
Methylbutynol		968	0	NI	0	NR	1	NI	1	1	0	0	2		D	2	
2-Methyl-2-hydroxy-3-butyne		52															
Methyl butyrate		973	1	NI	1	NI	(2)	NI	0	0	2	2	(2)	ED	2		
Methyl butyrate		444															
Methyl cyclohexane		976	3	3	3	NR	3	1	0	0	1	1	1	A	E	2	
Methylcyclohexane		460															
Methyl cyclopentadiene, dimer		977	4	NI	4	(NR)	(3)	NI	0	(0)	(2)	(2)	(2)	F	2		
Methylcyclopentadiene dimer		461															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 42 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Methyl cyclopentadienyl manganese tricarbonyl (60-70% in mineral oil)	2213	NI	3	NR	4	NI	2	3	4	1	1			S	3	
Methylcyclopentadienyl manganese tricarbonyl	2692	1491	0	NI	0	R	2	NI	1	0	(2)	1	2	D	2	
N-Methyl/diethanolamine																
Methyl diethanolamine	445															
Methylene dithiocyanate	2235	NI	2	NR	5	NI	2	0	4	3	3	Ss		NI	3	
Methylene bis(ethiocyanate)	2693															
2-Methyl-6-ethyl aniline	984	2	NI	2	NR	2	NI	1	1	(2)	0	2		FD	2	
2-Methyl-6-ethyl aniline	54															
2-Methyl-5-ethylpyridine	986	2	NI	2	R	2	0	1	2	(3)	3	3		FD	3	
2-Methyl-5-ethyl pyridine	53															
Methyl formate	987	0	NI	0	R	1	NI	1	0	2	0	2		DE	2	
Methyl formate	447															
N-Methyl/gluccamine, 60% aqueous solution	2048	0	NI	0	R	0	NI	1	0	(3)	0	3		D	3	
N-Methyl/gluccamine solution (70% or less)	482															
2-Methylglutaronitrile with 2-Ethylsuccinonitrile (12% or less)	2397	0	NI	0	R	0	NI	2	2	3	0	1		FD	2	
2-Methylglutaronitrile with 2-Ethylsuccinonitrile (12% or less)	3632															
Methyl heptyl ketone	988	3	NI	3	R	3	NI	0	0	NI	NI	NI		FED	NI	
Methyl heptyl ketone	448															
Methyl isobutyl ketone	971	1	NI	1	R	1	0	1	0	2	2	3		FED	3	
Methyl isobutyl ketone	449															
Methyl methacrylate	995	1	NI	1	R	2	NI	0	0	0	2	2		ED	2	
Methyl methacrylate	450															
3-Methyl-3-methoxybutanol	996	1	NI	1	NR	0	NI	0	(0)	NI	NI	NI				
3-Methyl-3-methoxybutanol	59															
3-Methyl-3-methoxybutyl acetate	997	1	NI	1	NR	0	NI	0	(0)	NI	NI	NI		F	NI	
3-Methyl-3-methoxybutyl acetate	60															
Methyl naphthalenes	1999	4	NI	4	(NR)	(4)	NI	1	0	(2)	1	1		T	F	
Methyl naphthalene (molten)	451															
2-Methyl pentane	1000	3	NI	3	NI	4	NI	(0)	(0)	(2)	(2)	(2)		E	2	
2-Methylpentane	2684															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 43 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
2-Methyl-1,3-propanediol	2200	0	0	NR	0	0	0	(0)	0	0				D	0	
2-Methyl-1,3-propanediol	2213															
Methyl propyl ketone	1003	0	NI	0	(R)	0	NI	1	0	(2)	1	2		FED	2	
Methyl propyl ketone	452															
2-Methyl pyridine	1005	1	NI	1	R	1	NI	1	2	1	3A	3		D	3	
2-Methylpyridine	55															
3-Methylpyridine	1006	1	NI	1	R	1	NI	1	2	2	3	3		D	3	
3-Methylpyridine	61															
4-Methylpyridine	1007	1	NI	1	(R)	1	NI	1	2	2	3	3		D	3	
4-Methylpyridine	63															
N-Methylpyrrolidone	1008	0	NI	0	R	1	NI	0	0	2	1	2	R		D	3
N-Methyl-2-pyrrolidone	481															
Methyl salicylate	86	2	NI	2	R	2	NI	1	1	(2)	2	1	R	SD	3	
Methyl salicylate	453															
alpha-Methylstyrene	1010	3	3	3	NR	3	NI	0	0	1	2	1	M	(T)	FE	3
alpha-Methylstyrene	107															
3-(Methylthio) propionaldehyde	993	0	NI	0	R	3	1	1	1	2	2	3	NSs	T	D	3
3-(methylthio)propionaldehyde	2368															
Metolachlor (ISO)	113	2	2	2	NR	5	1	1	0	(2)	1	0	Ss	S	2	
N-(2-Methoxy-1-methyl ethyl)-2-ethyl-6-methyl chloroacetanilide	469															
Mixed acid oil	2306	(0)	NI	(0)	(R)	(0)	NI	0	(0)	(1)	(1)	1		Fp	2	
Acid oil mixture from soyabean, corn (maize) and sunflower oil refining	3036															
Mixture of dithiophosphate salts in water	2381	1	0	1	NR	2	NI	0	0	(2)	2	2		D	2	
Dialkyl thiophosphates sodium salts solution	3424															
Molasses	1013	0	NI	0	R	0	NI	0	0	0	0	0		D	0	
Molasses	462															
Molybdenum polysulphide long chain alkyl dithiocarbamide complex	2344	4	2	2	NR	2	0	0	0	(2)	2	2		Fp	2	
Molybdenum polysulphide long chain alkyl dithiocarbamide complex	3108															
Mononitrobenzene	1017	1	1	1	R	3	(4)	(2)	2	1	1	CRT	SD	3		
Nitrobenzene	501															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 44 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Morpholine		1018	0	0	R	2	NI	1	2	2	3	3			D	3	
Morpholine		463															
Myrcene		1019	4	NI	4	R	4	1	0	0	(2)	2	NI		F	2	
Myrcene		465															
Naphthalene (molten)		1	3	3	NR	4	1	1	(0)	(1)	0	0	T	T	S	2	
Naphthalene (molten)		493															
Naphthalene, crude (molten) (#)(l)		2459	NI	(3)	NR	3	0	0	(0)	(2)	2	2	CMT		Fp	3	
Naphthalene crude (molten)		3858															
Naphthalene sulphonic acid condensed with formaldehyde, sodium salt, solution		1020	0	1	1	(NR)	1	NI	0	(0)	(1)	0	1		D	1	
Naphthalenesulphonic acid-Formaldehyde copolymer, sodium salt solution		494															
Neodecanoic acid		1025	4	NI	4	NR	2	NI	0	0	(2)	0	2		Fp	2	
Neodecanoic acid		496															
Nitric acid (90% or less)		1029	Inorg	NI	0	Inorg	2	NI	(3)	(1)	3	3C	3		D	3	
Nitric acid (less than 70%)		499															
Nitric acid (90% or less)		1029	Inorg	NI	0	Inorg	2	NI	(3)	(1)	3	3C	3		D	3	
Nitric acid (70% and over)		498															
Nitrilotriacetic acid, trisodium salt		1030	0	NI	0	R	1	0	1	(0)	0	1	1	CMR	D	3	
Nitrilotriacetic acid, trisodium salt solution		500															
Nitroethane		1037	0	NI	0	NR	2	NI	1	0	(2)	(0)	(1)		SD	2	
Nitroethane		502															
Nitroethane (80%)/Nitropropane (20%)		2245	0	1	1	NR	2	NI	1	1	2	0	1		E	2	
Nitroethane(80%)/ Nitropropane(20%)		503															
Nitroethane, 1-Nitropropane (each 15% or more) mixture		2270	(0)	(1)	(1)	(NR)	(2)	NI	1	1	2	0	1		FED	2	
Nitroethane, 1-Nitropropane (each 15% or more) mixture		2212															
2-Nitrophenol		1041	1	2	2	R	3	(2)	0	0	(1)	1	1		S	1	
o-Nitrophenol (molten)		536															
1-Nitropropane		1044	0	1	1	NR	1	NI	1	0	2	0	1		FED	2	
1-Nitropropane		2747															
1- or 2- Nitropropane		2242	0	1	1	NR	1	NI	2	0	2	0	1	C	FED	3	
1- or 2- Nitropropane		20															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 45 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
2-Nitropropane		1045	0	1	1	NR	2	NI	2	0	2	0	0	0	C	FED	3
2-Nitropropane		2748															
Nitropropane (60%) Nitroethane (40%) mixture		1046	0	1	1	NR	2	NI	1	0	2	0	1	C	FED	3	
Nitropropane (60%)/Nitroethane (40%) mixture		504															
o-Nitrotoluene		1049	2	2	2	NR	2	(1)	1	0	(2)	0	1	CMR	S	3	
o-Nitrotoluene		2745															
p-Nitrotoluene		1051	2	1	1	NR	3	0	1	0	(2)	0	1	R	S	3	
p-Nitrotoluene		2746															
o- or p-Nitrotoluenes		2241	2	2	2	NR	3	(1)	1	0	(2)	0	1	CMR	S	3	
o- or p-Nitrotoluenes		532															
Nonane		1054	4	NI	4	R	4	NI	0	0	1	1	1	A	FE	2	
Nonane (all isomers)		506															
Nonanoic acid		1055	3	NI	3	R	2	NI	0	0	(3)	2	3	F	3		
Nonanoic acid (all isomers)		507															
Nonene (all isomers)		2222	4	NI	4	NI	3	NI	0	0	0	1	1	A	FE	2	
Nonene (all isomers)		508															
1-Nonene		1060	4	NI	4	NI	3	NI	0	0	0	1	1	A	FE	2	
1-Nonene		2680															
Nonyl acetate		1766	4	NI	4	NI	NI	NI	0	0	NI	NI	NI	F	NI		
Nonyl acetate		509															
Nonyl methacrylate monomer		1061	5	NI	5	R	3	NI	(0)	(0)	(1)	(1)	(1)	F	1		
Nonyl methacrylate monomer		511															
Nonyl phenol		1062	5	4	4	NR	5	3	1	0	(3)	3	3	Fp	3		
Nonylphenol		512															
Nonyl(C6-C12)phenol poly(4-12)ethoxylate		1063	4	NI	4	NR	3	1	0	0	(2)	2	1	D	2		
Nonylphenol poly(4+4)ethoxylate		513															
Nonyl(C6-C12)phenol poly(4-12)ethoxylate		1063	4	NI	4	NR	3	1	0	0	(2)	2	1	D	2		
Alkyl(C7-C12)phenol poly(4-12) ethoxylate		97															
Octamethylcyclotetrasiloxane		2398	5	5	5	NR	0	3	0	0	0	0	0	F	1		
Octamethylcyclotetrasiloxane		3633															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Octane		1072 538	NI NI	5 (R)	4	NI (0)	NI (0)	0 0	0 0	0 0	0 0	A A			FE FE	2	
Octane (all isomers)		1074 539	NI NI	3 3	R R	1 2	NI 0	0 0	0 (3)	3 3	3 3				F F	3	
Octanoic acid (Caprylic acid)		1075 2676	NI NI	3 3	R R	2 0	1 0	0 (2)	2 2	2 2					Fp Fp	2	
Octanoic acid (all isomers)		1075 540	NI NI	3 4	R NR	2 3	NI NI	0 0	0 0	0 2	1 1				Fp Fp	2	
1-Octanol		1079 541	NI NI	3 4	R NR	2 3	NI NI	0 0	0 0	0 (2)	2 2	2 2				FE FE	2
Octanol (all isomers)		1080 483	NI NI	3 0	R (R)	2 (0)	NI (0)	0 (0)	0 (0)	0 (1)	1 (1)	NI NI			FD FD	1	
Octene (all isomers)		1082 543	NI NI	0 0	NR (R)	2 (0)	NI (0)	0 (0)	0 (0)	0 (1)	1 (1)				Fp Fp	2	
Octene (all isomers)		2461 3742	NR NR	3 5	NR NR	5 NI	NI 1	0 0	0 (1)	1 1	0 0	Ss Ss			F F	3	
Octyl acetate		1965 546	NI NI	0 0	NR NR	0 NI	NI NI	0 0	0 (0)	0 0	0 0				Fp Fp	2	
n-Octyl acetate		2385 3548	5 3	4 NI	4 NR	4 NI	NI (0)	0 0	0 (0)	2 (1)	1 (1)				E E	2	
Octyl decyl adipate		2243 545	NI NI	3 (5)	R NR	3 (4)	NI NI	0 (0)	0 (0)	2 (2)	1 (1)				FE FE	2	
Octyl decyl adipate		2321 544	NI NI	5 3	R NI	4 3	NI NI	0 0	0 (0)	2 (2)	1 (1)				FE FE	2	
n-Octyl mercaptan		2028 547	NI NI	5 0	NR NR	0 NI	NI 0	0 0	0 (0)	0 0	0 0				Fp Fp	2	
n-Octyl mercaptan		2030 108	NI NI	5 0	NR R	4 0	NI NI	0 0	0 0	0 (0)	0 0				FE FE	2	
Olefin/Alkyl ester copolymer (molecular weight 2000+) (LOA)		1089 548	NI NI	0 0	NR NR	0 NI	NI NI	0 0	0 (0)	0 0	0 0				Fp Fp	2	
Olefin/Alkyl ester copolymer (molecular weight 2000+)																	
Olefin mixture (C7-C9)																	
Olefin mixture (C7-C9) C8 rich, stabilized																	
Olefin mixtures (C5-C7)																	
Olefin mixtures (C5-C7)																	
Olefin mixtures (C5-C15)																	
Olefin mixtures (C5-C15)																	
Olefins C13 and above, all isomers																	
Olefins (C13+, all isomers)																	
alpha-Olefins (C6-C18), mixture																	
alpha-Olefins (C6-C18) mixtures																	
Oleic acid																	
Oleic acid																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 47 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	
Oleyamine	1862	0	NI	0	NR	4	NI	1	(1)	(3)	3B	3				Fp	3
Oleyamine	550																
Olive oil	1090	0	NI	0	R	(2)	NI	(0)	(0)	(1)	1	1				Fp	2
Olive oil	2771																
Orange juice	2375	0	0	0	R	0	0	0	0	(0)	0	0				D	0
Orange juice	3151																
Orange juice (not concentrated)	2382	0	0	0	R	0	0	0	0	(0)	0	0				D	0
Orange juice (not concentrated)	3425																
Oxatera-azahydroxyalkanoic acid, substituted with acetic acid / acetoxymethanolamine	2413	1	NI	1	R	1	NI	0	0	0	0	0				D	0
Oxatera-azahydroxyalkanoic acid, substituted with acetic acid / acetoxymethanolamine	3689																
Oxygenated aliphatic hydrocarbon mixture	2266	5	2	(2)	NR	1	NI	0	0	(1)	1	1				FE	2
Oxygenated aliphatic hydrocarbon mixture	2825																
Palm acid oil	2307	(0)	NI	(0)	(R)	(0)	NI	0	(0)	(1)	0	1				Fp	2
Palm acid oil	3037																
Palm fatty acid distillate	2310	NI	NI	(0)	(R)	(0)	NI	0	(0)	(1)	0	1				Fp	2
Palm fatty acid distillate	3040																
Palm kernel fatty acid distillate	2335	(0)	0	0	R	(3)	NI	0	(0)	(2)	1	2				Fp	2
Palm kernel fatty acid distillate	3111																
Palm kernel olein (containing less than 5 % free fatty acids)	2308	(0)	NI	(0)	(R)	1	NI	(0)	(0)	(0)	(0)	(0)				Fp	2
Palm kernel olein	3038																
Palm kernel stearin (containing less than 5% free fatty acids)	2309	0	(0)	(0)	(R)	0	NI	(0)	(0)	(0)	(0)	(0)				Fp	2
Palm kernel stearin	3039																
Palm Mid Fraction	2363	(0)	NI	(0)	(R)	(0)	NI	0	0	(0)	(0)	(0)				Fp	2
Palm mid-fraction	3126																
Palm nut oil	1094	0	NI	0	R	1	NI	(0)	(0)	(1)	(0)	(1)				Fp	2
Palm kernel oil	2766																
Palm nut oil fatty acid	1095	0	NI	0	R	(3)	NI	0	0	(2)	1	2				Fp	2
Palm kernel acid oil	553																
Palm oil (containing less than 15% free fatty acids)	2249	0	NI	0	R	0	NI	0	(0)	(0)	0	0				Fp	2
Palm oil	2764																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 48 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	
Palm oil (containing more than 15% and less than 30% free fatty acids)		2364	0	NI	0	R	0	NI	0	0	(2)	(2)	(2)			Fp	2	
Non-edible industrial grade palm oil		3127	0	NI	0	R	0	NI	0	0	0	0	1			Fp	2	
Palm oil fatty acid methyl ester		1097	0	NI	0	R	0	NI	0	0	0	0	1			Fp	2	
Palm olein		554																
Palm olein		2250	0	NI	0	R	0	NI	0	(0)	(0)	0	0			Fp	2	
Palm stearin		2765															Fp	2
Palm stearin		2251	0	NI	0	R	0	NI	0	(0)	(0)	0	0			Fp	2	
Paraffin wax, highly-refined		555																
Paraffin wax		1086	(5)	NI	(5)	(NR)	0	(0)	(0)	(0)	(0)	(0)	(0)			Fp	2	
Paraffin wax, semi-refined		556																
Petrolatum		2244	(5)	NI	(5)	NR	0	(0)	(0)	(0)	(0)	(0)	(0)	T		Fp	3	
Paraldehyde		565																
Paraldehyde		1098	0	0	0	NR	0	NI	1	0	0	1	3			D	3	
Pentachloroethane		557																
Pentachloroethane		1099	3	2	2	NI	3	1	1	(1)	1	(1)	(1)	CT		S	3	
1,3-Pentadiene		1102	2	NI	2	NR	2	NI	0	0	0	1	(2)			E	2	
1,3-Pentadiene		14																
1,3-Pentadiene (greater than 50%), cyclopentene and isomers, mixtures.		2390	NI	NI	(3)	(NR)	(3)	NI	(2)	(1)	(3)	(2)	(2)					
1,3-Pentadiene (greater than 50%), cyclopentene and isomers, mixtures		3560																
Pentaethylene hexamine		1103	0	NI	0	NI	4	NI	1	(2)	(3)	3	(3)					
Pentaethylenehexamine		560																
Pentane		1105	3	NI	3	R	3	NI	0	0	0	1	1			E	2	
Pentane (all isomers)		561																
1,5-Pantanediol solution, (5-50%) (#)		1107	0	NI	0	R	3	0	1	0	3	3	3	SsSr	D	3		
Glutaraldehyde solutions (50% or less)		362														FD	3	
Pentanoic acid		1109	1	NI	1	NI	2	NI	1	2	(3)	3	3					
Pentanoic acid		562																
Pentanoic acid (64%)/2-methyl butyric acid (36%) mixture		2144	(1)	NI	(1)	NI	(2)	NI	(1)	(2)	(3)	3	(3)			FD	3	
n-Pentanoic acid (36%)/2-Methyl butyric acid (36%) mixture		2211																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 49 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
1-Pentanol	1110	1	1	1	(R)	1	0	1	0	(3)	2	3		FED		3
n-Amyl alcohol	473													<b>CAS No</b>	71-41-0	
2-Pentanol	1111	1	1	1	R	1	0	0	(0)	(2)	2	2		D		2
sec-Amyl alcohol	637													<b>CAS No</b>	6032-29-7	
Pentasodium triphosphate (*)	2418	Inorg	0	0	Inorg	1	NI	NI	NI	NI	NI	NI		NI	NI	
	3694													<b>CAS No</b>		
Pentene (all isomers)	1992	2	NI	2	NI	(2)	NI	(0)	(0)	(0)	(0)	(1)		E		2
Pentene (all isomers)	563													<b>CAS No</b>		
1-Pentene	1114	2	NI	2	NI	(2)	NI	(0)	(0)	0	(0)	(1)		E		2
1-Pentene	2679													<b>CAS No</b>	109-67-1	
2-Pentene	1115	2	NI	2	NI	2	NI	(0)	(0)	(0)	(0)	(1)		E		2
2-Pentene	2678													<b>CAS No</b>	109-68-2	
Phenol	1124	1	2	2	R	3	0	2	2	(3)	3	3		NT	S	3
Phenol	566													<b>CAS No</b>	108-95-2	
Phenylxylylethane	1135	5	4	4	NR	(2)	NI	1	0	(1)	(0)	0		F		1
1-Phenyl-1-xylyl ethane	23													<b>CAS No</b>	40766-31-2	
Phosphate esters, alkyl(C12-C14)amine (LOA)	1854	2	NI	2	NR	3	NI	0	(0)	(2)	1	2		FD		2
Phosphate esters, alkyl (C12-C14) amine	1345													<b>CAS No</b>		
Phosphoric acid	1138	0	NI	0	Inorg	1	NI	1	1	3	3	3		D		3
Phosphoric acid	567													<b>CAS No</b>	7732-14-0	
Phosphorus (elemental) yellow	1139	Inorg	(3)	(3)	Inorg	6	4	0	0	0	2	1		S		2
Phosphorus, yellow or white	568													<b>CAS No</b>	85-44-9	
Phthalic anhydride (molten)	1146	1	NI	1	R	2	0	1	0	(3)	1	3	SsSr	S		3
Phthalic anhydride (molten)	569													<b>CAS No</b>	80-56-8	
alpha-Pinene	40	4	NI	4	R	4	NI	0	0	0	1	(1)	Ss	T	F	3
alpha-Pinene	109													<b>CAS No</b>	1330-16-1	
beta-Pinene	41	4	NI	4	(R)	4	NI	0	0	0	1	(1)	Ss	NT	F	3
beta-Pinene	141													<b>CAS No</b>	8002-09-3	
Pine oil	1148	4	NI	4	NR	4	NI	0	0	(1)	(1)	(1)	Ss	(T)	Fp	3
Pine oil	570													<b>CAS No</b>		

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 50 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	<b>SD</b>
Piperazine, 68% Aqueous	2433	0	NI	0	NR	2	NI	0	0	2	3A	3	SSSIN				3
Piperazine, 68% solution	3748		(1)	NI	(1)	(R)	(1)	(0)	0	0	0	2	2				
Pol (2-8) alkylene (C2-C3) glycols/ Polyalkylene (C2-C10) glycols monoalkyl ethers and their borate esters	2358		(1)	NI	(1)	(R)	(1)	(0)	0	0	0	2	2				2
Brake fluid base mix: Poly(2-8)alkylene (C2-C3) glycols/Polyalkylene (C2-C10) glycols monoalkyl (C1-C4) ethers and their borate esters	144																
Polyacrylic acid (40% solution)	2302	(2)	NI	(2)	NR	1	NI	0	0	(1)	1	1					1
Polyacrylic acid solution (40% or less)	2709		(5)	(4)	(4)	(NR)	1	0	(1)	(0)	(2)	(2)					Fp
Polyalkene sulphonic acid (C20-C28), sodium salt (#)	2481		(3)	NI	(3)	NR	2	NI	0	0	(2)	2	1				2
Polyalkene sulphonic acid (C20-C28), sodium salt	4057																
Poly(C18-C22)alkyl acrylate in xylene	11151		(3)	NI	(3)	NR	2	NI	0	0	(2)	2	1				Fp
Polyalkyl (C18-C22) acrylate in xylene	580																
Polyalkyl/alkenaminesuccinimide, molybdenum oxysulphide	2379	NI	0	0	NR	0	NI	0	0	(0)	0	0					Fp
Polyalkyl/alkenaminesuccinimide, molybdenum oxysulphide	3422																
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	11152	1	NI	1	R	1	0	0	0	0	0	2	2				D
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	576																2
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	2254	1	NI	1	NR	2	1	0	0	0	0	2	2				D
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	575																
Poly N-alkyl/methacrylamide ammonium acrylate copolymer (20 % in DEGME) (**)	2468	0	NI	0	NR	2	NI	NI	NI	NI	NI	NI					Ni
Poly N-alkyl/methacrylamide ammonium acrylate copolymer (20 % in DEGME) (**)	3931																
Poly alkyl methacrylate (C1-C20) (LOA)	1984	(5)	NI	(5)	NR	0	NI	0	0	0	0	0	0				Fp
Polyalkyl (C10-C20) methacrylate	2189																
Poly alkyl(C10-C18) methacrylate/ethylene-propylene copolymer mixture	2201	0	0	0	NR	0	0	0	0	0	(1)	1	1	A		Fp	
Polyalkyl (C10-C18) methacrylate/ethylene-propylene copolymer mixture	2188																3
Polyaluminium chloride (sol.)	1136	Inorg	0	0	Inorg	0	NI	(0)	(0)	(0)	(0)	(1)	(1)				D
Polyaluminium chloride solution	584																1
Polybutene	1154	0	NI	0	(NR)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)				Fp
Polybutene	585																2
Polybutene/succinimide in oil	2055	5	NI	5	NR	0	NI	(0)	(0)	(0)	(0)	(0)	(0)				Fp
Polybutene succinimide	586																2

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 51 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Poly(2+)cyclic aromatics		2246	4	4	NR	(4)	NI	(1)	(1)	(2)	(1)	(1)	CM		S	3	
Poly(2+)cyclic aromatics		574															
Polyether, borated		1863	0	NI	0	NR	3	1	0	(0)	(1)	1	0		D	1	
Polyether, borated		572															
Polyether (molecular weight 2000+) (LOA)		1975	0	NI	0	NR	1	NI	0	(0)	0	0		Fp	2		
Polyether (molecular weight 1350+)		587															
Polyethylene amines / paraffin mixtures		1991	(5)	NI	(5)	NR	3	0	0	(1)	(3)	(2)	(3)	Ss	Fp	3	
Polyethylene polyamines (more than 50% C5 -C20 paraffin oil)		591															
Polyethylene glycol		1157	0	NI	0	NR	0	NI	0	0	0	1	1		D	1	
Polyethylene glycol		589															
Poly(ethylene glycol) dimethyl ether		1158	0	NI	0	NR	0	NI	0	0	0	1	(1)		D	1	
Poly(ethylene glycol) dimethyl ether		590															
Poly(ethylene glycol) methylbutenyl ether (MW >1000)		2395	NI	0	0	R	1	NI	0	0	(0)	0	0		D	0	
Poly(ethylene glycol) methylbutenyl ether (MW>1000)		3501															
Polyethylene polyamines		2367	0	NI	0	NR	3	0	1	0	(3)	2	(3)	Ss	D	3	
Polyethylene polyamines		3131															
Polyferric sulphate solution		338	Inorg	0	0	Inorg	(2)	NI	1	(1)	(3)	3	(3)		D	3	
Polyferric sulphate solution		592															
Polyglycerine, sodium salt, solution		1874	0	NI	0	R	0	NI	0	0	(3)	2	3		D	3	
Polyglycerin, sodium salt solution (containing less than 3% sodium hydroxide)		593															
Polyglycerol		1511	NI	NI	NI	NI	NI	NI	0	(0)	(0)	(0)	(0)		D	0	
Polyglycerol		594															
Poly (iminoethylene)-graft-N-poly(ethyleneoxy) solution (90% or less)		2287	0	0	0	NR	0	NI	0	0	(1)	0	1		D	1	
Poly(iminoethylene)-graft-N-poly(ethyleneoxy) solution (90% or less)		2537															
Polyisobut enamine in aliphatic (C10-C14) solvent		2192	0	0	0	NR	2	NI	0	(0)	(2)	2	1	FED	2		
Polyisobut enamine in aliphatic (C10-C14) solvent		2374															
(Polyisobutene) amino products in aliphatic hydrocarbons		2455	0	NI	(5)	NR	2	NI	0	0	(1)	1	0	A	Fp	3	
(Polyisobutene) amino products in aliphatic hydrocarbons		3811															
Polyisobut enyl anhydride adduct		2127	0	NI	0	NR	0	NI	0	0	(1)	0	1	FD	1		
Polyisobut enyl anhydride adduct		2256															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 52 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	Fp	2
Poly(4+)-isobutylene	2264	0	NI	0	NR	0	NI	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	(0)	Fp	2
Polyisobutylene (MW≤224)	578	1153	NI	(2)	(2)	NR	0	0	0	0	(2)	2	2	SsSr	S	S	2	
Polymethylene polyphenyl isocyanate	595	1885	NI	NI	NI	NR	0	NI	0	0	(0)	0	0	NI	0	NI	0	
Poly(methylene polyphenyl isocyanate)	2199	2104	5	NI	5	NR	0	NI	0	0	(1)	1	(1)				Fp	2
Polyolefin acid, potassium salt	597	1971	0	NI	0	NR	0	NI	0	0	(0)	1	(1)				Fp	2
Potassium salt of polyolefin acid	598	1970	0	NI	0	NR	0	NI	0	0	(0)	0	(0)				Fp	2
Polyolefinamide alkene(C16+) amine (LOA)	600	2256	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	NI	
Polyolefin amide alkeneamine (C17+) (LOA)	603	1989	0	2	2	NR	0	NI	0	0	(0)	0	0				Fp	2
Polyolefin amide alkeneamine borate (C28-C250) (LOA)	602	2049	0	NI	0	NR	2	NI	0	0	(0)	0	0				Fp	3
Polyolefin amide alkeneamine/molybdenum oxy sulphide mi	571	2107	0	NI	0	NR	2	NI	0	(0)	(1)	(1)	(1)				Fp	2
Polyolefin amide alkeneamine/molybdenum oxy sulphide mixture	611	2107	0	NI	0	NR	2	NI	0	(0)	(2)	2	(1)				Fp	2
Polyolefin amide alkylene amine polyol	610	2107	0	NI	0	NR	2	NI	0	(0)	(2)	2	(1)				Fp	2
Polyolefin amide alkeneamine polyol	609	2095	0	NI	0	NR	1	NI	0	0	(1)	1	(1)				Fp	2
Poly (17+) olefin amine	604	1969	0	NI	0	NR	0	NI	0	0	(0)	0	0				Fp	2
Poly (17+) olefin amine	610	2107	0	NI	0	NR	2	NI	0	(0)	(2)	2	(1)				Fp	2
Polyolefinamine (C28-C250) (LOA)	611	2107	0	NI	0	NR	2	NI	0	(0)	(2)	2	(1)				Fp	2
Polyolefinamine in aromatic solvent	610	2107	0	NI	0	NR	2	NI	0	(0)	(2)	2	(1)				Fp	2
Polyolefinamine (C28-C250) (LOA)	609	2095	0	NI	0	NR	1	NI	0	0	(1)	1	(1)				Fp	2
Polyolefin aminoester in alkyl (C2-C4) benzenes	604	1968	0	NI	0	NR	0	NI	0	0	(0)	0	0				Fp	2
Polyolefinamine (C28-C250) (LOA)	606	596	0	NI	0	NR	0	NI	0	0	0	0	0				Fp	2
Polyolefin aminoester salts (molecular weight 2000+)																		
Polyolefin ester (C28-C250) (LOA)																		
Polyolefin ester (C28-C250)																		
Polyolefin (molecular weight 300+*) (LOA)																		
Polyolefin (molecular weight 300+*)																		

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 53 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	<b>Fp</b>	<b>2</b>
Polyolefin phenolic amine (C28-C250) (LOA)	1980	0	NI	0	NI	0	NI	0	0	(1)	(1)	(1)	(1)	(1)	(1)	(1)		
Polyolefin phenolic amine (C28-C250)	607																	
Polyolefin phosphoro sulphide - barium derivative (C28-C250) (LOA)	1976	0	NI	0	NI	2	NI	0	(0)	(0)	(0)	(0)	(0)	(0)	(0)	S	0	
Polyolefin phosphoro sulphide, barium derivative (C28-C250)	608																	
Polyoxyethylene sorbitan monoleate	1442	3	(2)	3	R	2	0	0	(0)	0	0					D	0	
Poly(20)oxyethylene sorbitan monooleate	577																	
Polyoxypropylene diamine	2352	1	NI	1	NR	1	NI	0	0	(3)	3	3				D	3	
Polypropylene	3112																	
Poly(5+)propylene	1512	0	NI	0	NR	(0)	NI	(0)	(0)	(0)	(0)	(0)				F	1	
Polypropylene glycol	579																	
Polypropylene glycol	612																	
Polypropylene glycol	1159	0	NI	0	(NR)	1	NI	1	0	(1)	1	1				D	1	
Polypropylene glycol	6161	NI	4	4	NI	2	NI	0	(0)	(0)	0	0				F	1	
Dimethylsiloxane	275																	
Polysiloxane	1161	NI	4	4	NI	2	NI	0	(0)	(0)	0	0				F	1	
Polysiloxane	613																	
Poly (tetramethylene) ether glycol (mw 600-3000)	2147	2	NI	2	NR	3	NI	0	0	(0)	0	(0)				FD	0	
Poly(tetramethylene ether) glycol (mw 600-3000)	2540																	
Potassium carbonate solution	2465	Inorg	0	0	Inorg	2	NI	0	0	(0)	0	2	2			D	2	
Potassium carbonate solution	3928																	
Potassium chloride brine (less than 26%)	2345	0	0	0	Inorg	0	0	0	(0)	(0)	0	0				D	0	
Potassium chloride solution (less than 26%)	3109																	
Potassium chloride solution	1513	0	0	0	Inorg	1	0	0	(0)	(0)	0	0				D	0	
Potassium chloride solution	614																	
Potassium formate solution (75% or more)	2121	0	NI	0	R	0	NI	(0)	(0)	(2)	2	2				D	2	
Potassium formate solutions	615																	
Potassium hydroxide (sol.)	1171	Inorg	0	0	Inorg	2	NI	2	(2)	(3)	3C	3				D	3	
Potassium hydroxide solution	616																	
Potassium iodide	2484	Inorg	(0)	(0)	Inorg	1	0	0	0	(0)	0	0	T			D	2	
Potassium iodide	4060																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 54 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Potassium oleate	1497	3	NI	3	R	4	NI	(0)	(0)	(1)	1	1				FD
Potassium oleate	617															1
Potassium thiosulphate solution (50% or less)	2152	Inorg	0	0	Inorg	2	NI	0	0	(2)	2	(2)				D
Potassium thiosulphate (50% or less)	2335															2
Propanol	1180	0	NI	0	R	0	NI	1	0	0	1	2	R			D
n-Propyl alcohol	488															3
Propanolamine	1183	0	NI	0	R	2	NI	0	1	(3)	3	3				D
n-Propanolamine	485															3
2-Propene-1-aminium, N,N-dimethyl-N-(2-propenyl-, chloride, homopolymer (aqueous solution)	2420	0	NI	0	R	2	0	0	0	(0)	0	(0)				D
2-Propene-1-aminium, N,N-dimethyl-N-(2-propenyl-, chloride, homopolymer	3696															0
2-Propenoic acid polymer with 4-(1,1-dimethyl ethyl)phenol, formaldehyde, 2,5-furandione, 2-methyloxirane and oxirane (65% in naphthalaxylene)	2491	(5)	NI	(5)	NR	2	NI	0	0	(0)	(0)	0	A			Fp
2-Propenoic acid polymer with furandione (65% in 2-butoxyethanol)	4125															3
2-Propenoic acid polymer with furandione (65% in 2-butoxyethanol)	2435	0	NI	0	NR	2	0	1	0	0	0	2	2			Fp
beta-Propiolactone	3750															2
beta-Propiolactone	1184	0	NI	0	R	(2)	NI	2	(2)	4	3B	3	CM			D
Propionaldehyde	142															3
Propionaldehyde	1185	0	NI	0	R	2	NI	1	0	1	2	2				DE
Propionic acid	619															2
Propionic acid	1186	0	NI	0	R	2	NI	0	0	(3)	3B	3				D
Propionic acid	620															3
Propionic anhydride	1187	0	NI	0	R	2	NI	0	0	(3)	2	3				FD
Propionic anhydride	621															3
Propionitrile	1188	0	NI	0	NI	0	NI	3	3	4	1	2	R			D
Propionitrile	622															3
Propyl acetate	1191	1	NI	1	R	2	NI	0	0	0	1	1				ED
n-Propyl acetate	487															1
Propylamine	1194	0	NI	0	NI	1	NI	2	2	3	3	3				DE
n-Propylamine	490															3
Propyl benzene	1196	NI	NI	NI	NI	3	NI	NI	NI	NI	NI	NI		(T)	FE	NI
Propylbenzene	2686															103-65-1

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 55 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>		
Propyl chloride	1198	2	NI	2	NI	1	NI	0	NI	FED	2							
n-Propyl chloride	489																	
Propylene carbonate	2056	0	NI	0	R	0	NI	0	0	(3)	2	3					D	3
Propylene carbonate	624																	
Propylene dimer	1201	3	NI	3	R	3	NI	E	2									
Propylene dimer	625																	
1,2-Propylene glycol	1202	0	NI	0	R	0	0	0	0	0	0	0	0	0	0	0	D	0
Propylene glycol	626																	
Propylene glycol methyl ether acetate	1759	0	NI	0	NR	1	NI	0	0	0	0	1					D	1
Propylene glycol methyl ether acetate	627																	
Propylene glycol monoalkyl ether	1958	0	NI	0	NR	0	NI	0	1	0	2	3					D	3
Propylene glycol monoalkyl ether	628																	
Propylene glycol phenyl ether	2057	1	NI	1	NI	1	NI	0	0	(1)	(1)	(1)					SD	1
Propylene glycol phenyl ether	629																	
Propylene oxide	76	0	NI	0	R	2	NI	1	2	2	2	3					D	3
Propylene oxide	630																	
Propylene oxide/Ethylene oxide mixture	78	0	NI	0	R	1	NI	1	1	3	3	3	CMR	DE	DE	3		
Ethylene oxide/Propylene oxide mixture with an ethylene oxide content of not more than 30% by mass	341																	
Propylene tetramer	2255	NI	4	4	NR	(4)	NI	(0)	(0)	(1)	(1)	(1)					F	1
Propylene tetramer	631																	
Propylene trimer	1207	5	4	4	NR	3	2	(0)	(0)	(1)	(1)	(1)					FE	2
Propylene trimer	632																	
Pyridine	1213	0	NI	0	R	3	0	1	1	2	1	3				NT	D	3
Pyridine	634																	
Pyridine bases	2131	1	NI	1	R	2	NI	2	1	(3)	3B	3					FED	3
Paradehydride-ammonia reaction product	1989																	
Pyrolysis gasoline	2271	(4)	(3)	(3)	(R)	(3)	(1)	1	0	(2)	2	2	TCM				FE	3
Pyrolysis gasoline (containing benzene)	1990																	
Quaternary ammonium compounds, benzyl-C12-14 (even-numbered)-alkyl/dimethyl chlorides solution	2494	3	NI	3	NR	4	NI	1	0	(3)	3B	3	D	3				
	4128																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 56 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Rapeseed oil (high erucic acid; containing less than 4% free fatty acids)	2315	0	NI	0	R	(2)	NI	(0)	(0)	(0)	(1)	(1)		Fp	2	
Rapeseed oil	3045															
Rapeseed oil (Low erucic acid containing less than 4% free fatty acids)	2296	0	NI	0	R	(2)	NI	0	0	0	(1)	(1)		Fp	2	
Rapeseed oil (low erucic acid containing less than 4% free fatty acids)	2956															
Rape seed oil fatty acid, methyl ester	2209	0	0	R	0	NI	0	(0)	(1)	1	1			Fp	2	
Rape seed oil fatty acid methyl esters	2576															
Rice bran oil (containing less than 15% of free fatty acids)	2312	(0)	NI	(0)	(R)	(0)	NI	0	0	2	(1)	1	Ss	S	2	
Rice bran oil	3043															
Rosin	1219	3	NI	3	NR	3	NI	0	0	2	(1)	0	1	Fp	2	
Rosin	635															
Rosin soap (disproportionated solution)	1220	3	NI	3	NR	3	NI	0	NI	NI	NI	NI	S	Nl		
Rosin soap (disproportionated) solution	636															
Safflower oil (containing less than 5% free fatty acids)	1222	(0)	NI	(0)	(R)	(0)	NI	(0)	(0)	(1)	1	1		Fp	2	
Safflower oil	3041															
Saturated and unsaturated alkyl (C10-C20) phosphite (LOA)	2108	0	NI	0	R	1	NI	0	0	0	0	0		Fp	2	
Alkyl (C10-C20, saturated and unsaturated) phosphite	96															
Shea butter (containing less than 15% free fatty acids)	2311	(0)	NI	(0)	NR	(0)	NI	(0)	(0)	(1)	(0)	(1)		Fp	2	
Shea butter	3042															
Silica slurry	1514	Inorg	0	0	Inorg	0	0	(0)	(0)	(0)	(0)	(0)	S	0		
Microsilica slurry	2507															
Sodium acetate	1498	0	NI	0	R	0	NI	0	0	0	1	1	D	1		
Sodium acetate solutions	639															
Sodium aluminate (solution)	1224	Inorg	0	0	Inorg	NI	NI	(0)	(0)	(3)	(3)	(3)	D	3		
Sodium aluminate solution	641															
Sodium aluminosilicate slurry	1235	Inorg	0	0	Inorg	1	0	0	0	0	1	1	S	1		
Sodium aluminosilicate slurry	643															
Sodium benzoate	1475	0	NI	0	R	1	NI	0	(0)	(1)	0	1	D	1		
Sodium benzoate	644															
Sodium bicarbonate solution (less than 10%)	2386	0	NI	0	Inorg	0	0	0	(0)	0	0	0	D	0		
Sodium bicarbonate solution (less than 10%)	35558															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 57 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Sodium borohydride/sodium hydroxide mixture (soln.)		1239	Inorg	0	0	Inorg	2	NI	(2)	(1)	(3)	(3)	(3)				D 3
Sodium borohydride (15% or less)/Sodium hydroxide solution		645															
Sodium bromide solution (less than 50%)		2387	0	NI	0	Inorg	0	0	0	0	(1)	0	1	R			D 3
Sodium bromide solution (less than 50%) (*)		3410															
Sodium carbonate		1243	Inorg	0	0	Inorg	1	NI	0	0	2	1	2				SD 2
Sodium carbonate solution		646															
Sodium chlorate solid and solutions (50% or less)		1244	Inorg	0	0	Inorg	1	NI	1	0	(2)	1	1				D 2
Sodium chloride solution (50% or less)		647															
Sodium dichromate solution		487	Inorg	0	0	Inorg	4	1	2	2	4	2	3	CMSsSr			D 3
Sodium dichromate solution (70% or less)		649															
Sodium dodecyl sulphate (*)		2451	0	NI	0	R	3	1	NI	NI	NI	NI	NI				NI NI
Sodium hydrogen sulphide/Ammonium sulphide(mixture)		3869															
Sodium hydrosulphide/Ammonium sulphide solution		1253	Inorg	0	0	Inorg	3	NI	1	1	0	2	2				D 2
Sodium hydrogen sulphide (6% or less)/Sodium carbonate (3% or less)		653															
Sodium hydrogen sulphide (6% or less)/Sodium carbonate (3% or less) solution		2262	0	NI	0	Inorg	1	NI	(0)	(0)	(1)	(1)	(1)				D 1
Sodium hydrogen sulphide, solutions		650															
Sodium hydrosulphide solution (45% or less)		1252	Inorg	0	0	Inorg	1	NI	1	1	1	2	2				D 2
Sodium hydrogen sulphite,solutions		652															
Sodium hydrogen sulphite solution (45% or less)		1251	Inorg	0	0	Inorg	1	NI	0	(0)	(0)	0	0				D 0
Sodium hydroxide (30% or less)/Sodium aluminate (25% or less) solution (#)		651															
Sodium hydroxide solution (#)		2486	Inorg	(0)	(0)	Inorg	(4)	0	0	(0)	(3)	3	(3)				D 3
Sodium hydroxide solution		3914															
Sodium hypochlorite solutions containing 20% and less but more than 2% NaOCl		1254	Inorg	0	0	Inorg	2	NI	1	1	3	3C	3				D 3
Sodium hypochlorite solution (15% or less)		654															
Sodium hypochlorite solutions containing more than 20% NaOCl		1256	Inorg	0	0	Inorg	(4)	(1)	0	0	1	3	3				D 3
Sodium hypochlorite solution (Full strength solution)		2785															
Sodium methylate (**)		1255	Inorg	0	0	Inorg	5	2	0	0	1	3	3				D 3
Sodium methylate		655															
Sodium methylate		2443	NI	NI	(0)	(R)	(2)	NI	NI	NI	NI	T		DE	NI		
Sodium methylate		3822															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Sodium Methylate (21-30% in Methanol)		2427	0	NI	0	R	1	NI	2	(2)	(3)	3	3	T		D	3
Sodium methylate 21-30% in methanol		3608															
Sodium nitrate			1259	Inorg	0	0	Inorg	0	NI	(0)	(0)	(1)	(1)		SD	1	
Sodium nitrate		656															
Sodium nitrite			340	Inorg	0	0	Inorg	3	0	2	(2)	2	0	1		SD	2
Sodium nitrite solution		658															
Sodium perborate monohydrate			2284	Inorg	NI	NI	Inorg	3	NI	1	0	(3)	2	3		NI	3
Sodium perborate monohydrate		2948															
Sodium petroleum sulphonate			1860	0	NI	0	(NR)	2	NI	0	(0)	(2)	1	2		S	2
Sodium petroleum sulphonate		660															
Sodium polyacrylate solution			1487	0	NI	0	NR	1	0	0	(0)	(1)	1	1		D	1
Sodium poly(4+)acrylate solutions		826															
Sodium silicate (solution)			1262	Inorg	0	0	Inorg	2	NI	1	0	(3)	3	3		D	3
Sodium silicate solution		661															
Sodium sulphate (solution)			1499	Inorg	0	0	Inorg	0	0	0	(0)	(1)	1	1		SD	1
Sodium sulphate solutions		662															
Sodium sulphide (solution)			1263	Inorg	0	0	Inorg	3	NI	1	1	(3)	3A	3			
Sodium sulphide solution (15% or less)		663															
Sodium sulphite (solution)			9	Inorg	0	0	Inorg	2	NI	0	(0)	(1)	0	1		D	1
Sodium sulphite solution (25% or less)		664															
Sodium tartrate succinate/Sodium tartrate disuccinate mixtures			1771	NI	1	1	NI	1	NI	0	NI	NI	NI	NI		D	N
Sodium tartrates/Sodium succinates solution		665															
Sodium thiocyanate			1264	Inorg	0	0	Inorg	2	NI	1	(0)	(1)	0	0		D	1
Sodium thiocyanate solution (56% or less)		667															
Sorbitan monooleate			2215	(5)	NI	(5)	R	3	NI	0	NI	NI	0	0		Fp	2
Sorbitan monooleate		2408															
Sorbitol			1265	0	NI	0	R	0	NI	0	(0)	(0)	(0)	(0)		D	0
Sorbitol solution		668															
Soyabean oil (containing less than 4% free fatty acids)			2320	0	NI	0	R	0	NI	0	(0)	(1)	1		Fp	2	
Soyabean oil		3050															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 59 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Soybean oil fatty acids, methyl esters		2431	0	NI	0	R	2	NI	0	0	0	0	0	0	0	0	Fp 2
Soybean Oil Fatty Acid Methyl Ester		3737															
Styrene (monomer)			1273	3	(2)	3	R	3	NI	1	0	2	2	2	CM	FE	3
Styrene monomer				669													
Styrene butadiene rubber latex					1274	0	NI	0	NR	0	NI	0	0	(1)	0	1	D 1
Latex: Carboxylated styrene-Butadiene copolymer; Styrene-Butadiene rubber						414											
Sulpho hydrocarbon (C3-C88) (LOA)						1972	4	NI	4	NR	2	NI	0	0	0	0	Fp 2
Sulphohydrocarbon (C3-C88)							672										
Sulpholane							1277	0	1	1	NR	2	0	1	0	1	SD 2
Sulphonated polyacrylate solution								673									
Sulphonated polyacrylate solution								1760	NI	0	0	NI	0	NI	(0)	(0)	
Sulphur									674								
Sulphur (molten)										906	Inorg	0	0	Inorg	0	NI	0
Sulphur											675						
Sulphuric acid											1280	0	NI	0	Inorg	2	NI
Oleum												549					
Sulphuric acid													1280	0	NI	0	NI
Sulphuric acid, spent														677			
Sulphuric acid															676		
Sulphurized fat(C14-C20) (LOA)															1280	0	NI
Sulphurized fat (C14-C20)																2257	
Sulphurized polyolefinamide alkene(C28-C250)amine (LOA)																1853	0
Sulphurized polyolefinamide alkene (C28-C250) amine																	0
Sunflower oil																	1283
Sunflower seed oil																	2782
sym-Dichlorodieethyl ether																	588
Dichloroethyl ether																	233

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 60 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	<b>Fp</b>	
Tall oil acids/linoleic acid dimer/polyalkylenepolyamines/dodecylbenzenesulphonic acid complexes in naphtha/isopropanol		2448	0	NI	0	NR	1	NI	0	0	(0)	0	0	CM				3	
Tall oil acids/linoleic acid dimer/polyalkylenepolyamines/dodecylbenzenesulphonic acid complexes in naphtha/isopropanol		3866																	
Tall oil acids reaction products with diethylenetriamine and acrylic acid in ethylene glycol		2497	3	NI	3	R	2	NI	0	0	(1)	0	1	Ss		D		2	
		4131																	
Tall oil acids reaction products with triethanolamine		2492	4	NI	4	NR	2	NI	0	0	(1)	1	0					Fp	2
		4126																	
Tall oil, crude and distilled		1285	(4)	NI	(4)	(R)	(2)	NI	0	0	(0)	0	0	Ss		Fp		2	
Tall oil (crude and distilled)		678																	
Tall oil, distilled		2283	0	NI	0	R	0	NI	0	0	(0)	0	0					Fp	2
Tall oil, distilled		2890																	
Tall oil fatty acid (resin acids less than 20%)		1287	0	0	0	R	0	0	0	0	(1)	1	0					Fp	2
Tall oil fatty acid (resin acids less than 20%)		679																	
Tall oil fatty acid, barium salt		1864	NI	NI	NI	NI	NI	NI	(1)	(0)	(2)	1	2					S	2
Tall oil fatty acid, barium salt		680																	
Tall oil pitch		2323	3	NI	3	NR	0	0	0	0	(0)	0	0					Fp	2
Tall oil pitch		3051																	
Tall oil soap (disproportionated solution)		1286	NI	NI	NI	NI	NI	NI	(1)	(0)	(2)	1	2					D	2
Tall oil soap (disproportionated) solution		681																	
Tall oil soap, crude		2432	0	NI	0	R	2	0	(0)	(0)	(3)	(3)	(3)	Ss		Fp		3	
Tall oil soap, crude		3735																	
Tallow		1288	0	NI	0	R	0	NI	0	0	(0)	(0)	(0)					Fp	2
Tallow		682																	
Tallow amidopropylamine Oxide in propylene glycol (70% or less) (#)		2482	NI	(2)	(2)	(R)	(4)	(2)	(1)	(1)	(3)	(3)	(3)	D				3	
		4058																	
Tallow fatty acid		1289	0	NI	0	R	0	NI	0	0	(0)	(0)	(0)					Fp	2
Tallow fatty acid		684																	
1,1,2,2-Tetrachloroethane		53	2	2	2	NR	3	0	2	0	2	2	2	SD				2	
Tetrachloroethane		687																	

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 61 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
1,1,2,2-Tetrachloroethylene	1295	3	2	2	NR	(3)	2	0	0	0	2	1	C		S	3
Perchloroethylene	564															
Tetrachloromethane	1296	2	2	2	NR	3	0	0	0	0	1	1	CT		S	3
Carbon tetrachloride	178															
Tetradecanoic acid (Myristic acid)	1298	5	NI	0	R	0	NI	0	(0)	(1)	(1)	(1)			Fp	2
n-Tetradecanoic acid	491															
Tetradecanoic acid (Myristic acid)	1298	5	NI	0	R	0	NI	0	(0)	(1)	(1)	(1)			Fp	2
Fatty acid (saturated C13+)	347															
Tetraethylene glycol	1301	0	NI	0	NR	0	NI	0	0	0	1	1			D	1
Tetraethylene glycol	688															
Tetraethylene pentamine	1302	0	NI	0	NR	3	NI	0	2	(3)	3	3	SS		D	3
Tetraethylene pentamine	689															
Tetraethyl lead	1303	4	5	5	NR	5	NI	3	2	4	2	2	NR		S	3
Motor fuel anti-knock compound (containing lead alkyls)	464															
Tetrahydrofuran	1304	0	NI	0	R	0	NI	0	(0)	0	1	2			DE	2
Tetrahydrofuran	690															
Tetrahydronaphthalene	1305	3	3	3	NR	3	NI	0	0	(2)	2	0			F	2
Tetrahydronaphthalene	691															
1,2,3,4-Tetramethylbenzene	1307	4	NI	4	NI	4	NI	0	(0)	(1)	1	(1)			F	1
Tetramethylbenzene (all isomers)	692															
Tetrapotassium pyrophosphate	2400	Inorg	0	0	Inorg	1	NI	0							D	Nl
Tetrapotassium pyrophosphate	3635															
Thioglycolic acid	2496	0	NI	0	R	2	NI	2	2	3	3B	3		D	3	
Thioglycolic acid	4130															
Thixatrol plus	2210	5	NI	5	R	3	NI	0	0	0	1	1			S	1
Thixatrol Plus	2699															
Titanium dioxide slurry	2080	Inorg	1	1	Inorg	1	NI	0	0	0	1	1			S	1
Titanium dioxide slurry	2259															
Toluene	330	2	2	2	R	3	0	0	0	0	2	2	ANR	NT	E	3
Toluene	693															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**
**26 May 2017**  
**Page 62 of 66**

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Toluene diisocyanate	1315 694	(3)	1	1	NR	2	NI	0	(0)	4	3	3	CSSsSr	S	3	
Toluene diisocyanate	1316 537	1	1	1	R	4	2	1	0	(2)	2	2	CM	FD	3	
Toluidines	1317 695	0	2	2	NR	3	0	2	2	4	2	3	CMss	Fp	3	
o-Tolidine	2292 696	1	NI	1	NR	2	0	1	0	(2)	(1)	2		S	2	
2,4-Toluylenediamine	1319 697	4	2	2	R	3	0	1	0	2	2	2		F	2	
Toluerediamine	2191 2288	4	4	4	NR	4	2	1	0	(2)	2	2				
Tolyl triazole	1323 7	4	5	5	NR	4	1	1	0	(2)	2	2	M	S	2	
Tolyl triazole	1326 1	2	NI	2	NR	2	NI	0	0	0	2	2		SD	2	
Tributyl phosphate	1327 3	2	1	1	NR	2	0	1	0	1	2	1		SD	2	
Tributyl phosphate	1328 1	1	1	1	NR	2	0	2	0	2	1	1	CT	SD	3	
1,2,3-Trichlorobenzene	329 698	2	2	2	NR	3	NI	0	0	0	2	2	MC	SD	3	
1,2,3-Trichlorobenzene (molten)	1326 1	2	NI	2	NR	2	NI	0	0	0	2	2				
1,2,4-Trichlorobenzene	1327 3	2	1	1	NR	2	0	1	0	1	2	1		SD	2	
1,2,4-Trichlorobenzene	1328 1	1	1	1	NR	2	0	2	0	2	1	1				
1,1,1-Trichloroethane	1327 3	2	1	1	NR	2	0	1	0	1	2	1		SD	2	
1,1,1-Trichloroethane	1328 1	1	1	1	NR	2	0	2	0	2	1	1				
1,1,2-Trichloroethane	329 698	2	2	2	NR	3	NI	0	0	0	2	2				
1,1,2-Trichloroethane	1328 186	1	1	1	NR	2	0	2	0	2	2	2				
Chloroform	1329 6	2	2	2	NR	3	0	0	0	0	1	1	CT	SD	3	
1,2,3-Trichloropropane	1330 2	3	2	2	NR	3	0	0	0	0	1	1				
1,2,3-Trichloropropane	1331 2	5	(3)	(3)	(R)	(4)	(4)	0	1	0	1	1	N	S	2	
1,1,2-Trichloro-1,2,2-trifluoroethane	700												CAS No	1330-78-5		
Tricresyl phosphate (less than 1% ortho-isomers)	1332 699	5	3	3	R	4	4	0	1	0	1	1	N	S	2	
Tricresyl phosphate (containing less than 1% ortho-isomer)																
Tricresyl phosphate (more than 1% ortho-isomers)																
Tricresyl phosphate (containing 1% or more ortho-isomer)																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 63 of 66**

<b>EHS Name</b> <b>TRN Name</b>	<b>EHS</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>	
Tridecane	1333	0	NI	0	NI	0	NI	0	0	(1)	1	0				Fp	2
Tridecane	701																
Tridecanoic acid	1334	5	NI	5	(R)	3	NI	(0)	(0)	(1)	(1)	(1)				Fp	2
Tridecanoic acid	702																
Tridecyl acetate	1768	5	NI	5	NI	0	NI	0	(0)	(2)	2	2				F	2
Tridecyl acetate	703																
Triethanolamine	1338	0	0	0	R	1	NI	0	0	(2)	1	2				D	2
Triethanolamine	704																
3-(Triethoxsilyl)propylamine	2445	1	1	1	R	1	NI	1	0	(3)	3B	3	Ss		D	3	
3-(Triethoxsilyl)propylamine	3824																
Triethylamine	1339	1	0	0	R	3	0	1	2	2	2	3				D	3
Triethylamine	706																
1,3,5-Triethylbenzene	1340	5	NI	5	NI	4	NI	0	(0)	(2)	(2)	(1)				F	2
Triethylbenzene	707																
Triethylene glycol	1341	0	NI	0	R	0	0	0	0	0	0	0				D	0
Triethylene glycol	708																
Triethylenetetramine	1346	0	NI	0	NR	3	NI	0	2	(3)	3	3	Ss		D	3	
Triethylenetetramine	709																
Triethylenetetramine/2-piperazine-1-ylethylenimine mixtures (#)	2456	0	NI	0	NR	2	NI	0	2	(3)	3	3	Ss		D	3	
Triethylenetetramine/2-piperazine-1-ylethylenimine mixtures (#)	3872																
Triethyl phosphate	1348	0	0	0	NR	1	0	1	0	0	(2)	(2)				D	2
Triethyl phosphate	705																
Triethyl phosphite	1349	0	NI	0	R	1	NI	1	0	2	1	2	Ss		FE	2	
Triethyl phosphite	710																
Triglycerides, C16-C18 and C18 unsaturated, reclaimed (UCO)	2470	(5)	NI	(5)	R	(0)	(0)	(0)	(0)	(1)	(1)	(1)			Fp	2	
Used cooking oil (Triglycerides, C16-C18 and C18 unsaturated)* (m)	4023																
Triglycerides, C16-C18 and C18 unsaturated, reclaimed (UCO)	2470	(5)	NI	(5)	R	(0)	(0)	(0)	(0)	(1)	(1)	(1)			Fp	2	
Used cooking oil (m)	3974																
Triisopropanolamine	1370	0	0	0	NR	1	0	1	0	0	(2)	3			FD	3	
Triisopropanolamine	711																

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 64 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Triisopropylated phenyl phosphates		1375	5	5	5	R	4	NI	0	0	0	0	0	0	S	0	
Triisopropylated phenyl phosphates		712										<b>CAS No</b>	68937-41-7				
Trimethylacetic acid		1350	1	1	1	R	2	NI	1	1	(2)	2	2		Fp	2	
Trimethylacetic acid		714										<b>CAS No</b>	75-98-9				
Trimethylamine solution (30% or less)		1353	0	NI	0	R	1	NI	1	0	2	3	3		DE	3	
Trimethylamine		715										<b>CAS No</b>	75-50-3				
1,2,3-Trimethyl benzene		1354	3	3	3	NR	4	0	0	0	1	2	1		FE	2	
Trimethylbenzene (all isomers)		716										<b>CAS No</b>	526-73-8				
2,4,4-Trimethyl hexamethylene diamine		1359	1	NI	1	NI	NI	NI	1	0	(3)	2	3	Ss	D	3	
Trimethylhexamethylene diisocyanate (2,2,4- and 2,4,4-isomers)		718										<b>CAS No</b>	25620-58-0				
Trimethyl hexamethylene diisocyanate (2,2,4- and 2,4,4-isomers)		1360	0	NI	0	NI	3	NI	0	NI	NI	NI	NI	SsSr	NI	2	
Trimethylhexamethylene diisocyanate (2,2,4- and 2,4,4-isomers)		717										<b>CAS No</b>	28679-16-5				
Trimethylol propane polyethoxylate		1362	NI	NI	NI	NR	1	NI	0	0	NI	NI	NI		NI	NI	2
Trimethylolpropane polyethoxylate		719										<b>CAS No</b>					
Trimethylol propane, propoxylated		2274	0	NI	0	(NR)	1	0	0	0	(1)	0	1		SD	1	
Trimethylol propane, propoxylated		2870										<b>CAS No</b>					
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate		1845	4	NI	4	NR	0	NI	0	0	(1)	1	0		F	1	
2,2,4-Trimethyl-1,3-pentanediol diisobutyrate		26										<b>CAS No</b>					
2,2,4-Trimethyl-1,3-pentanediol monoisobutyrate		1364	3	NI	3	NI	2	NI	0	0	(1)	1	1		Fp	2	
2,2,4-Trimethyl-1,3-pentanediol-1-isobutyrate		27										<b>CAS No</b>	25264-77-4				
Trimethyl phosphite		1365	0	NI	0	R	NI	NI	NI	NI	NI	NI	NI		S	NI	
Trimethyl phosphite		713										<b>CAS No</b>	121-45-9				
1,3,5-Trioxane		1844	0	NI	0	NI	0	NI	0	0	0	0	1	R	SD	3	
1,3,5-Trioxane		10										<b>CAS No</b>	110-88-3				
Tripropylene glycol		1372	0	0	0	R	0	0	0	0	(0)	0	0	D	0		
Tripropylene glycol		720										<b>CAS No</b>	24800-44-0				
Trixylenyl phosphate		1377	5	4	4	NR	4	1	(0)	(1)	(0)	(1)	(1)	R	S	3	
Trixylenyl phosphate		721										<b>CAS No</b>	25155-23-1				
Tung oil		1378	0	NI	0	R	(2)	NI	(0)	(0)	(1)	(0)	(1)	Fp	2		
Tung oil		2784										<b>CAS No</b>					

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 65 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Turpentine (wood)		1379	4	NI	4	NI	4	NI	0	(0)	1	(2)	2	SSA	(T)	D	2
Turpentine		722															
Undecanoic acid		1381	4	NI	4	(R)	3	NI	(0)	(0)	(2)	1	(2)				
Undecanoic acid		723															
1-Undecanol		1382	4	NI	4	R	4	NI	0	0	(2)	2	(1)				
Undecyl alcohol		724															
1-Undecene		1383	5	NI	5	NR	4	NI	(0)	(0)	(1)	(2)	(1)	A		F	3
1-Undecene		24															
Urea		1384	0	0	0	R	1	NI	0	0	(1)	1	(1)		D		
Urea solution		726															
Urea		1384	0	0	0	R	1	NI	0	0	(1)	1	(1)		D		
Urea		2627															
Urea/Ammonium mono and dihydrogen phosphate/ Potassium chloride solution		1386	0	0	0	R	3	2	NI								
Urea/Ammonium mono- and di-hydrogen phosphate/Potassium chloride solution		727															
Urea/Ammonium nitrate solution (containing < 1% aq. ammonia)		1387	0	NI	0	R	(2)	(0)	0	0	(1)	(1)	(1)				
Urea/Ammonium nitrate solution		729															
Urea-ammonium phosphate solutions		2179	0	0	0	R	3	2	(0)	(0)	(0)	(2)	(2)			D	1
Urea/Ammonium phosphate solution		730															
Urea-formaldehyde resin solution		1388	NI	NI	NI	NI	1	NI	1	1	NI	NI	NI	Ss	NI	NI	2
Urea formaldehyde resin solution		725															
Vegetable acid oils		2371	0	NI	0	R	0	NI	(0)	(0)	(1)	(1)	(1)			Fp	2
Vegetable acid oils (m)		3138															
Vegetable oils fatty acid distillates		2369	0	NI	0	R	0	NI	(0)	(0)	(0)	(0)	(0)			Fp	2
Vegetable fatty acid distillates (m)		3137															
Vegetable protein solution,hydrolyzed		1398	0	NI	0	R	0	NI	(0)	(0)	(0)	(0)	(0)	D	0		
Vegetable protein solution (hydrolysed)		734															
Vinyl acetate		1400	0	NI	0	R	2	NI	1	0	2	1	1	C	ED	3	
Vinyl acetate		735															
Vinyl ethyl ether		1405	1	NI	1	NR	1	NI	0	0	0	1	1	E	2		
Vinyl ethyl ether		736															

**ANNEX 3 - GESAMP/EHS COMPOSITE LIST**  
**GESAMP Hazard Profiles**

**26 May 2017**  
**Page 66 of 66**

<b>EHS Name</b>	<b>TRN Name</b>	<b>EHS TRN</b>	<b>A1a</b>	<b>A1b</b>	<b>A1</b>	<b>A2</b>	<b>B1</b>	<b>B2</b>	<b>C1</b>	<b>C2</b>	<b>C3</b>	<b>D1</b>	<b>D2</b>	<b>D3</b>	<b>E1</b>	<b>E2</b>	<b>E3</b>
Vinyldene chloride		1406	2	1	1	NR	2	NI	2	0	(2)	2	2	M		SD	3
Vinyldene chloride		738												<b>CAS No</b>	75-35-4		
Vinyl neodecanoate		1404	5	NI	5	NR	3	NI	0	0	(3)	3	3		F		3
Vinyl neodecanoate		737												<b>CAS No</b>	45115-34-2		
Vinyl toluenes		1409	3	3	3	NR	3	NI	0	0	2	2	1	NM	(T)	F	3
Vinyltoluene		739												<b>CAS No</b>	25013-15-4		
White spirit, low (15-20%) aromatic		1411	(4)	NI	(4)	(R)	3	NI	(0)	(0)	(2)	(1)	(2)	A		F	3
White spirit, low (15-20%) aromatic		742												<b>CAS No</b>			
Wood lignin with sodium acetate/oxalate		2403	NI	NI	(0)	NR	(0)	NI	0	(0)	(1)	(1)	(1)		D		1
Wood lignin with sodium acetate/oxalate		3638												<b>CAS No</b>			
Xylene (mixed isomers)		1408	3	NI	3	NR	3	0	0	0	0	0	2	2	(T)	FE	2
Xylenes		743													133-20-7		
Xylenes/Ethyl benzene (10% or more) mixture		2269	3	2	2	NR	3	1	(0)	(0)	(2)	(2)	(2)		(T)	FE	2
Xylenes/ethylbenzene (10% or more) mixture		2337												<b>CAS No</b>			
Xylenols (mixtures)		1422	2	NI	2	R	3	NI	1	2	(3)	3	3		(T)	Fp	3
Xylenol		744												<b>CAS No</b>	1300-71-6		
Yeast Extract Solution with Propylene Glycol (25% or less)		2396	NI	0	0	R	0	NI	0	0	(1)	0	1		D		1
Stabilized Yeast Extract Solution		3631												<b>CAS No</b>	8013-01-2		
Zinc alkaryl dithiophosphate (C7-C16) (LOA)		1977	0	NI	0	NR	3	NI	0	0	(0)	(0)	(0)			Fp	2
Zinc alkaryl dithiophosphate (C7-C16)		745												<b>CAS No</b>			
Zinc alkeny/Carboxamide (LOA)		2053	NI	0	0	NR	0	NI	0	0	(1)	1	(1)			Fp	2
Zinc alketyl carboxamide		746												<b>CAS No</b>			
Zinc alkyl dithiophosphate (C3-C14)		1428	5	NI	5	NR	3	NI	0	0	0	2	2		S		2
Zinc bromide solutions		2227	Inorg	4	4	Inorg	3	NI	1	(2)	(3)	3B	3	<b>Ss</b>		D	3
Zinc bromide solutions		2617												<b>CAS No</b>			
Zinc chloride		1425	Inorg	4	4	Inorg	4	1	(1)	(1)	(3)	(3)	(3)		D		3
Zinc chloride		2869												<b>CAS No</b>	7646-85-7		
Zinc chloride		1425	Inorg	4	4	Inorg	4	1	(1)	(1)	(3)	(3)	(3)		D		3
Drilling brines (containing zinc salts)		307												<b>CAS No</b>	7646-85-7		



## ANNEX 4

### THE DELETION OF "TAINTING OF SEAFOOD" FROM COLUMN E1

#### Introduction

1 Tainting is the process whereby seafood acquires an off flavour following exposure of the food organism to chemicals. In 1982, GESAMP defined taint as "a foreign flavour or odour in the organisms induced by conditions in the water to which the organisms are exposed".

2 Many cases of tainting have been observed as a result of heavy oil pollution following accidental releases of oil from oil tankers or as a result of continuous sources of oil pollution in harbour or river areas.

3 In the late 1980s, GESAMP and the European Centre for Ecotoxicology and Toxicology of Chemicals (ECETOC) developed separate test guidelines for measuring tainting. The ECETOC method was tested in a collaborative study, which despite standardization, demonstrated its imprecision at the desired threshold levels.

4 Published data on tainting substances is scarce in the scientific literature and little testing has been done since GESAMP first introduced this criterion. The last review of the available data on tainting of seafood was published by Höfer some 30 years ago (Water Research 32(12): 3505-3512. 1998). The tainting ratings within the GESAMP Composite List were last checked in 2000 to ensure that all ratings were supported by sufficient evidence and the tainting ratings, where assigned, have continued to be listed in the Composite List under column E1 of the GESAMP Hazard Profile. The assignment or ratings for tainting in the E1 column ceased following publication of the Revised GESAMP Hazard Evaluation Procedure for Chemical Substances Carried by Ships in 2002.

5 More recently, tainting has been deleted from all regulations for classifying substances carried by ships, either in bulk or in packaged form. Additionally, from a scientific standpoint, no relevant work on tainting of seafood by chemicals has been published in the scientific literature within the last 20 years, nor were there any requests for information or comments on tainting in the intervening period.

#### Deletion of "Tainting of Seafood" from column E1

6 Taking into account the above, that deletion of the rating on tainting under column E1 would be justified, as there are no current maritime regulations referencing this property. Furthermore, there has been no testing for taint in the last decade nor has there been any related discussion on this property in the scientific literature on marine environmental protection, in respect of chemical pollution.

7 As a consequence, the Group agreed to delete the ratings for tainting in the GESAMP Hazard Profiles, and consequently within the GESAMP Composite List, but to retain the column for other use. The information on tainting would, however, be retained in GISIS for historical purposes, should there be a need to consult such information in the future.

8 In addition, the Group agreed to the following amendments to the current edition of GESAMP Reports and Studies No.64, 2nd edition (2014):

- .1 delete all references to column E1 and to tainting in section 2.2 (including in table 1);
- .2 delete section 4.5.1 and renumber the remaining sections under chapter 4 accordingly;
- .3 delete all related references to tainting given in the bibliography;
- .4 delete the definition for tainting set out in the glossary and
- .5 delete the reference to tainting in column E1 in the table on the back cover, as well as the associated footnote.

\*\*\*

## ANNEX 5

### ASSIGNMENT OF A NEW HAZARD PROPERTY IN COLUMN E1 (FLAMMABILITY)

#### Background

1 At EHS 53, the Group recalled that at EHS 51, it had considered the use of the GESAMP Hazard Profile for the purpose of chemical spill response. Initial discussions confirmed that the addition of flammability and other properties, such as water reactivity, in the GESAMP Hazard Profile would be valuable information for first responders when responding to incidents involving hazardous materials.

2 The Group noted that it had considered the product flash point as part of its assessments, notably in the assignment of the E3 rating, but that flammability as a separate property was not captured in the GESAMP Hazard Profile.

3 The Group further noted that certain flammability properties were used by the ESPH WG in the assignment of carriage requirements under chapter 21 of the IBC Code (see paragraphs 8 and 9 below).

4 Taking the above into account, the Group considered the possibility of adding a column to the GESAMP Hazard Profile to capture information on flammability. In discussing a possible way forward, the Group noted that there were a number of properties associated with flammability, such as flash point, auto-ignition temperature and explosivity/flammability range. Having decided that further discussion was needed to determine the most appropriate way to reflect flammability information in the hazard profile, the Group agreed to consider the matter in more detail intersessionally, via correspondence, and to revisit this topic at GESAMP/EHS 54.

5 This issue was also brought forward by the Chair of the GESAMP/EHS Working Group to ESPH WG in October 2016. During the discussion, it was agreed that flash point information would be the most appropriate flammability parameter to include in the GHP for the purpose of assigning carriage requirements.

6 This was in line with the proposal from GESAMP/EHS, which had identified that flash point was the information required in case of accidental spillages.

#### The use of cut-off values in regulation

7 Under maritime safety regulations, the *International Convention for the Safety of Life at Sea* (SOLAS) refers to a flash point of 60°C in respect of specific safety requirements in ships, in particular for cargo related aspects of equipment in holds and the requirement for firefighting systems. This is *inter alia* relevant for oil tankers.

8 For the carriage of bulk liquids in chemical tankers according to the *International Code for the Construction and Equipment of Ships Carrying Dangerous Chemicals in Bulk* (IBC Code), flash point information with cut-off values of 23°C and 60°C is relevant for assigning carriage requirements. According to paragraph 21.7.11 of the IBC Code, products with a flash point <23°C are classified as "highly flammable", whilst products with a flash point ≥ 23°C and <60°C are classified as "flammable".

9 The ESPH Working Group considers flashpoint values when defining safety requirements for the carriage of products, in accordance with chapter 21 of the IBC Code, as follows:

- .1 under paragraph 21.3.1, as a minimum carriage requirement in connection with an explosive/flammability range (expressed as a percentage by volume in air) of  $\geq 23^{\circ}\text{C}$ ;
- .2 under paragraph 21.4.5.2 for the assignment of ship type, together with the explosive/flammability range;
- .3 under paragraph 21.4.6.1 for the assignment of tank type, together with the explosive/flammability range;
- .4 under paragraph 21.5.11 for the specification of overflow control, together with the explosive/flammability range;
- .5 under paragraph 21.4.7.1 for the assignment of the tank vents using a cut-off  $\text{o} \leq 60^{\circ}\text{C}$ ;
- .6 under paragraph 21.4.9.1 for the specification of electrical equipment using the cut-off  $\leq 60^{\circ}\text{C}$  (in practice, liquids with a flashpoint of  $>93^{\circ}\text{C}$  are classified as non-flammable (NF));
- .7 under paragraph 21.4.10.1 for the specification of gauging using the cut-off  $\leq 60^{\circ}\text{C}$ ; and
- .8 under paragraph 21.4.11 for the specification of vapour detection using the cut-off  $\leq 60^{\circ}\text{C}$ .

10 Based on decisions set-out in chapter 19 of Agenda 21, adopted at the *United Nations Conference on Environment and Development* (UNCED, 1992), a harmonized system for hazard classification had been developed. When drafted, all regulations worldwide had been analyzed and a global compromise was developed. This United Nations' *Globally Harmonized System of Classification and Labelling of Chemicals* (GHS) sets regulatory standards for the flammability hazard by the cut-off values of  $23^{\circ}\text{C}$ ,  $60^{\circ}\text{C}$  and  $93^{\circ}\text{C}$ . Gas oils, diesel and light heating oils in the flash point range of  $55^{\circ}\text{C}$  to  $75^{\circ}\text{C}$  are regarded as a special group. Some liquids in the flash point range of  $35^{\circ}\text{C}$  to  $60^{\circ}\text{C}$  may be regarded as non-flammable. The basic classification is shown in table 1.

**Table 1:** Categorization ranges under the UN GHS Chapter 2.6

Category	Criteria	Label
extremely flammable	1 Flash point $<23^{\circ}\text{C}$ and initial boiling point $\leq 35^{\circ}\text{C}$	Flame (Danger)
highly flammable	2 Flash point $<23^{\circ}\text{C}$ and initial boiling point $>35^{\circ}\text{C}$	Flame (Danger)
flammable	3 Flash point $\geq 23^{\circ}\text{C}$ and $\leq 60^{\circ}\text{C}$	Flame (Warning)
combustible	4 Flash point $>60^{\circ}\text{C}$ and $\leq 93^{\circ}\text{C}$	No flame (Warning)

11 As early as the 1950s, the United Nations developed recommendations for the transport of dangerous goods. Today, these *Model Regulations on the Transport of Dangerous Goods* cover flammable liquids. Flammable liquids are liquids or liquids containing solids which give off flammable vapour of temperatures of not more than  $60^{\circ}\text{C}$  (closed-cup test) or not more than  $65.6^{\circ}\text{C}$  (open-cup test). When assigning package groups, liquids with a flash point of less

than 23°C are regulated more strictly (not for viscous substances) and there is a specific regulation for liquids which do not sustain combustion using the flash point cut-off >35°C. Gas oils, diesel and light heating oils in the flash point range of 55°C to 75°C are regarded as a special group. Some liquids in the flash point range of 35°C to 60°C may be regarded as non-flammable.

12 The maritime regulations for packaged dangerous goods covered by the *International Maritime Dangerous Goods Code* (IMDG Code) is based on the UN Model Regulations with regard to the hazard classification of cargoes, with flashpoint cut-off values of 23°C and 60°C, respectively.

### **Criteria for the proposed GESAMP Hazard Classification for Flammability**

13 The approach used was to prioritize the systems that are globally harmonized within the United Nations and those used in maritime regulations, making particular reference to the assignment of carriage requirements for bulk noxious liquids under the IBC Code.

14 Taking the above into account, the following definition for flashpoint is proposed;

*Flash point is the lowest temperature (corrected to a standard pressure of 101.3 kPa) in degrees Celsius at which the application of an ignition source causes the vapour to ignite under specific test conditions (determined by an approved flash point apparatus: closed-cup test).*

15 With regard to the assignment of ratings, general approach set out in the GESAMP Hazard Evaluation Procedure and the Hazard Profiles is proposed, i.e. the assignment of a numerical rating representing a range, with flashpoint cut-off values serving as the threshold between ratings. Therefore, a numerical rating using flash point cut-offs should be converted to a ratio as has been done for the other hazards, starting with the lowest hazard of "0" and with successive escalating ratings representing an increasing flammability hazard.

16 After analyzing existing classification systems for flammability, it is suggested that the best way forward would be a four category rating system with cut-off values at 23°C, 60°C, and 93°C.

17 Such a rating system would show hazard ratings based on temperature ranges corresponding to most internationally agreed classification systems and would provide a practical rating system to be used by emergency response personnel.

18 It must be acknowledged that for the purposes of emergency response, flashpoint information should not be considered in isolation for some products, but rather together with boiling point information, providing an indication of the vapour generation at a specific temperature, thus requiring a more sophisticated evaluation of the spill hazards and possible need for evacuation.

19 A similar case could be made for the inclusion of other flammability properties in the rating system, such as auto-ignition temperature and explosive/flammable limits. However, for spill responders, the most critical piece of information is the flash point – i.e. whether and how easily a substance's vapours will ignite. The proposed GESAMP/EHS rating system is shown in the table below.

**Table 3:** Proposed GESAMP/EHS rating system for flammability

Rating	Temperature range (°C)
Non-flammable	0 >93
Combustible	1 >60 - <93
Flammable	2 >23 - <60
Highly flammable	3 <23

20 The system developed for the GESAMP Hazard Evaluation would correspond to the GHS categories as shown in table 4.

**Table 4:** GESAMP hazard ratings and GHS categories for the flammability hazard

GESAMP ratings	GHS categories		
0	Non-flammable	-	(none)
1	Combustible	3	Combustible
2	Flammable	2	Flammable
3	Highly flammable	1 or 2	Extremely or highly flammable

21 It is proposed that this new rating be included under column E, which covers the hazards to other uses and users of the sea from operational discharges and accidental releases of substances. Further to the proposal to delete the rating associated with "Tainting of Seafood" under column E1, the new flammability rating could be introduced in column E1.

\*\*\*

## ANNEX 6

### REFINEMENT OF COLUMN C3 (ACUTE INHALATION TOXICITY)

#### Understanding the existing rating approach

1 From the 1970s through to the 1990s, GESAMP/EHS evaluated the acute oral toxicity under column C and rated the acute inhalation toxicity together with skin/eye irritation (see GESAMP Report & Studies No.64, page 10, table 1):

- C *Hazards to human health: ingestion of water containing the chemical (Hazard: Acute oral toxicity to humans; measured in appropriate tests with laboratory animals).*
- D *Risk to human health by skin and eye contact or inhalation (Hazard: Irritation or injury to the skin, mucous membranes, or eyes and inhalation hazard; measured in appropriate tests with laboratory animals, or from human experience).*

2 The decision to include acute inhalation toxicity in column D was based on risk assessment orientated thinking. Column C (covering acute oral toxicity) was used for assigning carriage requirements at that time and took into consideration potential swallowing of cargo following accidental damage of tanks and spillage into the sea. Column D covered potential exposure to aerosols and mists of water and spilled cargo.

3 The terms of reference of GESAMP/EHS were, at that time, limited to hazard assessment of the environmental hazards of transporting chemicals (not mineral oils) in tank ships, with respect to cargo discharge and accidental spillage into the sea. Aspects of occupational health considerations were not included in the terms of reference of the Group at that time.

4 In the 1990s, work started on the development of a globally harmonized system for classification and labelling of industrial chemicals, as agreed at the Rio Conference as Agenda 21 in 1992. At the same time, discussion started at IMO on the revision of MARPOL Annex II, which regulates the transport of bulk noxious liquids in ships. The GESAMP/EHS experts saw a need for a revision of the hazard evaluation process developed in the 1970s and the existing calculation approach was also criticized by NGOs at the Marine Environmental Protection Committee (MEPC). All of these developments focused mainly on the hazards to aquatic organisms. However, with the drafting of the GHS at OECD and the IBC Code at IMO (based on the revised MARPOL Annex II), a need for significant amendment of the rating system for the evaluation of acute toxicity hazards to humans was identified.

5 At IMO, the 1995 expert panel on procedures for the evaluation of the hazards of harmful substances carried by ships recommended to shift the acute inhalation toxicity into a sub-column under column C, together with oral and dermal toxicity.

6 At that time, most of the test data submitted addressed crude (combined) exposure of animals by vapour, as well as mists/droplets. Only very few tests were based on nose/mouth only and/or vapour only exposure. This combined exposure was in line with the approach taken by GESAMP in the past. When developing a new rating system, the cut-off criteria from the developing GHS were to be taken into consideration. The draft of the final report from the OECD (OECD Series on Testing and Assessment Number 33, August 2001) was adopted as guidance in the late 1990s by GESAMP/EHS.

7 The GESAMP/EHS experts found the OECD guidance very difficult to apply for combined exposure to a vapour/mist phase, as typical bulk liquid products are identified by their principal constituents (technically pure chemicals), but in fact they have chemical compositions equivalent to mixtures of chemicals (including technical impurities or by-products).

8 The OECD guidance contained three footnotes:

- .1 The draft GHS at the OECD level contained the following guidance for liquid and vapour phases and for the use of ppm versus mg/l:

*"For some chemicals the test atmosphere will not just be a vapour but will consist of a mixture of liquid and vapour phases. For other chemicals the test atmosphere may consist of a vapour which is near the gaseous phase. In these latter cases, classification should be based on ppm as follows: Category 1 (100 ppm), Category 2 (500 ppm), Category 3 (2500 ppm), Category 4 (5000 ppm). Work in the OECD Test Guidelines Programme should be undertaken to better define the terms "dusts", "mists" and "vapours" in relation to inhalation toxicity testing."*

The test data that had been submitted to GESAMP/EHS prior to that generally referred to a mixture of liquid and vapour phase or lacked information about the specific type of exposure (testing). Most of the data on file referred to technically pure products containing different chemicals (technical impurities or by-products) with different molecular weights at average concentrations and they were presented in mg/l. In some cases concentrations were reported in ppm and it was often not clear whether the pure vapour of the chemical was near to the gaseous phase. GESAMP/EHS decided to introduce a transfer formula between ppm and mg/l to address some cases. The vapour cut-off criteria from the OECD guidance were selected as the first sentence of this guidance (cited above), but offered no clear solution for the test data to be evaluated and rated. To date there is still no clear guidance in paragraph 3.1.2.6.2 of the GHS; however, ppm cut-off values for categorization are very similar to those for mg/l for molecular weights between 24 and 120.

- .2 The draft GHS at the OECD level contained the following guidance for the conversion for exposure times:

*"Inhalation cut-off values in the table are based on 4 hour testing exposures. Conversion of existing inhalation toxicity data which has been generated according to 1 hour exposures should be by dividing by a factor of 2 for gases and vapours and 4 for dusts and mists."*

There was no guidance for the existing testing data on file at IMO concerning combined exposure to vapours and mists. After a detailed discussion, GESAMP/EHS decided, based on Haber's rule<sup>1</sup>, to adopt a conservative approach and employ the factor for mists to the testing time extrapolation from the OECD guidance.

---

<sup>1</sup> Where C is the concentration of the gas (mass per unit volume), t is the amount of time necessary to breathe the gas, in order to produce a given toxic effect, and k is a constant, depending on both the gas and the effect.

- .3 The draft GHS at the OECD level contained the following guidance for the sustainability of cut-off values:

*"The values for dusts and mists should be reviewed to adapt to any future changes to OECD Test Guidelines with respect to technical limitation in generating, maintaining and measuring dust and mist concentrations in respirable form."*

That footnote introduced an uncertainty about the cut-offs which has not been addressed in the UN GHS (Globally Harmonized System of Classification and Labelling of Chemicals, 6<sup>th</sup> Ed, 2015; para. 3.1.2.6.4).

9 Based on these considerations GESAMP/EHS developed the rating system for column C3, based on the following:

- .1 taking into account existing test data on mixed exposure to vapour/mist;
- .2 based on the GHS cut-off criteria for vapours with a formula transferring ppm into mg/l; and
- .3 based on Haber's rule for time extrapolation using the factor 4 for transferring 1 hr exposure to 4 hr exposure.

As a result, column C3 ratings are not fully harmonized with the GHS.

10 After introducing these criteria it became clear that for most of the products carried as bulk noxious liquids, inhalation toxicity data was not available, resulting in large numbers of NI ratings in the C3 column. Before the revised IBC Code was finally approved by the Maritime Safety Committee, MSC 79 stated that a rating under the C3 column was a prerequisite for any approval of products under chapter 17 or 18 of the IBC Code. This requirement was then communicated via a MEPC/MSC Circular identifying those chemicals with missing C3 ratings (MSC/Circ.1128-MEPC/Circ.423, December 2004).

11 Based on this decision by MSC, GESAMP/EHS was asked to extrapolate ratings under column C3 for those chemicals where no test results were available. The Working Group developed a scientific extrapolation procedure to be applied to those products with NI ratings under column C3 (see BLG.1/Circ.15). This permitted transportation of these chemicals (as listed in the circular MSC/Circ.1128 a year before) without the need for new testing on animals. Further to a request to GESAMP/EHS to undertake a scientific review of the procedure, a scientific paper was submitted to a toxicological journal covering a scientific review (Höfer T., James D., Syversen T., Bowmer T.: Estimation of the Acute Inhalation Hazard of Chemicals Based on Route-to-route and Endpoint Extrapolation. ATLA 2011-39: 541-556). Within the review process and also mentioned in this paper, the limitations of the extrapolation approach for mist and vapour/mist exposure were presented. There was a clear and common understanding that any extrapolation of acute vapour toxicity would not be possible.

12 In 2004, the IMO bodies confirmed that GESAMP/EHS should not consider occupational health issues as part of the evaluation of chemical hazards. This additionally clarified that further evaluation of the occupational health impact from vapours on board would remain outside the remit of GESAMP/EHS (EHS 40/9). There was therefore no need to develop any procedure for evaluating vapour toxicity data.

13 More than ten years later, GESAMP/EHS was asked by ESPH to reconsider the situation. The reasoning behind this request was based on practical experience using the GESAMP Hazard Profile for assigning carriage requirements: The maritime administrations, as well as the ESPH Working Group, were using C3 ratings directly for occupational risk management, without specifically evaluating the vapour exposure.

14 GESAMP/EHS explained the situation and introduced specific paragraphs in Report & Studies No.64, 2nd edition, as follows:

.1 page 40, section 4.3.1.3

*"Under accidental conditions on board ships, bursting pipes could create aerosols, while in the aftermath of an accidental discharge, mist may be generated by waves on the sea surface. In such cases, the estimated hazard could correspond to the situation and the potential exposure. On the other hand, under normal operational conditions, there may not be any aerosol generated in tanks, and liquids with very low vapour pressure will not even create vapours. Under such circumstances, the inhalation risk could be significantly lower than indicated by the hazard identification on its own and further data may need be taken into consideration, e.g. vapour pressure of the cargo at the transport temperature or the saturated vapour pressure, in order to apply appropriate risk management measures."*

.2 top of page 43:

*"In some cases the ratings shown in brackets may overestimate the potential for poisoning by inhalation, particularly for substances with low saturated vapour pressure. Consequently, a decision may be taken by IMO to utilize other methods for defining specific occupational health protection requirements on board ships (risk management)."*

15 Accordingly, for some products, the chemical industry at the ESPH Working Group questioned the use of the C3 rating, as the IBC Code refers only to vapour exposure when assigning carriage requirements. The ESPH Working Group subsequently requested GESAMP/EHS to provide advice in this situation for specific cases (BLG.1/Circ.30). In response, GESAMP/EHS introduced a hash mark (#) notation within Reports & Studies No.64, 2nd edition (page 44) and in the GESAMP Composite List (starting at BLG.1/Circ.35):

*"Entries with a hash mark (#) reflect that for the C3 rating, the product, as a vapour rather than an aerosol or mist, could be considered to have a lower inhalation hazard for the purpose of risk management."*

16 The report of GESAMP/EHS 52 (PPR.1/Circ.2) clearly outlined the limitations of assigning a hash mark:

*"3.10 The Group had agreed, in particular, that where the GESAMP acute inhalation toxicity extrapolation method had been applied or an aerosol test result had been evaluated, and a high rating had been assigned, but test data using saturated vapour were also available indicating no toxicity or less toxicity, then the extrapolated or aerosol-based rating would be retained to indicate that a mist or aerosol is likely to be hazardous under certain circumstances (e.g. burst or leaking pipe joints under pressure, or due to wave action following a release into the marine environment). In such cases the Group had agreed that a hash mark (#) notation would be added to the product name to indicate that for inhalation concerns from vapour, the product would be likely to have a lower inhalation hazard."*

3.11 *In reviewing the new product submissions, the Group debated as to whether the hash (#) notation could be assigned based on estimation or extrapolation, or whether actual saturated vapour test results should be required, as stated in Reports and Studies No.64 (paragraph 4.3.4.2).*

3.12 *The Group concluded its discussions by reconfirming that it would indeed continue to require actual vapour test data in order to assign the (#) rating to a product presenting a reduced vapour inhalation hazard."*

### **Understanding the challenge**

17 The ESPH Working Group, in developing the revised chapter 21 of the IBC Code, setting out the rules and criteria for assigning carriage requirements, introduced a direct reference to GESAMP hazard ratings. This included the use of the C3 rating for assigning a number of carriage requirements (ship type, tank vents, gauging, vapour detection, requirements for toxic products, etc.). Alternatively, in relation to the hash mark (#), an assignment of carriage requirements should be possible, taking into account LC50 values in combination with the saturated vapour pressure (ATE/SVC ratio; see PPR 3/4/4).

18 In 2015, GESAMP/EHS was advised that application of the GESAMP Hazard Profile was no longer limited to pollution hazards, but also addressed ship safety and occupational health and safety aspects (GESAMP Reports & Studies No. 92, page 9). In the debate at the meeting (although not recorded in the report) an amendment to the terms of reference was considered unnecessary as other GESAMP working groups (e.g. working group 34 for ballast water management systems) were also addressing aspects of occupational health and safety.

19 In 2016, GESAMP/EHS 53 discussed the issue. As a first effort to address these considerations, the Group recalled that at EHS 51, it had developed a new notation whereby a hash mark is added to those product entries with a lower inhalation risk by vapour exposure than is indicated by the hazard rating in column C3. However, noting that this was not sufficient and could not be used in the new ATE/SVC ratio calculation being introduced in the revised chapter 21 of the IBC Code, the Group agreed to consider other possibilities within the GESAMP Hazard Profile for providing the information needed for the calculation. One option considered was dividing the C3 ratings into sub-categories (similar to the A1 column) to consider inhalation of both vapours and mists, where possible, based on the data submitted. Noting that more discussion was needed, the Group agreed to progress the matter in more detail intersessionally and to revisit this topic at EHS 54.

20 ESPH 22 in October 2016 noted the discussions of GESAMP/EHS concerning a refinement of the C3 column. The Group asked GESAMP/EHS to address this topic as a matter of priority, noting the timeline for finalization of chapter 21 of the IBC Code (PPR 4/3).

### **Cornerstones and proposal for a refined C3 rating**

21 As there is no capacity nor budget for undertaking a re-evaluation of up to 1000 substances contained in the GESAMP Composite List, any refinement should be limited to a structural change and a pragmatic guidance on assigning ratings under a refined structure. New or additional ratings would be limited to those substances which come up under the agenda items "Evaluation of new substances" or "Correspondence with industry/government and consideration of issues related to evaluations".

22 Taking into account the urgent need for the refinement in respect to the revision of the IBC Code, any new structure should be introduced as soon as possible.

23 To refrain from any fundamental amendment to the upcoming revised chapter 21 of the IBC Code, the relevant column used for assigning carriage requirements will be called "C3 column". This column will cover, as far as possible, the classification used directly in the IBC Code, which is the acute toxicity based on vapour exposure ATE (LC<sub>50</sub>) test data. Any extrapolation procedure from other exposure routes or toxic properties is not possible for rating vapour exposure acute toxicity hazards.

24 However, as per the current situation, ratings under Column C3 for chemicals lacking specific vapour toxicity data will be based on combined vapour/mist or mist-only exposure test data (as the existing C3 ratings). There could be two reasons for this:

- .1 as an extrapolation is possible for combined vapour/mist exposures only, the rating in brackets should be kept as in the existing C3 column;
- .2 the rating for combined vapour/mist exposures has to be used for the rating in column E3.

25 The new (additional) ratings will be based on cut-off values and related specifications, as outlined in the UN GHS chapter 3.1 for vapour only exposure. Vapour only studies showing no deaths following exposure to a saturated vapour (limit test) should be rated C3b = 0.

26 Acute mist inhalation toxicity studies using particle exposure strictly with a mass median aerodynamic diameter (MMAD) 1 - 4 µm (ideally in the range 1.5 - 3 µm) according to OECD Test Guidelines 403 or 436 and the OECD Guidance document on acute inhalation toxicity testing (OECD Series on Testing and Assessment No. 39) have to be evaluated on a case by case basis. These were developed along the "split-entry principle" assuming that non-laboratory mist exposure would only contain a small part of fully respirable aerosol particles. For testing according to OECD standards, mists have to be limited to fully respirable aerosol sizes (MMAD 1 - 4 µm). Thus, in the GHS specific cut-off values for such artificially derived mists containing only the fraction of the fully respirable part were introduced. Based on GESAMP expert judgement such studies could be used for ratings under column C3a in approximation bearing in mind the cut-off values for mists contained in the GHS.

### Ratings

27 The modification to the rating system would be more of a refinement of the existing approach and structure. The addition of a column for vapour inhalation under column C3 appears to be the best way forward. To refrain from creating cross-referencing issues with the revised chapter 21 of the IBC Code, a "C3 rating" for the assignment of carriage requirements is proposed, as set out below. The existing C3 rating is retained, as it is required for the environmental risk assessment under column E3. The following is proposed as the new structure under column C3:

Rating*	Relative Hazard	C3	
		C3a	C3b
		Vapour/mist exp. ATE (mg/l/4 hr)	Vapour-only exp. ATE (mg/l/4 hr)
0	Negligible	>20	>20
1	Slight	>10 - ≤20	>10 - ≤20
2	Moderate	>2 - ≤10	>2 - ≤10
3	Moderately high	>0.5 - ≤2	>0.5 - ≤2
4	High	≤0.5	≤0.5

\* Additional entry/rating could be "NI"

### ***Application***

28 The C3a column addresses the existing column C3 ratings based on combined vapour/mist exposure data or such data achieved by extrapolation. Extrapolated hazard assessments are identified by ratings in brackets as in the existing column C3. The conversion along exposure times would be made according to the existing rules in GESAMP Reports & Studies No.64 (factor 4 for 1 hr to 4 hr). The C3a ratings will be used for two purposes:

- .1 for the assessment of environmental hazards, i.e. for the ratings in column E3 by GESAMP-EHS (for coastal response, e.g. at the beaches) or in case of spillage into the sea by emergency responders (when they use the GESAMP Hazard Rating as information source); or
- .2 for the generation of the C3 rating as long as no vapour toxicity testing data are available, but only mixed vapour/aerosol exposure testing results or an extrapolated rating according to the procedure outlined in paragraph 4.3.4.2 of GESAMP Reports & Studies No.64.

29 The C3b column covers ratings based on the evaluation of vapour only exposures. Extrapolated hazard assessments and ratings would not be acceptable. The conversion along exposure times would be made according to the guidance given in the UN GHS Chapter 3.1 for vapours (factor 2 for 1 hr to 4 hr). Initially, most entries in that column will read "NI". The C3b rating will be used in general for the risk management and the occupational health protection issues on board tankers, e.g. the assignment of carriage requirements for bulk liquids under the IBC Code regulation.

30 The C3 rating would be shown in the GESAMP Composite List similar to the ratings given under column A1. The C3a rating would be shown by default, but a C3b rating would overrule (see figure 1). Values in brackets are only acceptable if vapour only exposure data are not available. Initially, most entries in that column will show the existing ratings in column C3. The C3 rating remains the point of reference in chapter 21 of the IBC Code.

\*\*\*



## ANNEX 7

### **PROVISIONAL AGENDA FOR THE FIFTY-FIFTH SESSION OF THE GESAMP/EHS WORKING GROUP**

- 1 Adoption of the agenda
  - 2 Outcome of other bodies
  - 3 Evaluation of new substances
  - 4 Re-evaluation of substances and consideration of issues related to evaluations
  - 5 Classification issues
  - 6 Consolidation of existing data files
  - 7 Revision of Reports and Studies No.64
  - 8 Any other business
  - 9 Consideration and adoption of the report
-