

4 ALBERT EMBANKMENT
LONDON SE1 7SR
Telephone: +44 (0)20 7735 7611 Fax: +44 (0)20 7587 3210

PPR.1/Circ.6
2 May 2019

HAZARD EVALUATION OF SUBSTANCES TRANSPORTED BY SHIPS

Report of the fifty-sixth session of the GESAMP Working Group on the Evaluation of the Hazards of Harmful Substances Carried by Ships

The report of the fifty-sixth session of the GESAMP Working Group on the Evaluation of the Hazards of Harmful Substances Carried by Ships (GESAMP/EHS Working Group), held from 8 to 12 April 2019, is attached.

Any comments or questions should be addressed to:

Technical Secretary of the GESAMP/EHS Working Group
Marine Environment Division
International Maritime Organization
4 Albert Embankment
London SE1 7SR
United Kingdom

Email: gesamp-ehs@imo.org

WORKING GROUP ON THE EVALUATION
OF THE HAZARDS OF HARMFUL
SUBSTANCES CARRIED BY SHIP
56th session
Agenda item 9

EHS 56/9
12 April 2019
Original: ENGLISH

REPORT OF THE FIFTY-SIXTH SESSION

1	INTRODUCTION	2
2	OUTCOME OF OTHER BODIES	2
3	EVALUATION OF NEW SUBSTANCES	4
4	RE-EVALUATION OF SUBSTANCES AND CONSIDERATION OF ISSUES RELATED TO EVALUATIONS.....	5
5	CLASSIFICATION ISSUES.....	7
6	CONSOLIDATION OF EXISTING DATA FILES	8
7	COMMUNICATION AND PUBLICATION.....	8
8	ANY OTHER BUSINESS	8
9	CONSIDERATION AND ADOPTION OF THE REPORT	8

LIST OF ANNEXES

- ANNEX 1 LIST OF MEMBERS ATTENDING THE FIFTY-SIXTH SESSION OF THE GESAMP/EHS WORKING GROUP
- ANNEX 2 REPORT ON GESAMP ACTIVITIES
- ANNEX 3 OUTCOME OF ESPH 24 AND THE ESPH WORKING GROUP AT PPR 6
- ANNEX 4 CONCENTRATION OF INGREDIENTS OF A MIXTURE THAT WOULD TRIGGER LONG-TERM HEALTH EFFECT RATINGS OF A MIXTURE
- ANNEX 5 GESAMP HAZARD PROFILES FOR NEW SUBSTANCES SUBMITTED FOR EVALUATION TO GESAMP/EHS 56
- ANNEX 6 UPDATED GESAMP COMPOSITE LIST
- ANNEX 7 PROVISIONAL AGENDA FOR THE FIFTY-SEVENTH SESSION OF THE GESAMP/EHS WORKING GROUP

1 INTRODUCTION

1.1 The fifty-sixth session of the GESAMP Working Group on the Evaluation of the Hazards of Harmful Substances Carried by Ships (GESAMP/EHS Working Group) was held at IMO in London, United Kingdom, from 8 to 12 April 2019, chaired by Dr. Thomas Höfer. The list of experts attending the meeting is set out in annex 1.

1.2 The Group reviewed the agenda and the provisional timetable, and agreed to some modifications to the timetable. Subsequently, the Group adopted both.

2 OUTCOME OF OTHER BODIES

Outcome of GESAMP 45

2.1 The Group noted the report by the Chair on the outcome of the forty-fifth session of GESAMP, which took place from 17 to 20 September 2018 in Rome, Italy, hosted by the Food and Agriculture Organization (FAO). A summary of the outcome of the meeting is set out in annex 2.

Outcome of IMO bodies

2.2 The Group noted that the following meetings of relevance had taken place since the fifty-fifth session of the GESAMP/EHS Working Group:

- .1 the twenty-fourth intersessional meeting of the Working Group on the Evaluation of Safety and Pollution Hazards of Chemicals (ESPH 24), which took place from 1 to 5 October 2018 (PPR 6/3); and
- .2 the Working Group on the Evaluation of Safety and Pollution Hazards (ESPH), which met during the sixth session of the PPR Sub-Committee from 18 to 20 February 2019 (PPR 6/WP.3).

2.3 The Group noted the information presented by the Secretariat on the outcome of the above-mentioned meetings on matters of relevance to the work of the GESAMP/EHS Working Group, as summarized in annex 3.

2.4 The Group noted that PPR 6 had invited GESAMP/EHS to review the guidance contained in the draft PPR.1 circular on decisions with regard to the categorization and classification of products (PPR 6/20, annex 5), and to consider the possibility of a review and update of GHP ratings for products in the GESAMP Composite List, in line with this guidance, for purposes of consistency and harmonization (PPR 6/20, paragraph 3.38).

2.5 The Group reviewed the above-mentioned draft PPR.1 circular and also reviewed the draft revised MEPC.1/Circ.512 on guidelines for the provisional assessment of liquid substances transported in bulk (PPR 6/20, annex 4). Subsequently, the Group agreed to suggest the following editorial modifications:

- .1 the addition under paragraph 1.12 of the draft revised MEPC.1/Circ.512 of a reference to the revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships, specifically under "GESAMP Hazard Profile", and the inclusion in appendix 2 of the up-to-date reference to the revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships; and

.2 in paragraph .9 of the draft PPR.1 circular on decisions with regard to the categorization and classification of products (PPR 6/20, annex 5), the reference to BLG/Circ.15 should be replaced with the up-to-date reference to the revised *GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships*.

2.6 In the context of the draft PPR.1 circular on decisions with regard to the categorization and classification of products (PPR 6/20, annex 5), the Group requested the Secretariat to bring the following points to the attention of ESPH 26:

- .1 The last sentence of paragraph .6 could be reworded, with a view to avoiding any misunderstanding that minerals are readily biodegradable. As a suggestion the sentence should indicate that the rating of Inorg is treated as being equivalent to an R rating for the purpose of following the guidance rules for pollution category and ship type.
- .2 The last sentence of paragraph .11 may be misinterpreted as an obligation for the submitters to inform GESAMP/EHS that a submission relates to a reduced hazard profile. As a suggestion the word "should" could be replaced by "may".
- .3 In the context of paragraph .12, it should be noted that the GESAMP/EHS Working Group includes in the EHS name of mixtures an indication of components that have an impact on the environmental or health hazards of the mixture, as appropriate. This could result in mineral oil being reflected in the EHS name.

2.7 In relation to the possibility of a review and update of GHP ratings for products in the GESAMP Composite List, in line with the guidance contained in the draft PPR.1 circular on decisions with regard to the categorization and classification of products, the Group advised that the GHP ratings reflect scientific data. The Group agreed that it is not appropriate to show amended GHP ratings in the Composite List based on the guidance in the draft revised PPR.1 circular.

Cut-off values to be used when assessing mixtures containing components with a long-term health effect

2.8 The Group recalled that PPR 5 had requested it to consider the proposal in document PPR 5/3/3 (Norway) and to advise the ESPH Working Group with regard to recommended cut-off values to be used when assessing mixtures containing components with a long-term health effect.

2.9 The Group also recalled that due to time constraints at its fifty-fifth session, it had been unable to finalize the requested advice but had agreed that the relevant text from the revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships would form the basis for developing a recommendation, at EHS 56, for consideration by the ESPH Working Group.

2.10 The Group agreed that the table of concentrations of ingredients of a mixture that would trigger long-term health effect ratings for that mixture, which had been developed by the Group and included in the draft revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships, could be used by the ESPH Working Group. The rules are set out in annex 4. With regard to the two thresholds for mutagenicity, sensitization (skin and respiratory) and target organ toxicity, the Group was of the view that the ESPH Working Group could go for the

worst-case option and use the lower percentage limits when utilizing the mixture calculation rules for assigning carriage requirements. In this context, the Group noted the perspective that manufacturers could request GESAMP/EHS for a full profile of a mixture, which would then be rated based on the appropriate percentage limits for the subcategories of the above-mentioned health effects, subject to appropriate data being submitted.

3 EVALUATION OF NEW SUBSTANCES

3.1 The Group recalled that when submitting new substances for evaluation by the GESAMP/EHS Working Group, a full set of data, addressing all the relevant information requirements set out in the GESAMP/EHS Product Data Reporting Form, was required. The Group further noted that insufficient data, or a lack of adequate supporting arguments, where estimates had been used, would result in no rating being assigned for the end-point concerned or, as a worst case, no full hazard profile being issued for the chemical under review. In addition, the Group emphasized that requests for evaluations of mixtures, for which the assessment would be based on data for individual components of the mixture, should be accompanied by detailed and realistic compositional information (i.e. percentages, ratios or concentrations of the components).

3.2 The Group considered the following new substances, which had been submitted for evaluation to this session:

- | | | |
|----|--|----------|
| .1 | alpha-Olefins (C12+), mixture | EHS 2516 |
| .2 | Alkyl (C3-C11) benzenes with phenol-formaldehyde/acrylate polymers (33% or less) | EHS 2517 |
| .3 | Sodium oxalate solution | EHS 2518 |

3.3 The Group, in assessing the submitted products, made observations and reached conclusions, as set out in the ensuing paragraphs. The resultant hazard profiles assigned by the Working Group for inclusion in the GESAMP Composite List are set out in annex 5.

EHS 2516 alpha-Olefins (C12+), mixture

3.4 In considering the submission, the Group noted that according to the information provided, the product was a mixture of variable composition of different organic aliphatic substances. The information on composition according to the submitter indicated that each of the ingredients may be present in a range from 0 to 100%. The Group also noted that no impurities (e.g. alpha-olefins of a chain length lower than 12) were reported. In this regard, the Group reiterated that submitters should provide detailed and realistic compositional information (i.e. percentages, ratios or concentrations of the components) in order for the Group to be able to produce an accurate GESAMP Hazard Profile.

3.5 Notwithstanding the above, the Group considered the data provided for the product and assigned a GESAMP Hazard Profile accordingly. In reviewing the data available, the Group noted that the acute inhalation toxicity of the vapour of the mixture was lower than the toxicity based on exposure to mist. Therefore, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk management of exposure to the vapour.

<i>Rating</i>	A1a=(5)	A1b=(5)	A1=(5)	A2= (R)	B1= (0)	B2= NI
C1= (0)	C2= (0)	C3= (1)	D1= (1)	D2= (0)	D3= A	
E2= Fp	E3= 3				(#)	to the entry

EHS 2517 Alkyl (C3-C11) benzenes with phenol-formaldehyde/acrylate polymers (33% or less)

3.6 In considering the submission, the Group noted that a full set of data had been provided for the mixture and all components. Consequently, the Group assigned a GESAMP Hazard Profile accordingly. In reviewing the data available, the Group noted that the acute inhalation toxicity of the vapour of the mixture was lower than the toxicity based on exposure to mist. Therefore, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk management of exposure to the vapour.

<i>Rating</i>	A1a= 4 C1=0 E2 = F	A1b= NI C2=0 E3 =3	A1= 4 C3=(2)	A2=NR D1=(2)	B1=2 D2=(2)	B2=0 D3=MAs (# to the entry)
---------------	--------------------------	--------------------------	-----------------	-----------------	----------------	------------------------------------

EHS 2518 Sodium oxalate solution

3.7 In considering the submission, the Group noted that a full set of data had been provided for the product and assigned a GESAMP Hazard Profile accordingly. The assessment was based on the most concentrated aqueous solution. Having also noted the low vapour pressure, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk management of exposure to the vapour.

<i>Rating</i>	A1a= 0 C1=1 E2 = D	A1b= (1) C2=0 E3 =2	A1= (1) C3=(2)	A2=R D1=(2)	B1=2 D2=2	B2=1 D3=blank (# to the entry)
---------------	--------------------------	---------------------------	-------------------	----------------	--------------	--------------------------------------

4 RE-EVALUATION OF SUBSTANCES AND CONSIDERATION OF ISSUES RELATED TO EVALUATIONS

4.1 The Group recalled that, as part of its work, it routinely considered requests for the re-assessment of products, based on the submission of new data or new scientific insights into the hazards of substances that may result in a change to a hazard profile.

4.2 The Group also recalled its ongoing review and update of the existing GESAMP/EHS files for completeness and consistency and the need for communication of any amendments relating to such matters, bringing these to the attention of IMO (i.e. the ESPH Working Group of the PPR Sub-Committee).

4.3 The Group considered a request to undertake a review of the hazard profiles for Ethyl tert-butyl ether (EHS 2085), Fish by-products (fresh) (EHS 2499), Fish silage (containing 3% or less formic acid with antioxidant) (EHS 2500) and Sodium aluminate (solution) (EHS 1234). In the context of the latter substance, the Group also agreed to re-evaluate Sodium hydroxide (30% or less)/Sodium aluminate (25% or less) solution (EHS 2486). Any agreed modifications to the respective hazard profiles for these substances are highlighted in the revised GESAMP Composite List, set out in annex 6.

EHS 2085 Ethyl tert-butyl ether

4.4 The Group considered a request for a re-evaluation of the B2 rating for this material. In reviewing the data available, the Group agreed to amend column B2 from NI to 0. The Group noted that the acute inhalation toxicity of the vapour of the mixture was lower than the toxicity based on exposure to mist. Therefore, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk

management of exposure to the vapour. The Group also amended a number of other ratings, as set out below.

<i>Amended rating</i>	A2=NR	B2=0	C3=(1)	D1=1	D2=0	E3=1
-----------------------	-------	------	--------	------	------	------

(#) to the entry

EHS 2499 Fish by-products (fresh)

4.5 The Group considered a request for a re-evaluation of the E2 rating for this material. Having reviewed the information provided, the Group amended the E2 rating as set out below.

Amended rating E2=FD

EHS 2500 Fish silage (containing 3% or less formic acid with antioxidant)

4.6 The Group considered a request for a re-evaluation of the E2 rating for this material. Having reviewed the new information provided by the submitters, which included information on composition and solubility, the Group amended the E2 rating as set out below.

Amended rating E2=FD

EHS 1234 Sodium aluminate (solution)

4.7 The Group considered a request for a re-evaluation of this material. In reviewing the data available, the Group amended the B1 and B2 ratings, as set out below.

Amended rating B1=3 B2=1

EHS 2486 Sodium hydroxide (30% or less)/Sodium aluminate (25% or less) solution

4.8 Having reviewed Sodium aluminate (solution) (EHS 1234), the Group also re-evaluated Sodium hydroxide (30% or less)/Sodium aluminate (25% or less) solution (EHS 1253), taking into account that similar data considerations to the former substance would apply. Subsequently, the Group amended the B1 and B2 ratings, as set out below.

Amended rating B1=3 B2=1

4.9 The Group further agreed to revise ratings for seven substances that were already listed in the Composite List (see paragraphs 4.10 to 4.16 below), based on discussions emanating from the review of the new substances that had been submitted at this session. Any agreed modifications to the respective hazard profiles for these substances are highlighted in the revised GESAMP Composite List, set out in annex 6.

EHS 720 Dodecene (all isomers)

4.10 The Group reviewed the ratings for Dodecene (all isomers) (EHS 720) and modified the ratings as set out below. In reviewing the data available, the Group noted that the acute inhalation toxicity of the vapour of the mixture was lower than the toxicity based on exposure to mist. Therefore, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk management of exposure to the vapour.

<i>Amended rating</i>	C3=1	D1=1	D2=0	(#)	to the entry
-----------------------	------	------	------	-----	--------------

(#) to the entry

EHS 2473 1-Dodecene

4.11 The Group reviewed the ratings for 1-Dodecene (EHS 2473) and modified the ratings as set out below. In reviewing the data available, the Group noted that the acute inhalation toxicity of the vapour of the mixture was lower than the toxicity based on exposure to mist. Therefore, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk management of exposure to the vapour.

Amended rating D1=1 D2=(0) (#) to the entry

EHS 2028 Olefins C13 and above, all isomers

4.12 The Group reviewed the ratings for Olefins C13 and above, all isomers (EHS 2028) and modified the ratings as set out below. In reviewing the data available, the Group noted that the acute inhalation toxicity of the vapour of the mixture was lower than the toxicity based on exposure to mist. Therefore, the Group agreed to append a hash mark (#) to the entry, denoting that a lower acute inhalation risk may be considered for the purposes of risk management of exposure to the vapour.

Amended rating C3=(1) D1=(1) D3=A E3=3 (#) to the entry

EHS 2423 Alkylbenzenes mixture (containing less than 1% naphthalene)

4.13 The Group reviewed the ratings for Alkylbenzenes mixture (containing less than 1% naphthalene) (EHS 2423) and modified the rating for D3 by deleted the existing C.

Amended rating D3=A

EHS 2424 Alkylbenzenes mixtures (containing naphthalene)

4.14 The Group reviewed the ratings for Alkylbenzenes mixtures (containing naphthalene) (EHS 2424) and modified the rating for D3 by deleting the existing C.

Amended rating D3=A

EHS 740 Ethylbenzene

4.15 The Group reviewed the ratings for Ethylbenzene (EHS 740) and modified the rating for D3 by deleting the existing C and adding a T.

Amended rating D3=T

EHS 547 Cyclopentene

4.16 The Group reviewed the ratings for Cyclopentene (EHS 547) and added brackets to the existing rating for D1, since it was based on read-across information.

Amended rating D1=(2)

5 CLASSIFICATION ISSUES

Introduction of new column E1 on flammability

5.1 The Group continued its review of flashpoint information for products, as extracted from the GISIS database, and agreed to continue the review intersessionally, with a view to

completing the work at EHS 57 for incorporation in the Composite List once the revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships had been published. This will amend the E1 column in the GESAMP Hazard Profile from indicating tainting to rating flammability.

6 CONSOLIDATION OF EXISTING DATA FILES

6.1 The Group recalled the ongoing review of the GESAMP/EHS files was a regular agenda item.

6.2 Not having had sufficient time to review these files during the session, in light of other higher priority work on its agenda, the Group agreed to defer consideration of this item to its next session.

7 COMMUNICATION AND PUBLICATION

7.1 The Chair informed the Group of the review of the draft revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships being conducted by GESAMP. In this regard, the Group considered feedback from the GESAMP reviewers and agreed on amendments to the draft. As the review process was ongoing, the Group noted that the Chair would contact the members of GESAMP/EHS should there be any further comments by the reviewers that would require significant amendments to the draft.

7.2 Subsequently, the Group invited the Secretariat to take the appropriate action for finalizing the publication of the revised GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships, once the review had been finalized.

8 ANY OTHER BUSINESS

8.1 Based on the volume of information contained in submissions in recent sessions, the Group suggested that the deadline for submissions to future GESAMP/EHS meetings should be set sufficiently in advance of the meeting so as to allow the members of the Group to commence preparatory work at least three weeks prior to the session.

Draft provisional agenda and date of the next session

8.2 The Group agreed to the draft provisional agenda for its next session, set out in annex 7, and that its next meeting had been tentatively scheduled to take place from 4 to 8 May 2020, at IMO headquarters in London. Subject to the aforementioned dates being confirmed, the deadline for manufacturers to submit information to GESAMP/EHS 57 would be 6 March 2020.

9 CONSIDERATION AND ADOPTION OF THE REPORT

9.1 The Group adopted its report, noting that it would be circulated as PPR.1/Circ.6.

ANNEX 1

LIST OF MEMBERS ATTENDING THE FIFTY-SIXTH SESSION OF THE GESAMP/EHS WORKING GROUP

Dr. Thomas Höfer (Chair) Schwendenerstrasse 21 D-14195 Berlin Germany	Email: thomas.hoefner@fu-berlin.de Tel: +49 30 811 8141 Mob.: +49 152 539 005 34
Mr. Michael Morrissette Dangerous Goods Advisory Council Suite 760 7501 Greenway Center Drive Greenbelt, MD 20770 United States	Email: mmorrissette@dgac.org Tel: +1 202 289 4550 Fax: +1 202 289 4074
Dr. Stéphane Le Floch Cedre 715 rue Alain Colas CS 41836 29218 Brest Cedex 2 France	Email: Stephane.Le.Floch@cedre.fr Tel: +33 2 98 33 67 02 Fax: +33 2 98 44 91 38 Mob.: +33 627 46 11 53
Dr. Wenxin Jiang Tianjin Research Institute of Water Transport Engineering (TRIWTE) 2618#, Xingang Road No.2 Tanggu, Tianjin China	Email: wenxjiang@aliyun.com Tel: +86 22 59812 345 ext 8411 Fax: +86 22 59812 118 Mob.: +86 186 2259 9805
Mr. Richard Luit RIVM, Centre for Safety of Substances and Products PO Box 1, 3720 BA Bilthoven Netherlands	Email: richard.luit@rivm.nl Tel: +31 302 743 073 Mob: +31 646 860 770
Dr. Patricio H. Rodríguez Clemente Fabres 1025, D63 Providencia Santiago 750 1192 Chile	Email: parodrig@gmail.com Tel: +56 2 2204 5726 Mob: +56 9 9889 6027
Dr. Bette Meek McLaughlin Centre for Risk Science University of Ottawa 600 Peter-Morand Crescent, Room 216 Ottawa, ON K1G 5Z3 Canada	Email: bmeek@uottawa.ca Tel: +613 276 4134 Fax: +613 562 5944

IMO SECRETARIAT

Mr. Loukas Kontogiannis Head, Carriage of Chemicals in Bulk & Technical Secretary of the GESAMP/EHS Working Group International Maritime Organization Marine Environment Division 4 Albert Embankment London SE1 7SR United Kingdom	Email: lkontogi@imo.org Tel: +44 20 7587 4151 Fax: +44 20 7587 3210
Dr. Ken McDonald GESAMP Technical Advisor International Maritime Organization Marine Environment Division 4 Albert Embankment London SE1 7SR United Kingdom	Email: kmcDonald@imo.org Tel: +44 20 7587 3249 Fax: +44 20 7587 3210
Ms. Jurga Kononovaite Administrative Assistant International Maritime Organization Marine Environment Division 4 Albert Embankment London SE1 7SR United Kingdom	Email: JKononov@imo.org Tel: +44 20 7463 4202 Fax: +44 20 7587 3210

ANNEX 2

REPORT ON GESAMP ACTIVITIES

1 The Joint Group of Experts on the Scientific Aspects of Marine Environmental Protection (GESAMP) held its forty-fifth session, from 17 to 20 September 2017, in Rome, Italy, hosted by the Food and Agriculture Organization (FAO). The session was held under the Chairmanship of Dr. Peter Kershaw.

GENERAL ACTIVITIES

2 The Group recognized the services of Dr. Stefan Micallef, Administrative Secretary for GESAMP, who could not attend the session due to his retirement from United Nations service. It was noted that Dr. Micallef had more than 20 years of experience in GESAMP, initially as a member of Working Group 1 (1995-2001), then a Technical Secretary for Working Group 1 (2005-2007), and finally as Administrative Secretary for GESAMP in his position as the Director of the Marine Environment Division of IMO (2007-2018).

3 GESAMP noted that the independence, credibility and cost-effectiveness of GESAMP was well recognized, and the continuing delivery of high-quality outputs were appreciated. This could only be maintained with continuing support of the UN Sponsoring Organizations. The addition of the International Seabed Authority (ISA) as one of GESAMP's sponsoring organizations was noted with great appreciation and showed the growing interest for GESAMP's work within the UN system.

4 The 10 Sponsoring Organizations committed to support the activities of GESAMP in 2018/2019 at least to the level of the previous years. In 2019, GESAMP will be celebrating 50 years since its establishment in 1969. In this context, the GESAMP Office will organize an anniversary task team to prepare for GESAMP's 50th anniversary in New York.

WORKING GROUP 1

5 The Chair of Working Group 1 reported on progress made during EHS 55 and the months after. GESAMP noted:

- .1 that 11 new substances had been evaluated and full GESAMP Hazard Profiles (GHPs) assigned, and that the GHPs for four substances had either been modified or reconfirmed, based on consideration of new data;
- .2 the WG's finalization of the revision of the existing hazard evaluation procedure;
- .3 the WG's progress in drafting a new GESAMP Reports and Studies report with its publication planned to be in time for GESAMP's 50th anniversary in 2019; and
- .4 that the IMO ESPH Working Group and the PPR Sub-Committee had requested Working Group 1 (WG 1) to give more guidance for the hazard evaluation of mixtures.

6 GESAMP noted that WG 1 had informally discussed the procedures and the workload when evaluating new substances. The total volume of data sets, the number of publications linked to the submitted data and the risk assessment reports on the chemical substances involved have all increased significantly during the last decade. The main reason for such an

increase in the volume of data sets is the European chemicals policy with the requirements set under the so-called REACH regulation. Under this European legislation, the chemical industry has not only to establish a full set of safety information including competent summaries of scientific studies, but also to compile specific Chemical Safety Reports (CSR). Such reports usually exceed 100 pages (often running into several hundred pages as in the cases of the substances evaluated during EHS 55) and are of a confidential nature. With the number of submissions to be evaluated during a five-day session, a full study of such documents by all members of the Working Group is not possible. New ways of making such confidential information available for the Working Group's experts in preparation of the meeting should be discussed. It was noted that there were legal restrictions for circulation of confidential data and practical challenges concerning the overall workload of the members of the Working Group when such homework would be introduced. The situation will be further discussed within WG 1.

7 GESAMP further noted that WG 1 initiated discussions on possible future amendments to the existing guidance during its fifty-third session in 2016, developed first drafts intersessionally and finalized draft texts and rationales during the fifty-fourth session in 2017. In 2018, at the fifty-fifth session, the Group considered the draft revision of this Hazard Evaluation Procedure that had been prepared intersessionally by EHS expert subgroups under the coordination of the Chair. As requested by IMO bodies, WG 1 developed guidance for assessing mixtures during its fifty-fifth session and finalized it by correspondence during the weeks after to be integrated into the new Hazard Evaluation Procedure.

8 Having recalled the agreed timeline for completion of the revision of the Hazard Evaluation Procedure for finalization and publication in time for the 50th anniversary of GESAMP in 2019, the Group comprehensively reviewed the draft that had been prepared intersessionally and concluded that all technical and scientific matters had been considered sufficiently and to the satisfaction of the Group. GESAMP noted the progress and agreed that, as the draft revision was a result of a comprehensive review by WG 1, it should be subject to a formal review by GESAMP and it should be assigned a new Report and Studies number. Subsequently, GESAMP invited the Secretariat to take appropriate action for the revised "GESAMP Hazard Evaluation Procedure for Chemicals Carried by Ships, 2019" to be published before EHS 56.

8 The terms of reference of the GESAMP EHS Working Group, as given by GESAMP at its sixth session in 1974 and amended at its eighth session in Rome (1976) are: "To examine and evaluate data and to provide such other advice as may be requested, particularly by IMO, for evaluating the environmental hazards of harmful substances carried by ships, in accordance with the rationale approved by GESAMP for this purpose".

9 GESAMP noted that the above terms restricted the scientific evaluation and advice to environmental hazards. However, during the last years, Working Group 1 had been requested to evaluate occupational hazards for ships crews and those handling the cargo, as well as to offer advice on maritime emergency response. The GESAMP Hazard Profile is used by IMO and maritime administrations for assigning minimum carriage requirements for the transport of liquid bulk cargoes in general. Most of these technical requirements target ship safety, many relate to environmental protection and others relate to occupational protection. Upcoming IMO regulations will specify the involvement of the GESAMP EHS Working Group and the use of the GESAMP Hazard Profile in all of these three areas.

10 Accordingly, GESAMP approved the revised Terms of Reference for Working Group 1 to read as follows: "The GESAMP Working Group on the Evaluation of the Hazards of Harmful Substances Carried by Ships is an expert group to provide best available scientific assessment of the environmental, occupational and safety hazards of chemicals, in particular to:

- .1 provide scientific advice on the hazards of chemicals transported by ships as may be requested, particularly by IMO;
- .2 evaluate safety data and test reports on specific chemicals submitted by industry in accordance with the rationale approved by GESAMP for this purpose and create a GESAMP Hazard Profile for such chemicals accordingly;
- .3 maintain a list of hazard evaluations ("Composite List" of GESAMP Hazard Profiles) for the use by IMO and keep it up to date based on available scientific data; and
- .4 observe the developments concerning the international harmonization of hazard classification by the United Nations and scientific guidance on hazard assessment published by international organizations to improve the GESAMP hazard evaluation procedure and GESAMP hazard ratings."

OTHER WORK

11 The task of **Working Group 34** (WG 34), the "GESAMP Ballast Water Working Group", is to evaluate the risks for the crew and the ships safety, the risk for the public at large, and the environmental safety of the Ballast Water Management Systems. During two sessions in November 2017 and June 2018, the Group evaluated three systems. WG 34 had initiated the drafting of a Reports & Studies report on the whole subject including the Methodology for working procedures. GESAMP decided that the current draft should be distributed among GESAMP members for peer review, for the final publication to be available before the 50th anniversary of GESAMP in 2019. (Review has taken place.)

12 **Working Group 38** on "Atmospheric input of chemicals to the ocean" had prepared a synthesis of the results from seven scientific papers in a report which had been reviewed by GESAMP and published in early 2018 as Reports & Studies No.97. The work led to the new scientific activities on the changing atmospheric acidity and the impact of ocean acidification on fluxes of non-CO₂ climate-active species in two workshops in February and March 2018 with 34 scientists from 15 countries.

13 **Working Group 39**, the "Establishment of trends in global pollution in coastal environments" is to provide a retrospective analysis using dated environmental archives and time-series data from peer-reviewed published research. The Working Group had completed a draft report by August 2018, first reviewed by GESAMP members, followed by external reviewers in the latter half of 2018. Some principal issues resulting from the review were discussed, which resulted in amendments of the graphical presentation. GESAMP agreed that after completion, the report should be published. GESAMP noted that, overall, the results presented in the report showed that for most contaminants that have been regulated the concentration had gone down, which should be highlighted better, since this would be particularly important, when interpreted in a policy context.

14 "Sources, fate and effects of plastics and micro-plastics and in the environment" are dealt with in **Working Group 40** (WG40). WG 40 held three workshops in September 2017 in Paris, in March 2018 in San Diego, and in June 2018 in Bangkok. A report on guidelines covering terminology and methodologies for the monitoring and assessment of marine macro-plastics and microplastics was finalized in late 2018 and published as Reports and Studies No.99.

15 **Working Group 41**, the "Working Group on marine geoengineering" had finalized a draft report, which underwent internal and external review. GESAMP noted that the report

would be published in early 2019. The Working Group had no scheduled meetings and depending on the discussion of the report, the lead agencies would consider their interest in further funding. Key points from the report were: .1 some 25 approaches had been assessed in 8 categories; .2 the information available varied widely from just concepts to many scientific papers; .3 there was generally insufficient information to assess to permit robust scientific assessment; and .4 consequently, the WG focused on evaluating illustrative examples from each of the eight categories. The report has since been published as Reports and Studies No.98.

16 In 2016, GESAMP established **Working Group 42** on the "Impacts of wastes and other matter in the marine environment from mining operations, including deep-sea mining", which had its first meeting in September 2017. A draft report was expected to be finalized in late 2018 to be reviewed in early 2019.

17 As always, the Sponsoring Organizations and the Secretariat reported their work related to the marine environment, e.g. the UN Regular Process and the 2030 Agenda for Sustainable Development, the Sustainable Development Goals (SDGs) and the United Nations Decade of Ocean Science for Sustainable Development. GESAMP experts are involved in some of these activities.

18 FAO, supported by IMO, proposed the establishment of a new working group on Sea-based sources of marine litter, including fishing gear and other shipping-related matter. GESAMP agreed in principle to the establishment, pending the development of a full working group proposal, including terms of reference. (This was approved in early 2019.)

19 GESAMP agreed to further scope out the issue of the impact of "armed conflict on the marine environment" in the intersessional period. GESAMP noted the progress of some scoping activities including the "Relevance of inputs of disinfection byproducts (DBPs) into the marine environment", the "Update the Information on Sources of the Main Pollutants Impacting the Global Marine Environment (The 80:20 Conundrum)" and "Sand and Gravel Mining".

20 Several institutions and NGOs presented their work on marine environment protection, including the World Maritime University, Greenpeace, Oceana, NAFO and ACOPS. On one afternoon GESAMP held a special side event titled "Harmful algal blooms and food security and safety in the context of climate change".

ANNEX 3

OUTCOME OF ESPH 24 AND THE ESPH WORKING GROUP AT PPR 6

1 OUTCOME OF ESPH 24

Evaluation of chemicals

1.1 ESPH 24 considered a number of products as part of its routine assessment and assignment of carriage requirements, in accordance with the IBC Code. Decisions that were based on the outcome of GESAMP/EHS 55 or that are relevant to GESAMP/EHS 56 are summarized below.

VAPOUR-RELATED CARRIAGE REQUIREMENTS FOR NON-VOLATILE CORROSIVE PRODUCTS

1.2 The Group considered document ESPH 24/3/26 (Norway), which proposed that the Group reconsider the requirements for controlled venting and increased ventilation rates for non-volatile corrosive products in a similar manner as had been done at PPR 5 for non-volatile toxic products.

1.3 In this context, the Group recalled that the ESPH Working Group at PPR 5 had agreed to follow, on a case-by-case basis, a similar approach for non-volatile solid substances transported in aqueous solutions as had been used in the case of inorganic brines (see BLG.1/Circ.33, annex, paragraph 10) in relation to inhalation toxicity when the SVC/LC₅₀ ratio could not be calculated due to the exact vapour pressure of the solid not being available.

1.4 The Group further recalled that the rationale behind the above-mentioned decision was that, in general, the vapour pressure of solid substances was very low and only water vapour (i.e. non-toxic vapours) would be emitted when transporting such non-volatile solid substances in aqueous solution.

1.5 Subsequently, the Group agreed that the same rationale could be extended, on a case-by-case basis, to non-volatile corrosive solid substances transported in aqueous solutions. Specifically, it would be applicable when considering vapour-related requirements such as whether controlled or open venting arrangements should be assigned (column g of chapter 17 of the IBC Code) or whether or not increased ventilation would be required (paragraph 15.17 of the IBC Code). The Group also agreed to amend paragraph 10 of the annex to BLG.1/Circ.33 accordingly.

1.6 The Group noted that, had the above decision regarding non-volatile corrosive solid substances been reached before or during PPR 5, less stringent requirements could have been assigned in columns g and o (i.e. "Open" in column g, "No" in column n and no "15.17" in column o) for "Potassium hydroxide solution", "Sodium borohydride (15% or less)/sodium hydroxide", "Sodium chlorate solution (50% or less)", "Potassium formate solutions" and "Sodium hydroxide solution" in the draft revised chapter 17 of the IBC Code (PPR 5/24/Add.1).

1.7 In this regard, the Group suggested that the delegation of Norway could submit a document to MEPC 74 and MSC 101 proposing that the carriage requirements in columns g, n and o for "Potassium hydroxide solution", "Sodium borohydride (15% or less)/sodium hydroxide", "Sodium chlorate solution (50% or less)", "Potassium formate solutions" and "Sodium hydroxide solution" be modified prior to the adoption of the draft revised chapter 17 of the IBC Code.

Guidance for assessing and classifying products under Annexes I and II of MARPOL

Energy-rich fuels

1.8 The Group agreed that the following products, that were listed in annex 11 (Biofuels recognized under the 2011 *Guidelines for the carriage of blends of petroleum oil and biofuels*) of MEPC.2/Circ.23, fulfilled the characteristics described in section 4 of the draft guidelines for the carriage of energy-rich fuels and their blends:

- .1 Alkanes (C4-C12) linear, branched and cyclic (containing benzene up to 1%);
- .2 Alkanes (C5-C7), linear and branched;
- .3 Alkanes (C9-C24) linear, branched and cyclic with a flashpoint ≤60°C;
- .4 Alkanes (C9-C24) linear, branched and cyclic with a flashpoint >60°C;
- .5 Alkanes (C10-C17), linear and branched;
- .6 Alkanes (C10-C26), linear and branched with a flashpoint ≤60°C; and
- .7 Alkanes (C10-C26), linear and branched with a flashpoint >60°C.

1.9 Consequently, the Group agreed that, subject to the draft guidelines for the carriage of energy-rich fuels and their blends being approved at MEPC 73, the products listed in paragraph 1.8 above should be listed in a new annex 12 (Energy-rich fuels subject to Annex I of MARPOL) to MEPC.2/Circ.24 (issued on 1 December 2018). Accordingly, the above-mentioned products and their corresponding biofuel entries would be deleted from list 1 and annex 11 of the MEPC.2/Circular, as appropriate.

1.10 With regard to consequential amendments emanating from the inclusion of the annex 12 to MEPC.2/Circ.24, the Group noted that consequential modifications would have to be made to the draft revised chapter 17 of the IBC Code prior to its adoption (i.e. deletion of the entries that had been included in annex 12 to MEPC.2/Circ.24, as well as deletion of their corresponding biofuel blend entries).

1.11 Similarly, consequential amendments to the 2011 *Guidelines for the carriage of blends of petroleum oil and biofuels, as amended* (MEPC.1/Circ.761/Rev.1) would have to be made (i.e. deletion of references to alkanes (C10-C26), linear and branched with a flashpoint of either 60°C or less or more than 60°C).

2 OUTCOME OF THE ESPH WORKING GROUP AT PPR 6

Evaluation of chemicals

2.1 The Group evaluated and assigned minimum carriage requirements for one list 1 products and three list 3 products (PPR 6/WP.3, section 3 and annexes 1 and 2).

Draft modifications to the draft amendments of the IBC Code

2.2 The Group recalled that ESPH 24 had noted that, as a result of the addition of annex 12 to MEPC.2/Circ.24, consequential modifications to the draft revised chapters 17 and 19 of the IBC Code would need to be introduced prior to their adoption (i.e. deletion of the

entries that had been included in annex 12 to MEPC.2/Circ.24, as well as deletion of their corresponding biofuel blend entries).

2.3 Consequently, the Group prepared draft modifications to the draft revised chapters 17 and 19 of the IBC Code. The full set of modifications to the amendments are set out in annex 5 to document PPR 6/WP.3, to be considered and adopted together with the amendments to the IBC Code by MEPC 74 and MSC 101.

Revision of MEPC.2/Circ.512

2.4 The Group, having recalled that PPR 5 had requested GESAMP/EHS 55 to advise the ESPH Working Group with regard to recommended cut-off values to be used when assessing mixtures containing components with long-term health effects, considered whether to await the outcome of this work by the GESAMP/EHS Working Group for the current revision of the MEPC.1/Circ.512. However, having noted that the revision of the circular was almost finished and the timeline for the completion of the work by GESAMP/EHS was unclear, the Group agreed that there was no need to include this in the current revision of the circular and instead to revisit this at a future session once GESAMP/EHS had completed its work.

2.5 Having agreed on a number of final modifications and having resolved the outstanding issues, including the development of recommendations for the assessment of complex petrochemical mixtures, the Group finalized the draft revision to MEPC.1/Circ.512 on *Revised guidelines for the provisional assessment of liquid substances transported in bulk*, as set out in annex 7 to document PPR 6/WP.3.

Revision of BLG.1/Circ.33

2.6 The Group recalled that ESPH 24 had prepared an updated draft list of decisions with regard to the classification of products, as set out in annex 5 to document PPR 6/3. The Group further recalled that ESPH 24 had agreed that the ESPH Working Group at PPR 6 would prepare a final revised circular for consideration by the Sub-Committee.

2.7 The Group reviewed the draft in detail and, having agreed on a number of final modifications, finalized the draft revised PPR circular on decisions with regard to the categorization and classification of products, as set out in annex 8 to document PPR 6/WP.3.

2.8 The Group further agreed to invite GESAMP/EHS to review the guidance contained in the circular and to consider the possibility of a review and update of GHP ratings for products in the GESAMP Composite List, in line with this guidance, for purposes of consistency and harmonization.

ANNEX 4

CONCENTRATION OF INGREDIENTS OF A MIXTURE THAT WOULD TRIGGER LONG-TERM HEALTH EFFECT RATINGS OF A MIXTURE

Column D3	Hazard evaluation	Concentration limit
C	Carcinogenicity	≥ 0.1%
M	Mutagenicity	≥ 0.1%
	Mutagenicity equivalent to GHS cat. 2	≥ 1%
R	Reproductive toxicity	≥ 0.3% *
Ss	Skin sensitization equivalent to GHS sub-cat. 1A	≥ 0.1%
	Skin sens. equivalent to GHS sub-cat. 1B	≥ 1%
Sr	Respiratory sensitization equivalent to GHS sub-cat. 1A	≥ 0.1%
	Resp. sens. equivalent to GHS sub-cat. 1B	≥ 1%
A	Aspiration hazard	≥ 10% **
T (N, I)	Specific target organ toxicity (STOT)	≥ 1%
	STOT equivalent to GHS cat. 2	≥ 10%

* GESAMP/EHS normally adopts a 0.3% limit value, which is accepted by most authorities; GHS specifies values of both 0.1% and 0.3%.

** The mixture must have a kinematic viscosity ≤ 20.5 mm²/s, measured at 40°C.

ANNEX 5

GESAMP HAZARD PROFILES FOR NEW SUBSTANCES SUBMITTED FOR EVALUATION TO GESAMP/EHS 56

1 This annex sets out the GESAMP Hazard Profiles (GHP) assigned for the products submitted to the current session. The respective substances and their GHPs are summarized in the subsequent table.

ANNEX 5 - GESAMP HAZARD PROFILES FOR NEW SUBSTANCES SUBMITTED FOR EVALUATION TO GESAMP/EHS 56

12 April 2019
Page 1 of 1

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Alkyl (C3-C11) benzenes with phenol-formaldehyde/acrylate polymers (33% or less) (#)	2517	4	NI	4	NR	2	0	0	0	(2)	(2)	(2)	MASS	F	3	
Alkyl (C3-C11) benzenes with phenol-formaldehyde/acrylate polymers (33% or less)	4198									CAS No						
alpha-Olefins (C12+), mixture (#)	2516	(5)	(5)	(5)	(R)	(0)	NI	(0)	(0)	(1)	(1)	(1)	(0)	A		3
alpha-Olefins (C12+), mixture	4197									CAS No						
Sodium oxalate solution (#)	2518	0	(1)	(1)	R	2	1	1	0	(2)	(2)	2		D		2
Sodium oxalate solution	4199									CAS No						

ANNEX 6

UPDATED GESAMP COMPOSITE LIST

Notes:

- 1 In the Composite List, both EHS and TRN (shipping) names are shown for each product. The alphabetical listing of the products is based on the EHS names.
- 2 Any changes introduced in the table since the last issue of the Composite List are highlighted.
- 3 Entries with an EHS name marked with a single asterisk (*) represent cleaning additive components that have only a partial hazard profile assigned. These profiles **cannot be used** for mixture calculations in relation to bulk shipments.
- 4 Entries with an EHS name marked with a double asterisk (**) represent mixture components for which only a partial hazard profile has been assigned. These profiles **may be used** for mixture calculations in relation to bulk shipments.
- 5 Entries with an EHS name marked with a hash mark (#) reflect that for the **C3 rating**, the product, as a vapour rather than an aerosol or mist, could be considered to have a lower inhalation hazard for the purposes of risk management.
- 6 Entries with an EHS name marked with an exclamation mark (!) refer to a mixture that contains components with substantially different physical properties and therefore different physical behaviours when released in the marine environment. The **E2 rating** assigned reflects the most severe impact from an environmental standpoint. For example, a mixture assigned a rating of Fp may also have a major component(s) with sinker characteristics (S) or dissolver characteristics (D).

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 2 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 3 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 4 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Alky/cyclo(C4-C5)alcohols	3825	2447	(1)	(1)	(1)	(R)	(2)	(0)	(1)	(1)	(2)	(2)	(3)	FED	3	
Alkyl amine, alkenyl acid ester, mixture	98	1433	NI	NI	NI	NI	1	NI	(0)	(0)	NI	NI	NI	Fp	2	
Alky(C8+)-amine, Alkenyl (C12+) acid ester mixture														S	1	
Alkyaryl phosphate mixtures (more than 40% Diphenyl tolyl phosphate, less than 0.02% ortho-isomers)	2267	4	4	4	R	4	4	0	0	(1)	1	0				
Alkyaryl phosphate mixtures (more than 40% Diphenyl tolyl phosphate, less than 0.02% ortho-isomers)	280															
Alkylated phenols (C4-C9)	2273	0	2	0	NR	1	0	1	0	(2)	1	1		Fp	2	
Alkylated (C4-C9) hindered phenols	2575															
Alkybenzene distillation bottoms	3106	300	0	2	2	NR	0	(3)	0	0	1	1		Fp	2	
Alky (C12-C15) benzene/indane/indene mixture	1872	0	4	4	NR	0	NI	0	0	0	0	2		FE	2	
Alkybenzene, alkylindane, alkylindene mixture (each C12-C17)	103															
Alkybenzene mixtures (containing at least 50% of toluene)	2303	(2)	(2)	(R)	(3)	(0)	0	0	(2)	2	2	ACMNR		FE	3	
Alkybenzene mixtures (containing at least 50% of toluene)	2909															
Alky (C3-C4) benzenes	91															
Alky (C5-C8) benzenes	2207	5	4	4	(NR)	4	NI	0	0	(2)	(2)	(1)		F	2	
Alky (C5-C8) benzenes	92															
Alky (C5-C8) benzenes	1783	0	4	4	NR	1	NI	0	(0)	(1)	(1)	(1)		F	1	
Alky (C9-C17) (straight or branched)	100															
Alky(C9+)benzenes																
Alkybenzenes mixture (containing less than 1% naphthalene)	2423	3	3	3	NR	4	NI	0	0	(2)	2	1	A	F	3	
Alkybenzenes mixture (containing less than 1% naphthalene)	3600															
Alkybenzenes mixtures (containing naphthalene)	2424	(3)	(3)	(3)	(NR)	(4)	NI	0	0	(1)	1	1	A	F	3	
Alkybenzenes mixture (containing naphthalene)	3698															
Alkybenzenes mixtures (containing naphthalene)	2424	(3)	(3)	(3)	(NR)	(4)	NI	0	0	(1)	1	1	A	F	3	
Alkybenzenes mixtures (containing naphthalene)	3966															
Alky(C11-C13)benzenesulphonates, straight chain	301	3	3	3	R	3	1	1	(1)	(3)	2	3		FD	3	
Alkybenzene sulphonic acid, sodium salt solution	102															
Alky (C3-C11) benzenes with phenol-formaldehyde/acrylate polymers (33% or less) (#)	2517	4	NI	4	NR	2	0	0	0	(2)	(2)	(2)	MASS	F	3	
Alky (C3-C11) benzenes with phenol-formaldehyde/acrylate polymers (33% or less)	4198															
													CAS No			

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Alkyl(branched C10-C18, C12 rich)phenols	2504	0	4	4	NR	5	3	0	0	(3)	3	3	R	Fp	3	
Alkyl/phenols (C10-C18, C12 rich)	4070															
Alkyl dithiocarbamate (C19-C35)	2236	0	NI	0	NI	1	NI	0	0	(0)	0	0	S	S	0	
Alkyl dithiocarbamate (C19-C35)	2538															
Alkyl dithio thiadiazole (C6-C24) (LOA)	1981	5	NI	5	NR	1	NI	0	0	(0)	0	0	S	S	2	
Alkyl dithiothiadiazole (C6-C24)	104															
Alkyl(C4-C20) ester copolymer (LOA)	1986	NI	0	NR	0	NI	0	0	(0)	0	0					
Alkyl ester copolymer (C4-C20)	2202															
Alkylnaphthalenes, crude (containing less than 1% naphthalene)	2425	4	4	4	R	4	NI	0	0	(1)	1	1	AC	F	3	
Alkylnaphthalenes (containing less than 1% naphthalene), crude	3601															
Alkylnaphthalenes, crude (containing naphthalene)	2426	(4)	(4)	(4)	(R)	(4)	NI	0	0	(1)	1	1	AC	F	3	
Alkylnaphthalenes (containing naphthalenes), crude	3699															
Alkyl (C7-C9) nitrates	8	4	NI	4	NR	3	NI	0	0	(3)	2	(3)	F	3		
Alkyl (C7-C9) nitrates	93															
Alkyl(C8-C40)phenol sulphide (LOA)	1985	0	NI	0	NR	0	NI	0	0	(1)	1	1	FD	1		
Alkyl (C8-C40) phenol sulphide	2253															
Alkyl(C8-C9)phenylamine, in aromatic solvent (LOA)	2096	2	NI	2	NR	3	NI	(0)	(0)	(2)	2	2	S	S	2	
Alkyl (C8-C9) phenylamine in aromatic solvents	2200															
Alkyl (C9-C15) phenyl propoxylate	2188	0	NI	0	NR	0	NI	0	0	(2)	2	2	FD	2		
Alkyl (C9-C15) phenyl propoxylate	2430															
Alkyl[(C8-C10)/(C12-C14)];(<40%/>60%)polyglucoside mixture solution (max 55% active material)	2134	3	NI	3	R	3	0	0	0	(3)	2	3	D	D	3	
Alkyl (C8-C10)/(C12-C14);(<40% or less/60% or more) polyglucoside solution (55% or less)	2248															
Alkyl[(C8-C10)/(C12-C14)];(>60%/<40%)poly(glucoside mixture solution (max 55% active material)	2135	3	NI	3	R	2	0	0	0	(2)	2	2	D	D	2	
Alkyl (C8-C10)/(C12-C14);(>60% or more/40% or less) poly(glucoside solution(55% or less)	2246															
Alkyl(C8-C10)polyglucoside solution (max 65% active material)	2136	1	NI	1	R	2	0	0	0	(2)	2	2	D	D	2	
Alkyl (C8-C10) polyglucoside solution (65% or less)	2245															
Alkyl(C8-C10)/(C12-C14);(50%/50%) polyglucoside solution (55% or less)	2133	3	NI	3	R	2	0	0	0	(3)	2	3	D	D	3	
Alkyl(C8-C10)/(C12-C14);(50%/50%) polyglucoside solution (55% or less)	2247															
Alkyl(C12-C14) polyglucoside solution (max 55% active material)	2137	3	NI	3	R	3	0	0	0	(3)	2	3	D	D	3	
Alkyl (C12-C14) polyglucoside solution (55% or less)	2249															
													CAS No			
														110615-47-9		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 6 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 7 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 8 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 9 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 10 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 11 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 12 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 13 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 14 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 15 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 16 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 17 of 67

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 18 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	
Dialkyl (C7-C13) phthalates	566 227	(0)	(4)	(4)	(NR)	(0)	(2)	(0)	(0)	(1)	(1)	(1)	R	Fp	3		
2,6-Dianinohexanoic acid phosphonate mixed salts solution (#)	2469 3989	1	Nl	1	NR	1	(0)	(1)	(1)	(3)	(3)	(3)	D	3			
2,6-Diaminohexanoic acid phosphonate mixed salts solution	98 117	0	0	0	Inorg	1	Nl	0	0	(0)	(1)	(1)	D	1			
Diammonium hydrogen phosphate	574 228	1	Nl	1	NR	(2)	Nl	1	0	0	(2)	(2)	SD	2			
Ammonium hydrogen phosphate solution	577 231	2	Nl	2	R	3	Nl	2	2	3	3	3	FD	3			
Dibromomethane	578 475	3	3	3	NR	2	Nl	0	0	0	1	1	FE	2			
Di-n-butylamine	1857 229	1	Nl	1	Nl	2	Nl	0	0	(3)	3	3	F	3			
Di-butyl ether	2083 2339	5	4	4	NR	4	Nl	Nl	Nl	Nl	Nl	Nl	Nl	Nl			
n-Butyl ether	2082 2250	4	Nl	4	NR	4	Nl	0	0	(1)	1	1	Fp	2			
Dibutyl hydrogen phosphonate	582 230	4	4	4	R	4	1	0	0	1	0	1	R	S	3		
2,4-Di-tert-butyl phenol	2430 3596	5	(3)	(3)	R	4	2	0	0	(0)	0	0	S	0			
2,6-Di-tert-butylphenol	333 232	3	4	4	NR	3	1	1	0	1	(2)	2	CMR	T	S	3	
Di-n-butyl phthalate	2079 56	2	2	2	NR	3	Nl	1	0	2	2	3	S	3			
Dibutyl terephthalate	590 4	1	Nl	1	NR	1	Nl	1	(1)	0	2	2	SD	2			
Dichlorobenzene (all isomers)	3,4-Dichlorobut-1-ene 3,4-Dichloro-1-butene	330	591	1	1	1	NR	2	0	1	0	2	1	2	C	SD	3
1,1-Dichloroethane	1,2-Dichloroethane	330	330	107-06-2	CAS No	75-34-3	CAS No	760-23-6	CAS No	107-06-2	CAS No	107-06-2					

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 19 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
1,6-Dichlorohexane	593 19	3	Nl	3	NR	3	Nl	0	(0)	(0)	0	0		S	0	
Dichloromethane	594 234	1	2	2	NR	1	0	1	0	0	2	2	C		SD	3
2,4-Dichlorophenol	596 30	3	2	2	NR	3	2	3	2	3	3	3	T	S	3	
Dichlorophenol	599 32	0	1	1	R	2	Nl	1	0	(3)	1	3	(T)	D	3	
2,4-Dichlorophenoxyacetic acid, diethanolamine salt solution	600 33	0	1	1	R	3	Nl	1	0	(3)	1	3	(T)	D	3	
2,4-Dichlorophenoxyacetic acid, dimethylamine salt solution	602 34	0	Nl	0	R	2	Nl	1	0	(3)	(1)	3				
2,4-Dichlorophenoxyacetic acid, triisopropanolamine salt solution	605 5	2	1	1	NR	2	1	0	0	1	1	1	SD	1		
1,1-Dichloropropane	606 12	2	1	1	NR	2	0	1	0	2	2	2	SD	2		
1,2-Dichloropropane	608 235	(2)	(1)	(1)	(NR)	(4)	(1)	2	1	2	3	3	CSS	SD	3	
Dichloropropene and dichloropropene, mixture	612 13	1	Nl	1	NR	4	1	2	1	2	3	3	CSS	SD	3	
Dichloropropene/Dichloropropane mixtures	615 25	2	2	2	NR	2	Nl	1	0	(3)	3	3	D	3		
1,3-Dichloropropene	609 28	2	2	2	NR	2	Nl	1	0	(3)	3	3	SD	2		
2,2-Dichloropropionic acid	28															
2,2-Dichloroisopropyl ether	28															
Dicyclopentadiene(80-90%)/Co-dimers(10-20%), mixtures	2389 3559	2	3	3	NR	3	0	2	0	3	2	2	AR	FED	3	
Dicyclohexene, Resin Grade, 81-89%	620 236	0	Nl	0	R	1	0	1	0	0	2	3	T	D	3	
Diethanolamine													CAS No	111-42-2		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 20 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Diethylamine	621 240	0	Nl	0	R	2	Nl	1	2	3	3C	3		DE	3	
2,6-Diethylaniline	1437 35	3	3	NR	2	Nl	1	1	(2)	1	2		FD	2		
2,6-Diethylaniline	624 242	4	4	4	NR	3	Nl	0	(0)	(2)	2	1		F	2	
Diethylbenzene	625 2750	Nl	5	R	0	2	0	0	(1)	1	(1)	R		Fp	3	
Di-(2-ethylbutyl) phthalate																
Diethylbutylbenzene	628 243	0	Nl	0	R	0	0	1	0	2	1	1		D	2	
Diethylene glycol	629 244	2	Nl	2	Nl	1	Nl	0	0	(1)	1	1		FD	1	
Diethylene glycol di-n-butyl ether	630 245	0	Nl	0	NR	0	Nl	1	0	(2)	(2)	2		D	2	
Diethylene glycol dibutyl ether																
Diethylene glycol diethyl ether	2353 2946	0	Nl	0	NR	2	Nl	0	0	(3)	3B	(3)		D	3	
Diethylene glycol initiated polyoxypropylene diamine	2353 3113	0	Nl	0	NR	2	Nl	0	0	(3)	3B	(3)		D	3	
Polyetheramine	1438 247	2	Nl	2	NR	1	Nl	0	0	(2)	(1)	2		S	2	
Diethylene glycol initiated polyoxypropylene diamine																
Diethylene glycol initiated polyoxypropylene diamine																
Diethylene glycol phthalate																
Diethylene glycol phthalate																
Diethylene triamine	638 248	0	1	1	(R)	2	Nl	1	3	3	3A	3	Ss	FD	3	
Diethylentriamine																
Diethylentriamine pentaacetic acid, pentapotassium salt solution (40%) (**)	2466 3929	1	Nl	1	NR	2	Nl	Nl	Nl	Nl	Nl	Nl		D	Nl	
Diethylentriamine pentaacetic acid, pentapotassium salt (40% solution)	2076 249	0	Nl	0	NR	0	Nl	0	(0)	(0)	0	0		D	0	
Diethylentriamine pentaacetic acid, pentasodium salt solution																
Diethylentriamine pentamethylene phosphonic acid, pentasodium salt solution (47 %) (**)	2467 3930	0	Nl	0	R	2	Nl	Nl	Nl	Nl	Nl	Nl		D	Nl	
Diethylentriamine pentamethylene phosphonic acid, pentasodium salt solution (47 %) (**)																
Diethylaminoethanol	622 241	0	Nl	0	NR	3	Nl	1	1	2	3	3		D	3	

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 21 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Diethyl ether		640	0	1	1	NR	0	Nl	1	0	0	1	1		DE	2
Diethyl ether	237															
Di-(2-ethylhexyl) adipate		641	0	2	2	R	4	2	0	0	0	1	1	R	Fp	3
Di-(2-ethylhexyl) adipate	222															
Di-(2-ethylhexyl) phosphoric acid		643	(2)	1	1	NR	2	Nl	0	1	(2)	2	2		Fp	2
Di-(2-ethylhexyl) phosphoric acid	223															
Di-(2-ethylhexyl) phthalate		642	0	4	4	R	0	0	0	0	1	1	1	R	Fp	3
Di-(2-ethylhexyl) phthalate	2751															
Diethyl phthalate		648	3	3	3	R	2	0	0	0	(1)	1	1		S	1
Diethyl phthalate	238															
Diethyl sulphate		649	1	Nl	1	R	(2)	Nl	1	2	3	2	3	CM	SD	3
Diethyl sulphate	239															
Diglycidyl ether of Bisphenol A		653	3	Nl	3	NR	4	Nl	0	0	(2)	1	2	Ss	S	2
Diglycidyl ether of bisphenol A	250															
Diglycidyl ether of Bisphenol F		728	0	Nl	0	NR	3	Nl	0	(0)	(2)	1	(2)	SsR	S	3
Diglycidyl ether of Bisphenol F	251															
Diheptyl phthalate		655	0	(4)	(4)	R	0	Nl	0	0	(1)	1	1		Fp	3
Diheptyl phthalate	252															
Diheptyl phthalate		656	5	Nl	5	(NR)	5	0	0	0	(1)	0	1		FE	1
Di-n-hexyl adipate	224															
Di-n-hexyl adipate		2125	5	Nl	5	R	0	2	0	0	(1)	1	1	R	Fp	3
Di-n-hexyl phthalate		253														
Di-n-hexyl phthalate		657	1	Nl	1	Nl	1	Nl	0	Nl	Nl	Nl	Nl		D	Nl
1,4-Dihydro-9,10-dihydroxy anthracene disodium salt (soln.)		15														
1,4-Dihydro-9,10-dihydroxyanthracene, disodium salt solution																
Diisobutene		575	4	4	4	NR	3	Nl	0	0	0	1	0		FE	2
Diisobutylene	257															
Diisobutylamine		576	(2)	Nl	(2)	(R)	(3)	Nl	2	(2)	2	(3)	(3)		FED	3
Diisobutylamine	256															
Diisobutyl ketone		579	3	Nl	3	R	2	Nl	0	0	2	2	2		F	2
Diisobutyl ketone	254															
														CAS No	108-83-8	

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 22 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 23 of 67

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 24 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Dinonyl phthalate	2993	689	0	Nl	0	R	0	0	0	(1)	1	1		Fp	2	
Di-n-octyl phthalate		692	0	(4)	(4)	(R)	0	0	0	(1)	1	(1)		Fp	2	
Diocyl phthalate		277														
1,4-Dioxane		682	0	0	0	NR	0	0	0	0	0	0	C	D	3	
1,4-Dioxane	16															
Dipentene		686	4	Nl	4	NR	2	Nl	0	0	(2)	2	2	Ss	F	3
Dipentene		278														
Diphenyl		694	3	4	4	R	4	1	0	0	(1)	0	1	S	1	
Diphenyl		279														
Diphenylamine (molten)		2186	3	3	3	NR	3	1	0	0	(1)	1	1			
Diphenylamine (molten)		285														
Diphenylamine, reaction product with 2,4,4-trimethylpentene		1500	Nl	1	1	NR	3	Nl	0	0	(1)	1	1	Fp	2	
Diphenylamines, alkylated		286														
Diphenylamines, alkylated		1770	5	Nl	5	NR	(3)	Nl	0	0	(1)	(1)	(1)		F	2
Diphenyl/Diphenyl ether (mixtures)		287														
Diphenyl/Diphenyl ether mixtures		698	Nl	Nl	4	NR	4	1	0	0	(1)	1	1	(T)	S	1
Diphenyl ether		283														
Diphenyl ether		699	4	4	4	NR	4	Nl	0	0	0	1	1	T	S	1
Diphenyl ether		281														
Diphenyl ether/ Biphenyl phenyl ether mixtures		702	5	Nl	5	NR	4	Nl	0	0	0	1	1	(T)	S	1
Diphenylmethane-4,4'-diisocyanate (#)		282														
Diphenylmethane diisocyanate		700	5	2	2	NR	0	0	0	0	3	2	2	SsSr	S	3
Diphenyloxy propane-epichlorohydrin resins		288														
Di-n-propylamine		2237	3	Nl	3	NR	4	Nl	0	0	(2)	1	2	S	2	
Diphenylene glycol	290															
Di-n-propylamine		704	1	Nl	1	NR	3	Nl	2	2	2	3C	3	FED	3	
Dipropylene glycol	225															
Dipropylene glycol		707	0	1	1	R	0	Nl	0	0	0	0	1	D	1	

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 25 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Dipropylene glycol dibenzoate	708	3	NI	3	R	3	NI	0	0	0	0	0	0	S	0	
Dipropylene glycol dibenzoate	2431															
Di-n-propyl phthalate	713	3	NI	3	(R)	3	NI	(0)	(0)	(1)	(1)	(1)	R	S	3	
Di-n-propyl phthalate	2752															
Distilled Resin Oil, DRO	2299	(3)	NI	(3)	(NR)	(3)	NI	0	0	(2)	2	1	MN	FE	3	
Resin oil, distilled	2958															
Dithiocarbamate ester (C7-C35)	2185	NI	2	2	NR	4	NI	0	0	(1)	1	1	S	1		
Dithiocarbamate ester (C7-C35)	2371															
Ditridecyl adipate	2351	0	NI	0	NR	0	NI	0	0	(2)	2	1	Fp	2		
Ditridecyl adipate	293															
Ditridecyl phthalate	714	0	(0)	0	NR	0	(0)	0	0	(1)	1	(1)	Fp	2		
Ditridecyl phthalate	2994															
Diundecyl phthalate	715	0	(0)	0	NR	0	0	0	0	(1)	1	1	Fp	2		
Diundecyl phthalate	294															
Dodecane	718	5	NI	5	(R)	0	NI	0	0	(1)	(1)	(0)	Fp	2		
Dodecane (all isomers)	295															
tert-Dodecanethiol	2233	5	4	4	NR	0	0	0	0	(2)	2	1	Ss	F	3	
tert-Dodecanethiol	2418															
1-Dodecanol	719	5	2	2	R	4	1	0	0	(1)	1	(1)	Fp	2		
Dodecyl alcohol	298															
1-Dodecene (#)	2473	5	NI	5	R	0	NI	0	0	1	1	(0)	A	F	3	
1-Dodecene	3990															
Dodecene (all isomers) (#)	720	5	NI	5	NR	4	NI	0	0	1	1	0	A	F	3	
Dodecene (all isomers)	296															
2-Dodecenyl succinic acid, dipotassium salt, solution	727	4	NI	4	NR	1	NI	(0)	(0)	NI	NI	NI	D	NI		
Dodecenylsuccinic acid, dipotassium salt solution	297															
Dodecylamine/Tetradecylamine mixture	721	3	NI	3	R	4	NI	1	0	(3)	3	3	F	3		
Dodecylamine/Tetradecylamine mixture	303															
Dodecylbenzene	126	0	NI	0	NR	0	3	0	0	(2)	(2)	(1)	F	2		
Dodecylbenzene	304															
													CAS No	123-01-3		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 26 of 67

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 27 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	
Ethoxylated tallow amine, glycol mixture																	
Ethoxyethylated tallow amine, glycol mixture	2476	2252	2	Nl	2	NR	6	Nl	1	0	3	2	3	D	D	3	
Ethyl acetate		735	0	2	2	R	1	0	0	1	0	1			DE	2	
Ethyl acetoacetate		736	0	0	0	R	1	Nl	0	0	(1)	1	1	D	D	1	
Ethyl acetoacetate	312	313	734	1	Nl	1	R	3	1	1	2	2	2				
Ethyl acrylate		314	1016	0	Nl	0	R	2	Nl	2	2	1	3		GD	3	
Ethylamine		322	2219	Nl	Nl	0	R	2	Nl	2	2	1	3				
Ethylamine		323	740	3	2	2	R	3	(1)	0	0	0	2	T			
Ethylamine solutions (72% or less)		1784	2	Nl	2	Nl	0	0	(2)	2	Nl			FD	2		
Ethylamine solutions (72% or less)		316	745	1	Nl	1	Nl	Nl	Nl	1	1	2	3		FED	3	
Ethylbenzene		477	324	2085	1	Nl	1	NR	2	0	0	0	(1)	1	E	1	
N-Ethylbutylamine		320	748	1	Nl	1	Nl	2	Nl	0	0	(2)	2	Nl		FED	2
Ethyl tert-butyl ether (#)		317	751	4	4	4	NR	3	Nl	(0)	(0)	(1)	(1)		FE	2	
Ethyl tert-butyl ether (#)		325	752	2	Nl	2	Nl	(3)	Nl	1	2	2	3		FED	3	
Ethyl butyrate		478	2081	3	2	2	Nl	3	Nl	1	1	2	2	(2)	N	F	3
Ethyl cyclohexane		2302	S-Ethyl dipropylthiocarbamate	755	0	Nl	0	R	0	Nl	0	0	(2)	1	2	SD	2
Ethylene carbonate		326	Ethylene carbonate	756	0	Nl	0	R	0	Nl	0	0	(2)	1	2	SD	2

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 28 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Ethylen chlorohydrin	756	0	0	R	3	Nl	2	3	4	2	3		D	D	3	
Ethylen cyanohydrin	327															
Ethylen cyanohydrin	757	0	0	0	Nl	2	Nl	1	0	(2)	1	2		D	2	
Ethylen diamine	328															
Ethylenediamine	758	0	1	1	R	3	1	1	2	1	3	3	SsSr	D	3	
Ethylen diamine, tetra acetic acid, di- and tetra-sodium salt	343															
Ethylenediaminetetraacetic acid, tetrasodium salt solution	759	0	Nl	0	NR	2	0	1	(1)	(2)	1	2		D	2	
Ethylen dibromide	344															
Ethylen glycol	760	1	2	2	NR	3	Nl	2	2	2	3	3	CRT	SD	3	
Ethylen glycol	329															
Ethylen glycol acrylate	761	0	Nl	0	R	0	Nl	1	(1)	(1)	0	0		D	1	
2-Hydroxyethyl acrylate	51															
Ethylen glycol butyl ether acetate (#)	764	1	Nl	1	R	2	Nl	1	1	(1)	1	1		FD	1	
Ethylen glycol diacetate	334															
Ethylen glycol diacetate	765	0	Nl	0	NR	2	Nl	0	0	(1)	1	Nl		D	1	
Ethylen glycol diacetate	335															
Ethylen glycol ethyl ether acetate	767	0	Nl	0	R	2	0	1	0	1	1	1	R	D	3	
2-Ethoxyethyl acetate	41															
Ethylen glycol methyl butyl ether	772	1	Nl	1	Nl	1	Nl	Nl	Nl	Nl	Nl	Nl		D	Nl	
Ethylen glycol methyl butyl ether	336															
Ethylen glycol methyl ether acetate	773	0	Nl	0	R	2	Nl	0	0	(0)	(1)	1	R	D	3	
Ethylen glycol methyl ether acetate	337															
Ethylen glycol monoacetate	762	0	Nl	0	R	2	Nl	0	0	(3)	Nl	(3)		D	3	
Ethylen glycol acetate	333															
Ethylen glycol monoalkyl ethers	2268	0	Nl	0	R	2	Nl	1	2	2	1	2		D	2	
Ethylen glycol monoethyil ether	338															
2-Ethoxyethanol	766	0	Nl	0	R	0	0	0	0	1	2	2		D	3	

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 29 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Ethyleneglycol phenyl ether	775	1	Nl	1	R	1	0	1	0	0	1	2		SD	2	
Ethyleneglycol phenyl ether	339												CAS No	122-99-6		
Ethylene glycol phenyl ether/Diethylene glycol phenyl ether, mixture	1740	Nl	Nl	1	R	1	Nl	1	0	(2)	(2)	(2)		SD	2	
Ethylene glycol phenyl ether/Diethylene glycol phenyl ether mixture	340												CAS No			
Ethylene glycol (>75%)/Sodium alkyl carboxylates/borax mixture (#)	2477	Nl	(1)	(1)	R	1	Nl	1	(1)	(2)	(1)	(1)	R	D	3	
Ethylene glycol (>75%)/Sodium alkyl carboxylates/borax mixture	4006												CAS No			
Ethylene glycol (>85%)/Sodium alkyl carboxylates mixture (#)	2475	Nl	(1)	(1)	R	1	Nl	1	(1)	(1)	0	0		D	1	
Ethylene glycol (>85%)/Sodium alkyl carboxylates mixture	4005												CAS No			
Ethylene oxide	77	Nl	Nl	Nl	Nl	Nl	Nl	1	(1)	3	3	3	CMR	GD	3	
Ethylene oxide	2744												CAS No	75-21-8		
Ethylene-propylene copolymer	1508	Nl	Nl	Nl	Nl	Nl	Nl	(0)	(0)	(0)	(0)	(0)		Nl	0	
Propylene-Butylene copolymer	633												CAS No			
Ethylene vinyl acetate copolymer (emulsion)	779	0	1	1	NR	0	0	0	(0)	(2)	2	0		S	2	
Ethylene-vinyl propionate	342												CAS No			
Ethyl 3-ethoxypropanoate	1439	1	Nl	1	NR	2	Nl	0	0	0	1	1		FD	1	
Ethylhexanoic acid	321												CAS No	763-69-9		
2-Ethylhexanoic acid	776	2	Nl	2	R	2	Nl	0	0	(2)	2	2		FD	3	
2-Ethylhexanoic acid	45												CAS No	149-57-5		
2-Ethylhexyl acrylate	782	3	Nl	3	R	2	Nl	0	0	(2)	2	2	Ss	F	3	
2-Ethylhexyl acrylate	46												CAS No	103-11-7		
2-Ethylhexyl esters of fatty acids	2221	0	Nl	0	R	1	Nl	0	(0)	(0)	1	0		F	1	
2-Ethyl-2-(hydroxymethyl)propane-1,3-diol C8-C10 ester (LOA)	2578												CAS No			
2-Ethyl-2-(hydroxymethyl)propane-1,3-diol (C8-C10) ester	2054	0	Nl	0	R	0	Nl	0	(0)	(0)	0	(0)		Fp	2	
5-Ethylidene-2-norbornene	42												CAS No			
Ethylidene norbornene	783	3	3	3	NR	3	0	0	0	2	1	2		FE	2	
Ethyl isomyl ketone	345												CAS No	16219-75-3		
Ethyl isomyl ketone	737	Nl	Nl	Nl	Nl	Nl	Nl	0	0	(1)	1	(2)		FD	2	
Ethyl methacrylate	2618												CAS No	541-85-5		
Ethyl methacrylate	318	785	1	Nl	1	R	2	0	0	0	(2)	(2)	Ss	FE	2	
Ethyl methacrylate													CAS No	97-63-2		

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 30 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
		2228	0	NI	0	NR	2	NI	3	2	2	3A	3		D	3
		CAS No														
N-Ethyl-2-methallylamine	2417														S	NI
o-Ethyl phenol	788	2	NI	2	NI	(2)	NI	1	NI	NI	NI	NI	NI		ED	2
o-Ethyphenol	535															
Ethyl propionate	790	1	NI	1	NI	2	0	0	(1)	(2)	2	2				
Ethyl propionate	319									CAS No	105-37-3					
2-Ethyl-3-propylacrolein	791	2	NI	2	R	3	NI	0	0	1	3	3		F	3	
2-Ethyl-3-propylacrolein	43									CAS No	645-62-5					
Ethyl toluene (all isomers)	2297	3	NI	3	NI	(3)	NI	0	0	0	2	2		F	2	
Ethyl toluene	346									CAS No						
Fatty acid methyl esters	2362	0	NI	0	R	2	NI	0	(0)	(2)	2	2		Fp	2	
Fatty acid methyl esters (m)	3125									CAS No						
Fatty acids, essentially linear, C6-C18, 2-ethylhexyl ester	2253	0	NI	0	R	1	NI	0	0	(1)	1	0		Fp	2	
Fatty acids, essentially linear (C6-C18) 2-ethylhexyl ester	1914									CAS No						
Fatty acids, essentially linear, C6-C18, 2-ethylhexyl ester	2253	0	NI	0	R	1	NI	0	0	(1)	1	0		Fp	2	
Fatty acid (C8-C16) ethyl hexyl esters	2759									CAS No						
Fatty acids, linear, C8-C18 saturated with C18 unsaturated	2260	(4)	NI	(4)	R	(4)	(1)	(0)	(0)	(1)	(1)	(1)		Fp	2	
Fatty acids, (C8-C18)	2779									CAS No						
Fatty acids, linear C12+ saturated with C12+ unsaturated	2261	5	0	0	(R)	0	NI	(0)	(0)	(1)	(1)	(1)		Fp	2	
Fatty acids, (C12+)	2780									CAS No						
Fatty acids saturated, C8-C10	2324	0	NI	0	R	4	NI	0	0	(3)	3C	3		Fp	3	
Fatty acids, (C8-C10)	3079									CAS No						
Fatty acids, unsaturated, linear, C16+	2259	0	0	0	R	(0)	NI	0	0	(0)	0	0		Fp	2	
Fatty acids, (C16+)	2778									CAS No						
Fatty alcohols, linear, (C12+)	2326	(5)	(2)	(2)	(R)	(4)	(1)	0	0	(1)	1	1		Fp	2	
Alcohols (C12+), primary, linear	3081									CAS No						
Fatty alcohols, linear, (C12+)	2327	(5)	(2)	(2)	(R)	(0)	(1)	0	0	(1)	1	1		Fp	2	
Alcohols, linear, (C16+)	3082									CAS No						
Ferric chloride	339	Inorg	5	5	Inorg	2	0	1	(0)	(3)	2	3		D	3	
Ferric chloride solutions	348									CAS No	7705-08-0					

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 31 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 32 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Formic acid mixture (containing up to 18% propionic acid and up to 25% sodium formate)	2408	0	NI	0	R	1	NI	(0)	(0)	(2)	(2)	(2)	(3)		D	3
Fumaric adduct of rosin (water dispersion)	3684															
Fumaric adduct of rosin, water dispersion	357															
Furfural	812	0	NI	0	R	2	1	2	(2)	3	2	2	C	D	3	
Furfural	358															
Furfuryl alcohol	813	0	NI	0	R	1	NI	2	2	3	2	2		D	2	
Furfuryl alcohol	359															
Glucitol/glycerol blend propoxylated (containing 10% or more amines)	2441	2	NI	2	NR	1	1	1	0	(2)	(1)	(1)		D	2	
Glucitol/glycerol blend propoxylated (containing 10% or more amines)	3919															
Glucitol/glycerol blend, propoxylated (containing less than 10% amines)	2368	0	NI	0	NR	1	NI	1	0	(2)	(1)	(1)		SD	2	
Glucitol/glycerol blend propoxylated (containing less than 10% amines)	3074															
Glycerine	814	0	NI	0	R	0	0	0	0	(1)	0	1		D	1	
Glycerine	363															
Glycerine (83%)/ Dioxane-dimethanol (17%) mixture	1743	NI	NI	NI	R	1	NI	0	(0)	(1)	(0)	1		D	1	
Glycerine (83%)/ Dioxanedimethanol (17%) mixture	364															
Glycerol ethoxylated	2360	0	NI	0	R	0	NI	0	0	(0)	0	0		D	0	
Glycerol ethoxylated	3123															
Glycerol monoleate	1898	0	0	0	R	0	NI	0	(0)	(1)	1	1		Fp	2	
Glycerol monoleate	365															
Glycerol propoxylated	2346	0	NI	0	NR	1	NI	1	0	(2)	1	0		D	2	
Glycerol propoxylated	3110															
Glycerol, propoxylated and ethoxylated	2276	0	NI	0	NR	1	0	0	0	0	0	0		SD	2	
Glycerol, propoxylated and ethoxylated	2872															
Glycerol/sorbitol blend, propoxylated and ethoxylated	2372	0	NI	0	NR	2	NI	NI	NI	NI	NI	NI		NI	NI	
Glycerol/sorbitol blend, propoxylated and ethoxylated	3136															
Glycerol/sucrose blend, propoxylated and ethoxylated	2361	0	NI	0	NR	1	NI	0	0	0	0	0		SD	0	
Glycerol/sucrose blend propoxylated and ethoxylated	3124															
Glyceryl tracetate	816	0	NI	0	R	1	0	1	0	0	0	0		D	1	
Glyceryl tracetate	367															
													CAS No	102-76-1		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 33 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Glycidyl ester of C-10 trialkyl acetic acid	441 368	NL	3	NR	3	NL	0	0	(2)	2	1			F	2	
Glycidyl ester of C-10 trialkylacetic acid	817 2539	0	NL	0	NI	0	NL	0	(0)	(1)	(0)	(1)		D	1	
Glycine, Sodium salt, solution	369								CAS No	56-40-6				D	3	
Glycolic acid solution (70% or less)	2218 84	0	0	0	R	1	NL	1	(1)	2	3C	3		D	3	
Glyoxal solutions (40% or less)	370	0	NL	0	R	1	NL	0	0	2	2	3	MSsSr	D	3	
Glyoxylic acid	1535 371	0	NL	0	R	2	0	0	0	(3)	0	3	Ss	D	3	
Glyoxylic acid solution (50 % or less)	1765 2204	0	0	0	NR	3	0	0	0	(3)	0	3		D	3	
Glyphosate solution, without surfactant								CAS No	298-12-4							
Glyphosate solution (not containing surfactant)								CAS No	107-22-2							
Grape Seed Oil	2442 3643	(0)	NL	(0)	(R)	(0)	(0)	(0)	(0)	(1)	(0)	(1)		Fp	2	
Groundnut oil	820 2769	0	NL	0	R	(2)	NL	(0)	(0)	(0)	(0)	(0)		Fp	2	
Heptane	827 372	4	NL	4	R	4	NI	0	0	0	(1)	1	A	E	2	
Heptane (all isomers)								CAS No	142-82-5							
Heptanoic acid	831 479	2	NL	2	R	1	NI	0	0	1	3B	(3)		FD	3	
n-Heptanoic acid								CAS No	111-14-8							
Heptanol (all isomers)	2223 373	2	NL	2	R	(2)	NI	0	0	(2)	(1)	(2)		FD	2	
Heptanol (all isomers) (d)								CAS No								
1-Heptanol	828 2688	2	NL	2	R	2	0	1	0	2	(2)	(2)		FD	2	
1-Heptanol	2225 374	3	NI	3	NI	2	NI	(0)	(0)	(0)	(2)	(1)		E	2	
Heptene (all isomers)								CAS No	111-70-6							
Heptene (all isomers)								CAS No								
1-Heptene	832 2685	3	NI	3	NI	2	NI	(0)	(0)	(0)	(2)	(1)		E	2	
Heptyl acetate	833 375	3	NI	3	(R)	(3)	NI	0	0	(2)	1	2		F	2	
Heptyl acetate								CAS No	112-06-1							

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 34 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 35 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	
Hexene (all isomers)		2224	3	Nl	3	R	3	Nl	(0)	(0)	(1)	(1)	(1)	(1)	(1)	E	2
Hexene (all isomers)		386															
1-Hexene		855	3	Nl	3	R	3	Nl	0	0	0	1	1		E	2	
1-Hexene		2681															
2-Hexene (mixed isomers)		856	3	Nl	3	R	3	Nl	(0)	(0)	0	(1)	(1)		E	2	
2-Hexene (mixed isomers)		2682															
Hexyl acetate		857	2	Nl	2	Nl	3	Nl	0	0	(1)	1	1		FE	2	
Hexyl acetate		387															
sec-Hexyl acetate		858	2	Nl	2	Nl	3	Nl	0	0	0	1	(2)		FED	2	
Methylamyl acetate		456															
Hexylene glycol		859	0	Nl	0	R	0	0	0	0	(3)	2	3		D	2	
Hexylene glycol		388															
Hydrocarbon wax		2278	(5)	Nl	(5)	NR	0	0	(0)	(0)	(0)	(0)	CT	Fp	3		
Hydrocarbon wax		741															
Hydrochloric acid		864	Inorg	0	0	Inorg	1	Nl	1	1	3	3C	3		DE	3	
Hydrogenated Starch Hydrolysate		2347	0	Nl	0	R	0	Nl	0	0	(0)	0	0		D	0	
Hydrogenated starch hydrolysate		3077															
Hydrogen peroxide, more than 60%		867	Inorg	0	0	Inorg	3	Nl	1	0	2	3	3		D	3	
Hydrogen peroxide solutions (over 60% but not over 70% by mass)		390															
Hydrogen peroxide, more than 60%		867	Inorg	0	0	Inorg	3	Nl	1	0	2	3	3		D	3	
Hydrogen peroxide, more than 60%		2689															
Hydrogen peroxide, more than 60%		2231	Inorg	0	0	Inorg	3	Nl	1	0	(2)	3	3		D	3	
Hydrogen peroxide solutions (over 8% but not over 60% by mass)		391															
Hydrogen peroxide, more than 8% but not more than 60%		2231	Inorg	0	0	Inorg	3	Nl	1	0	(2)	3	3		D	3	
Hydrogen peroxide, more than 8% but not more than 60%		2690															
N-(2-Hydroxyethyl) ethylene diamine triacetic acid, trisodium salt solution		870	0	Nl	0	Nl	1	Nl	0	0	(1)	1	1	R	D	3	
N-(2-Hydroxyethyl) ethylenediaminetriacetic acid, trisodium salt solution		470															
[(2-hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt		2493	0	Nl	0	NR	1	Nl	0	0	(0)	0	1		D	1	
[(2-hydroxyethyl)imino]dimethylene]bisphosphonic acid, sodium salt		4127															
														CAS No	22036-73-8		

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 36 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
		871	1	Nl	1	R	1	Nl	0	0	(3)	1	3		D	3
2-Hydroxy-4-(methylthio) butanoic acid	49															
Icosa(oxypropane-2,3-diy)s	2092	Nl	Nl	Nl	Nl	Nl	Nl	Nl	0	(0)	(2)	2	(2)		Fp	2
Icosa(oxypropane-2,3-diy)s	392															
Ilipe(oxypropane-2,3-diy)s	2092	Nl	Nl	Nl	Nl	Nl	Nl	Nl	0	(0)	(2)	2	(2)		Fp	2
Ilipe oil (containing less than 10% free fatty acids)	2691															
Ilipe oil	2304	(0)	Nl	(0)	(R)	(0)	Nl	(0)	(0)	(0)	(0)	(0)	(0)		Fp	2
Ilipe oil	3034															
Imidazolium compounds, 1-benzyl-4,5-dihydro-1-(hydroxyethyl)-2-norcoo alkyl chlorides	2505	(0)	Nl	(0)	NR	4	Nl	Nl	Nl	Nl	(2)	(3)			Fp	3
Imidazolium compounds, 1-benzyl-4,5-dihydro-1-(hydroxyethyl)-2-norcoo alkyl chlorides	4157															
Interesterified Mixed Vegetable Oils	2355	0	Nl	0	R	(0)	Nl	(0)	(0)	(0)	(1)	(1)	(1)		Fp	2
Interesterified vegetable oils	3115															
Isobutanol	382	0	Nl	0	R	1	0	0	0	1	2	3			D	3
Isobutyl alcohol	397															
Isobutyl formate	405	1	Nl	1	Nl	1	Nl	0	(0)	0	(1)	(2)			E	2
Isobutyl formate	398															
Isobutyl methacrylate	408	2	Nl	2	NR	1	Nl	0	0	0	2	2	Ss		FED	2
Isobutyl methacrylate	2673															
Isobutyric acid	419	0	Nl	0	R	2	Nl	2	2	(3)	3	3		E	Nl	
Isodecanol	2459	557	3	2	2	R	3	Nl	0	0	0	2	1		Fp	2
Decyl alcohol (all isomers)	219															
Isononanol	1059	3	Nl	3	NR	3	1	0	0	(2)	2	2			Fp	2
Nonyl alcohol (all isomers)	510															
Isononylaldehyde	2300	3	Nl	3	NR	(3)	Nl	0	0	(2)	2	1			F	2
Isooctanol	2754															
Isooctylaldehyde	1071	2	Nl	2	Nl	3	Nl	0	0	(1)	1	1			F	1
Isooctanol	542															
Iso-Octanol	2675	1076	3	Nl	3	R	2	0	1	0	(2)	2	(2)		F	2

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 37 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 38 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 39 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Long chain alkaryl sulphonic acid (C16-C60) (LOA)	1966	0	NI	0	(NR)	0	NI	0	0	(2)	(1)	2		Fp	2	
Long-chain alkylphenol (C16-C60)	424															
Long-chain alkylphenate/Phenol sulphide mixture	1754	(0)	NI	(0)	(NR)	0	NI	0	0	(2)	2	2		Fp	2	
Long chain alkylphenol (C14-C18) (#)	2478	(0)	NI	(0)	NR	(0)	(0)	(0)	(0)	(2)	(2)	(0)		Fp	2	
Long-chain alkylphenol (C14-C18)	425															
Long chain alkylphenol (C18-C30) (#)	2476	(0)	NI	(0)	(NR)	(1)	(0)	(0)	(0)	(2)	(2)	(0)		Fp	2	
Long-chain alkylphenol (C18-C30)	4040															
Long-chain polyetheramine in alkyl/(C2-C4)benzenes	1457	NI	NI	NI	NR	2	NI	0	0	(2)	2	2		Fp	2	
Lubrizol polyolefin anhydride	422															
Polyolefin anhydride	1865	0	NI	0	NR	1	NI	0	0	(2)	1	(2)		Fp	2	
L-Lysine solution (50% or less)	605															
L-Lysine solution (60% or less)	2199	0	0	0	R	1	0	0	0	0	1	NI		D	1	
Magnesium alkyl (long chain) salicylate (overbased) in mineral oil (LOA)	2306															
Magnesium long-chain alkyl salicylate (C11+)	71	(0)	NI	(0)	NR	(2)	NI	0	0	(1)	(1)	(1)	Ss	S	2	
Magnesium chloride	429													D	0	
Magnesium chloride solution	915	Inorg	0	0	Inorg	1	0	0	0	(0)	0	0				
Magnesium hydroxide slurry	427															
Magnesium hydroxide slurry	916	Inorg	0	0	Inorg	0	NI	0	0	(1)	(0)	1	S	1		
Magnesium lignosulphonate solutions	428															
Magnesium lignosulphonate solutions	2356	(0)	NI	(0)	(NR)	(0)	NI	0	0	(0)	(0)	(0)	D	D	0	
Ligninsulphonic acid, magnesium salt solution	3116															
Magnesium long chain alkaryl sulphonate (C11-C50) (LOA)	1967	0	NI	0	NR	0	NI	0	0	(2)	1	2		Fp	2	
Magnesium long-chain alkaryl sulphonate (C11-C50)	430															
Maleic acid(allyl) sulphonic acid copolymer with phosphonate groups, partial sodium salt (aqueous solution)	2412	0	NI	0	NR	0	NI	(0)	(0)	(0)	(0)	(0)		D	0	
Maleic acid(allyl) sulphonic acid copolymer with phosphonate groups, partial sodium salt (aqueous solution)	3688															
Maleic anhydride	921	1	NI	1	R	2	0	1	2	(3)	3	3	SsSr	D	3	
Maleic anhydride	431															
													CAS No	108-31-6		

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 40 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	
Maleic anhydride - sodium allylsulphonate copolymer (aqueous solution)		2410	0	Nl	0	NR	1	Nl	0	0	(0)	(0)	0		D	0	
Maleic anhydride-sodium allylsulphonate copolymer solution	3686																
Maltitol Syrup		2348	0	Nl	0	R	0	Nl	0	0	(0)	0	0		Fp	2	
Maltitol solution	3078																
Mango kernel oil (containing less than 10% free fatty acids)		2305	(0)	Nl	(0)	(R)	(0)	Nl	(0)	(0)	(0)	(0)	(0)				
Mango kernel oil	3035																
2-Mercaptobenzothiazol		925	2	1	1	NR	4	2	0	0	(0)	0	0	Ss	S	2	
2-Mercaptoethanol	432																
Mesityl oxide		2495	0	Nl	0	NR	1	Nl	2	2	2	2	3	SsT	D	3	
Mesityl oxide	4129																
Metam-sodium (ISO)		946	1	Nl	1	R	(1)	Nl	1	0	2	2	2		D	2	
Metam sodium solution	433																
Methacrylic acid-alkoxypoly (alkylene oxide) methacrylate co-polymer sodium salt (45% or less solution)		2288	Nl	0	0	NR	1	Nl	0	(0)	(1)	1	0		D	1	
Methacrylic acid - alkoxypoly (alkylene oxide) methacrylate copolymer, sodium salt aqueous solution (45% or less)	2819																
Methacrylic acid, inhibited		948	0	Nl	0	R	2	0	1	2	2	2	3		D	3	
Methacrylic acid	435																
Methacrylic resin in 1,2 Dichloroethane soln.		2046	1	1	1	NR	2	0	(1)	(0)	(2)	(1)	(2)	C	SD	3	
Methacrylic resin in ethylene dichloride	436																
Methacrylonitrile		949	0	Nl	0	R	2	0	2	2	3	1	1	Ss	NT	ED	3
Methacrylonitrile	437																
Methanol		951	0	Nl	0	R	0	0	(2)	(2)	(2)	2	2	T		DE	3
Methyl alcohol	441																
(2-Methoxyethyl)propanols		2452	0	Nl	0	R	0	(0)	0	0	(0)	0	0		D	0	
Methyl acetate	3870																
Methyl acetoacetate		954	0	Nl	0	R	1	Nl	0	0	0	0	1	2	DE	2	
Methyl acetacetate	438														D	2	
Methyl acetacetate	335	0	Nl	0	R	1	Nl	0	0	(2)	1	2					
Methyl acetacetate	439																
														CAS No	105-45-3		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 41 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 42 of 67

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 43 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	
Methyl naphthalenes		1999	4	NI	4	(NR)	(4)	NI	1	0	(2)	1	1	T	F	2	
Methyl napthalene (molten)		451															
2-Methyl pentane		1000	3	NI	3	NI	4	NI	(0)	(0)	(2)	(2)	(2)				
2-Methylpentane		2684															
2-Methyl-1,3-propanediol		2213															
Methyl propyl ketone		1003	0	NI	0	(R)	0	NI	1	0	(2)	1	2	FED	2		
Methyl propyl ketone		452															
2-Methyl pyridine		1005	1	NI	1	R	1	NI	1	2	1	3A	3	D	3		
2-Methylpyridine		55															
3-Methylpyridine		1006	1	NI	1	R	1	NI	1	2	2	3	3	D	3		
3-Methylpyridine		61															
4-Methylpyridine		1007	1	NI	1	(R)	1	NI	1	2	2	3	3	D	3		
4-Methylpyridine		63															
N-Methyl-2-pyrrolidone		1008	0	NI	0	R	1	NI	0	0	2	1	2	R	D	3	
N-Methyl-2-pyrrolidone		481															
Methyl salicylate		86	2	NI	2	R	2	NI	1	1	(2)	2	1	R	SD	3	
Methyl salicylate		453															
alpha-Methylstyrene		1010	3	3	3	NR	3	NI	0	0	1	2	1	M	(T)	FE	3
alpha-Methylstyrene		107															
3-(Methylthio) propanaldehyde		993	0	NI	0	R	3	1	1	1	2	2	3	NSs	T	D	3
3-(Methylthio) propanaldehyde		2368															
Metolachlor (ISO)		113	2	2	2	NR	5	1	1	0	(2)	1	0	Ss	S	2	
N-(2-Methoxy-1-methyl ethyl)-2-ethyl-6-methyl chloroacetanilide		469															
Mixed acid oil		2306	(0)	NI	(0)	(R)	(0)	NI	0	(0)	(1)	(1)	1	Fp	2		
Acid oil mixture from soyabean, corn (maize) and sunflower oil refining		3036															
Mixture of dithiophosphate salts in water		2381	1	0	1	NR	2	NI	0	0	(2)	2	2	D	2		
Dialkyl thiophosphates sodium salts solution		3424															
Molasses		1013	0	NI	0	R	0	NI	0	0	0	0	0	D	0		
Molasses		462															
														CAS No			

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 44 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Molybdenum polysulphide long chain alkyl dithiocarbamide complex	3108	2344	4	2	2	NR	2	0	0	0	(2)	2	2		Fp	2
Mononitrobenzene		1017	1	1	1	R	3	(4)	(2)	2	2	1	1	CRT	SD	3
Morpholine	501	1018	0	0	0	R	2	NI	1	2	2	3	3		D	3
Nitrobenzene		463														
Myrcene		1019	4	NI	4	R	4	1	0	0	(2)	2	NI		F	2
Myrcene	465															
Naphthalene (molten)		1	3	3	NR	4	1	1	(0)	(1)	0	0	T	T	S	2
Naphthalene (molten)	493															
Naphthalene, crude (molten) (#(l))		2459	NI	(3)	(3)	NR	3	0	0	(0)	(2)	2	2	CMT	Fp	3
Naphthalene crude (molten)	3858															
Naphthalene sulphonic acid condensed with formaldehyde, sodium salt, solution		1020	0	1	1	(INR)	1	NI	0	(0)	(1)	0	1		D	1
Naphthalenesulphonic acid-Formaldehyde copolymer, sodium salt solution	494															
Neodecanoic acid		1025	4	NI	4	NR	2	NI	0	0	(2)	0	2		Fp	2
Neodecanoic acid	496															
Nitric acid (90% or less)		1029	Inorg	NI	0	Inorg	2	NI	(3)	(1)	3	3C	3		D	3
Nitric acid (less than 70%)	499															
Nitric acid (90% or less)		1029	Inorg	NI	0	Inorg	2	NI	(3)	(1)	3	3C	3		D	3
Nitric acid (70% and over)	498															
Nitrioltriacetic acid, trisodium salt		1030	0	NI	0	R	1	0	(0)	0	1	1	CMR		D	3
Nitroethane	500															
Nitroethane, 1-Nitropropane (20%)		2245	0	1	1	NR	2	NI	1	1	2	0	1		E	2
Nitroethane(80%)/ Nitropropane(20%)	503															
Nitroethane, 1-Nitropropane (each 15% or more) mixture		2270	(0)	(1)	(1)	(NR)	(2)	NI	1	1	2	0	1		FED	2
2-Nitrophenol		2212														
o-Nitrophenol (molten)	536	1041	1	2	2	R	3	(2)	0	0	(1)	1	1		S	1

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Pace 45 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
1-Nitropropane		1044	0	1	1	NR	1	Nl	1	0	2	0	1		FED	2
1-Nitropropane	2747															
1- or 2- Nitropropane		2242	0	1	1	NR	1	Nl	2	0	2	0	1	C	FED	3
1- or 2- Nitropropane	20															
2-Nitropropane		2748														
2-Nitropropane	2748	1045	0	1	1	NR	2	Nl	2	0	2	0	0	C	FED	3
Nitropropane (60%) Nitroethane (40%) mixture		1046	0	1	NR	2	Nl	1	0	2	0	1	C	FED	3	
Nitropropane (60%) Nitroethane (40%) mixture	504															
o-Nitrotoluene		1049	2	2	2	NR	2	(1)	1	0	(2)	0	1	CMR	S	3
o-Nitrotoluene	2745															
p-Nitrotoluene		1051	2	1	1	NR	3	0	1	0	(2)	0	1	R	S	3
p-Nitrotoluene	2746															
o- or p-Nitrotoluenes		2241	2	2	2	NR	3	(1)	1	0	(2)	0	1	CMR	S	3
o- or p-Nitrotoluenes	532															
Nonane		1054	4	Nl	4	R	4	Nl	0	0	1	1	1	A	FE	2
Nonane (all isomers)		506														
Nonanoic acid		1055	3	Nl	3	R	2	Nl	0	0	(3)	2	3	F	3	
Nonanoic acid (all isomers)		507														
Nonene (all isomers)		2222	4	Nl	4	Nl	3	Nl	0	0	0	1	1	A	FE	2
Nonene (all isomers)		508														
1-Nonene		1060	4	Nl	4	Nl	3	Nl	0	0	0	1	1	A	FE	2
1-Nonene		2680														
Nonyl acetate		1766	4	Nl	4	Nl	Nl	Nl	0	0	Nl	Nl	Nl	F	Nl	
Nonyl acetate		509														
Nonyl methacrylate monomer		1061	5	Nl	5	R	3	Nl	(0)	(0)	(1)	(1)	(1)	F	1	
Nonyl methacrylate monomer		511														
Nonyl phenol		1062	5	4	4	NR	5	3	1	0	(3)	3	3	Fp	3	
Nonylphenol		512														
Nonyl(C ₆ C ₁₂)phenol poly(4-12)ethoxylate		1063	4	Nl	4	NR	3	1	0	0	(2)	2	1	D	2	
Nonylphenol poly(4+)ethoxylate		513														
														CAS No		

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 46 of 67

EHS Name TRN Name	EHS TRN													E1	E2	E3
		A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3			
Nonyl(C6-C12)phenol poly(4-12)ethoxylate	1063	4	NJ	4	NR	3	1	0	0	(2)	2	1		D	2	
Alkyl(C7-C11)phenol poly(4-12) ethoxylate	97															
Octamethylcyclotetrasiloxane	2398	5	5	5	NR	0	3	0	0	0	0	0	0	F	1	
Octamethylcyclotetrasiloxane	3633															
Octane	1072	5	NJ	5	(R)	4	NJ	(0)	(0)	0	0	0	A	FE	2	
Octane (all isomers)	538															
Octanoic acid (Caprylic acid)	1074	3	NJ	3	R	1	NJ	0	0	(3)	3	3		F	3	
Octanoic acid (all isomers)	539															
1-Octanol	1075	3	NJ	3	R	2	0	1	0	(2)	2	2		Fp	2	
Octanol (all isomers)	540															
Octene (all isomers)	1079	4	NJ	4	NR	3	NJ	0	0	0	2	1	A	FE	2	
Octene (all isomers)	541															
Octyl acetate	1080	3	NJ	3	R	2	NJ	0	0	(1)	1	NJ		FD	1	
Octyl decyl adipate	1082	0	NJ	0	(R)	(0)	(0)	(0)	(0)	(1)	(1)	(1)		Fp	2	
Octyl decyl adipate	543															
n-Octyl mercaptan	2461	4	3	3	NR	5	NJ	1	0	(1)	1	0	Ss	F	3	
n-Octyl mercaptan	3742															
Olefin/Alkyl ester copolymer (molecular weight 2000+) (LOA)	1965	NJ	NJ	0	NR	0	NJ	0	0	(0)	0	0		Fp	2	
Olefin mixture (C7-C9)	546															
Olefin mixture (C7-C9) C8 rich, stabilized	2385	5	4	4	NR	4	NJ	(0)	0	0	2	1	A	E	2	
Olefin mixtures (C5-C7)	3548															
Olefin mixtures (C5-C15)	2243	3	NJ	3	R	3	NJ	(0)	(0)	(1)	(2)	(1)		E	2	
Olefin mixtures (C5-C7)	545															
Olefin mixtures (C5-C15)	2321	(5)	NJ	(5)	NR	(4)	NJ	(0)	(0)	(2)	(2)	(1)	A	FE	2	
Olefins C13 and above, all isomers (#)	544															
Olefins (C13+, all isomers)	547	2028	5	NJ	5	NR	0	NJ	0	0	(1)	(1)	0	A	Fp	3

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 47 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 48 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 49 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
1,5-Pentanediol solution, (5-50%) (#) Glutaraldehyde solutions (50% or less)	1107 362	0	Nl	0	R	3	0	1	0	3	3	3	SsSr	D	3	
Pentanoic acid	1109 562	1	Nl	1	Nl	2	Nl	1	2	(3)	3	3		FD	3	
Pentanoic acid	2144 2211	(1)	Nl	(1)	Nl	(2)	Nl	(1)	(2)	(3)	3	(3)		FD	3	
Pentanoic acid (64%)/2-methyl butyric acid (36%) mixture n-Pentanoic acid (64%)/2-Methyl butyric acid (36%) mixture	1110 473	1	1	1	(R)	1	0	1	0	(3)	2	3		FED	3	
1-Pentanol	1111 637	1	1	1	R	1	0	0	(0)	(2)	2	2		D	2	
n-Amyl alcohol	2418 3694	Inorg	0	0	Inorg	1	Nl	Nl	Nl	Nl	Nl	Nl		Nl	Nl	
sec-Amyl alcohol													CAS No	6032-29-7		
Pentasodium triphosphate (*)													CAS No	109-52-4		
Pentene (all isomers)	1992	2	Nl	2	Nl	(2)	Nl	(0)	(0)	(0)	(0)	(0)		E	2	
Pentene (all isomers)	563												CAS No	71-41-0		
1-Pentene	1114 2679	2	Nl	2	Nl	(2)	Nl	(0)	(0)	(0)	(0)	(1)		E	2	
1-Pentene	1115 2678	2	Nl	2	Nl	2	Nl	(0)	(0)	(0)	(0)	(1)		E	2	
2-Pentene	1124 566	1	2	2	R	3	0	2	2	(3)	3	3		NT	S	
2-Pentene	1135 23	5	4	4	NR	(2)	Nl	1	0	(1)	(0)	0		F	1	
Phenol	1854 1345	2	Nl	2	NR	3	Nl	0	(0)	(2)	1	2		FD	2	
Phenylxylylethane													CAS No	40766-31-2		
1-Phenyl-1-xylyl ethane													CAS No	109-68-2		
Phosphate esters, alkyl(C12-C14)amine (LOA)																
Phosphate esters, alkyl(C12-C14) amine																
[(phosphonomethyl)imino]bis[ethylene]enetrifibrois(methylene)]tetrasphosphonic acid, ammonium salt	2509 1345	0	Nl	0	NR	2	(0)	(0)	(0)	(1)	(1)	(1)		D	1	
[(Phosphonomethyl)imino]bis[ethylene]enetrifibrois(methylene)]tetrasphosphonic acid, ammonium salt solution (60% or less)	4077												CAS No	70714-66-8		
Phosphoric acid	1138 567	0	Nl	0	Inorg	1	Nl	1	1	3	3	3		D	3	
Phosphoric acid													CAS No	7664-38-2		

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 50 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
		1139	Inorg	(3)	(3)	Inorg	6	4	0	0	0	2	1		S	2
Phosphorus (elemental yellow)	568															
Phthalic anhydride (molten)	1146	1	Nl	1	R	2	0	1	0	(3)	1	3	SsSr		S	3
Phthalic anhydride (molten)	569															
alpha-Pinene	40	4	Nl	4	R	4	Nl	0	0	0	1	(1)	Ss	T	F	3
alpha-Pinene	109															
beta-Pinene	41	4	Nl	4	(R)	4	Nl	0	0	0	1	(1)	Ss	NT	F	3
beta-Pinene	141															
Pine oil	1148	4	Nl	4	NR	4	Nl	0	0	(1)	(1)	(1)	Ss	(T)	Fp	3
Pine oil	570															
Piperazine, 68% Aqueous	2433	0	Nl	0	NR	2	Nl	0	0	2	3A	3	SsSsN	SD	3	
Piperazine, 68% solution	3748															
Pol(2-8) alkylene (C2-C3) glycols/ Polyalkylene (C2-C3) glycols/Polyalkylene (C2-C10) glycols monoalkyl ethers and their borate esters	2358	(1)	Nl	(1)	(R)	(1)	(0)	0	0	0	2	2		D	2	
Brake fluid base mix: Poly(2-8)alkylene (C2-C3) glycols/Polyalkylene (C2-C10) glycols monoalkyl (C1-C4) ethers and their borate esters	144															
Polyacrylic acid (40% solution)	2302	(2)	Nl	(2)	NR	1	Nl	0	0	(1)	1	1		D	1	
Polyacrylic acid solution (40% or less)	2709															
Polyalkene sulphonic acid (C20-C28), sodium salt (#)	2481	(5)	(4)	(4)	(NR)	1	0	(1)	(0)	(2)	(2)	(2)		Fp	2	
Polyalkene sulphonic acid (C20-C28), sodium salt	4057															
Poly(C18-C22)alkyl acrylate in xylene	1151	(3)	Nl	(3)	NR	2	Nl	0	0	(2)	2	1		Fp	2	
Polyalkyl (C18-C22) acrylate in xylene	580															
Polyalkyl/alkenaminosuccinimide, molybdenum oxy sulphide	2379	Nl	0	0	NR	0	Nl	0	0	(0)	0	0		Fp	2	
Polyalkyl/alkenaminosuccinimide, molybdenum oxy sulphide	3422															
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	1152	1	Nl	1	R	1	0	0	0	0	0	2		D	2	
Poly(2-8)alkylene glycol monoalkyl(C1-C6) ether	576															
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	2254	1	Nl	1	NR	2	1	0	0	0	0	2		D	2	
Poly(2-8)alkylene glycol monoalkyl (C1-C6) ether acetate	575															
Poly N-alkyl/methacrylamide ammonium acrylate copolymer (20 % in DEGME) (**)	2468	0	Nl	0	NR	2	Nl	Nl	Nl	Nl	Nl	Nl		D	Nl	
Poly N-alkyl/methacrylamide ammonium acrylate copolymer (20 % in DEGME) (**)	3931															
													CAS NO			

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 51 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 52 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 53 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 54 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Poly(tetramethylene) ether glycol (mw 600-3000)	2147	2	NI	2	NR	3	NI	0	0	(0)	0	0	(0)	FD	0	
Poly(tetramethylene ether) glycol (mw 600-3000)	2540															
Potassium carbonate solution														D	2	
Potassium carbonate solution	3928															
Potassium chloride brine (less than 26%)	2345	0	0	0	Inorg	2	NI	0	0	(0)	(0)	0	0	D	0	
Potassium chloride solution (less than 26%)	3109															
Potassium chloride solution	1513	0	0	0	Inorg	1	0	0	(0)	(0)	0	0		D	0	
Potassium chloride solution	614															
Potassium formate solution (75% or more)	2121	0	NI	0	R	0	NI	(0)	(0)	(2)	2	2		D	2	
Potassium formate solutions	615															
Potassium hydroxide (sol.)	1171	Inorg	0	0	Inorg	2	NI	2	(2)	(3)	3C	3		D	3	
Potassium hydroxide solution	616															
Potassium iodide	2484	Inorg	(0)	(0)	Inorg	1	0	0	0	(0)	0	0	T	D	2	
Potassium iodide	4060															
Potassium oleate	1497	3	NI	3	R	4	NI	(0)	(0)	(1)	1	1		FD	1	
Potassium oleate	617															
Potassium thiosulphate (50% or less)	2152	Inorg	0	0	Inorg	2	NI	0	0	(2)	2	(2)		D	2	
Potassium thiosulphate (50% or less)	2335															
Propanol	1180	0	NI	0	R	0	NI	1	0	0	1	2	R	D	3	
n-Propyl alcohol	488															
Propanolamine	1183	0	NI	0	R	2	NI	0	1	(3)	3	3		D	3	
n-Propanolamine	485															
2-Propene-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride, homopolymer (aqueous solution)	2420	0	NI	0	R	2	0	0	(0)	(0)	0	(0)		D	0	
2-Propene-1-aminium, N,N-dimethyl-N-2-propenyl-, chloride, homopolymer	3696															
2-Propenoic acid polymer with 4-(1,1-dimethylethyl)phenol, formaldehyde, 2,5-furandione, 2-methyloxirane and oxirane (65% in naphtha/xylene)	2491	(5)	NI	(5)	NR	2	NI	0	0	(0)	(0)	0	A	Fp	3	
2-Propenoic acid polymer with 4-(1,1-dimethylethyl)phenol, formaldehyde, 2,5-furandione, 2-methyloxirane and oxirane (65% in naphtha/xylene)	4125															
2-Propenoic acid polymer with furandione (65% in 2-butoxyethanol)	2435	0	NI	0	NR	2	0	1	0	0	2	2	Fp	2		
2-Propenoic acid polymer with furandione (65% in 2-butoxyethanol)	3750															
													CAS No			

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 55 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 56 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 57 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 58 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 59 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 60 of 67

EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Sulphonated polyacrylate solution	1760	Nl	0	0	Nl	0	Nl	(0)	(0)	(0)	(0)	(0)	S	D	0
Sulphonated polyacrylate solution	674														
Sulphur	906	Inorg	0	0	Inorg	0	Nl	0	0	(1)	1	1	S	1	
Sulphur (molten)	675														
Sulphuric acid	1280	0	Nl	0	Inorg	2	Nl	0	(0)	3	3C	3	C	D	3
Sulphuric acid	676														
Sulphuric acid, spent	677														
Sulphuric acid	1280	0	Nl	0	Inorg	2	Nl	0	(0)	3	3C	3	C	D	3
Sulphuric acid	676														
Oleum	1280	0	Nl	0	Inorg	2	Nl	0	(0)	3	3C	3	C	D	3
Oleum	549														
Sulphurized fat(C14-C20) (LOA)	1853	0	Nl	0	NR	1	Nl	0	(0)	(1)	0	(1)	FD	FD	1
Sulphurized fat (C14-C20)	2257														
Sulphurized polyolefin amide alkene(C28-C250)amine (LOA)	1855	0	Nl	0	NR	0	Nl	0	0	(0)	0	0	FD	0	
Sulphurized polyolefin amide alkene (C28-C250) amine	2258														
Sunflower oil	1283	0	Nl	0	R	0	Nl	(0)	(0)	(1)	(0)	(1)	Fp	2	
Sunflower seed oil	2782														
sym-Dichlorodiethyl ether	588	1	1	1	NR	1	0	2	3	4	1	3	T	SD	3
Dichloroethyl ether	233														
Tall oil acids/linoleic acid dimer/polyalkylene polyamines/dodecylbenzenesulphonic acid complexes in naphthalisopropanol	2448	0	Nl	0	NR	1	Nl	0	0	(0)	0	0	CM	Fp	3
Tall oil acids/linoleic acid dimer/polyalkylene polyamines/dodecylbenzenesulphonic acid complexes in naphthalisopropanol	3866														
Tall oil acids reaction products with diethylenetriamine and acrylic acid in ethylene glycol	2497	3	Nl	3	R	2	Nl	0	0	(1)	0	1	Ss	D	2
Tall oil acids reaction products with diethylenetriamine and acrylic acid in ethylene glycol	4131														
Tall oil acids reaction products with triethanolamine	2492	4	Nl	4	NR	2	Nl	0	0	(1)	1	0	Fp	2	
Tall oil acids reaction products with triethanolamine	4126														
Tall oil, crude and distilled	1285	(4)	Nl	(4)	(R)	(2)	Nl	0	0	(0)	0	0	Ss	Fp	2
Tall oil, crude and distilled	678														
Tall oil, distilled	2283	0	Nl	0	R	0	Nl	0	(0)	(0)	0	(0)	Fp	2	
Tall oil, distilled	2890														
													CAS No		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 61 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
Tall oil fatty acid (resin acids less than 20%)		1287	0	0	R	0	0	0	0	(1)	1	0	Fp	2		
Tall oil fatty acid, barium salt		679														
Tall oil fatty acid, barium salt		1864	Nl	Nl	Nl	Nl	Nl	(1)	(0)	(2)	1	2	S	2		
Tall oil fatty acids reaction products with 2-[[(2-aminoethyl)amino]ethanol, diethyl sulphate quaternized		2508	(3)	Nl	(3)	NR	5	2	Nl	Nl	Nl	(2)	(3)	Ss	D	3
Tall oil fatty acids reaction products with 2-[(2-aminoethyl)amino]ethanol, di-ethyl sulphate quaternized		4160														
Tall oil pitch		2323	3	Nl	3	NR	0	0	0	0	(0)	0	(0)	Fp	2	
Tall oil pitch		3051														
Tall oil soap (disproportionated solution)		1286	Nl	Nl	Nl	Nl	Nl	(1)	(0)	(2)	1	2	D	2		
Tall oil soap (disproportionated) solution		681														
Tall oil soap, crude		2432	0	Nl	0	R	2	0	(0)	(0)	(3)	(3)	Ss	Fp	3	
Tall oil soap, crude		3735														
Tallow		1288	0	Nl	0	R	0	Nl	0	0	(0)	(0)	(0)	Fp	2	
Tallow		682														
Tallowamidopropylamine Oxide in propylene glycol (70% or less) (#)		2482	Nl	(2)	(2)	(R)	(4)	(2)	(1)	(1)	(3)	(3)	(3)	D	3	
Tallowamidopropylamine Oxide in propylene glycol (70% or less) (#)		4058														
Tallow fatty acid		1289	0	Nl	0	R	0	Nl	0	(0)	(0)	(0)	(0)	Fp	2	
Tallow fatty acid		684														
1,1,2,2-Tetrachloroethane		53	2	2	2	NR	3	0	2	0	2	2	2	SD	2	
Tetrachloroethane		687														
1,1,2,2-Tetrachloroethylene		1295	3	2	2	NR	(3)	2	0	0	0	2	1	C	S	3
Perchloroethylene		564														
Perchloroethylene		1296	2	2	2	NR	3	0	0	0	0	1	1	CT	S	3
Tetrachloromethane		178														
Carbon tetrachloride																
Tetradecanoic acid (Myristic acid)																
n-Tetradecanoic acid																
Tetradecanoic acid (Myristic acid)		1298	5	Nl	0	R	0	Nl	0	(0)	(1)	(1)	(1)	Fp	2	
n-Tetradecanoic acid		491														
Fatty acid (saturated C13+)		347														
Tetraethylene glycol		1301	0	Nl	0	NR	0	Nl	0	0	0	1	1	D	1	
Tetraethylene glycol		688														
														CAS No	112-60-7	

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 62 of 67

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 63 of 67

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 64 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3
		1	0	0	R	3	0	1	2	2	2	3		D	3	
Triethylamine	1339	1	0	0	R	3	0	1	2	2	2	3		D	3	
Triethylamine	706												CAS NO	121-44-8		
1,3,5-Triethylbenzene	1340	5	Nl	5	Nl	4	Nl	0	(0)	(2)	(2)	(1)		F	2	
Triethylbenzene	707												CAS NO	25340-18-5		
Triethylene glycol	1341	0	Nl	0	R	0	0	0	0	0	0	0		D	0	
Triethylene glycol	708												CAS NO	112-27-6		
Triethylenetetramine	1346	0	Nl	0	NR	3	Nl	0	2	(3)	3	3	Ss	D	3	
Triethylenetetramine	709												CAS NO	112-24-3		
Triethyl(en)etetramine/2-piperazine-1-ylethyldiamine mixtures (#)	2456	0	Nl	0	NR	2	Nl	0	2	(3)	3	3	Ss	D	3	
Triethyl(en)etetramine/2-piperazine-1-ylethyldiamine mixtures (#)	3872												CAS NO			
Triethyl phosphate	1348	0	0	0	NR	1	0	1	0	0	(2)	(2)		D	2	
Triethyl phosphate	705												CAS NO	78-40-0		
Triethyl phosphite	1349	0	Nl	0	R	1	Nl	1	0	2	1	2	Ss	FE	2	
Triethyl phosphite	710												CAS NO	122-52-1		
Triglycerides, C16-C18 and C18 unsaturated, reclaimed (UCO) Used cooking oil (Triglycerides, C16-C18 and C18 unsaturated)*** (m)	2470	(5)	Nl	(5)	R	(0)	(0)	(0)	(0)	(1)	(1)	(1)		Fp	2	
Triglycerides, C16-C18 and C18 unsaturated, reclaimed (UCO) Used cooking oil (m)	4023												CAS NO	68990-65-8		
Triisopropanolamine	1370	0	0	0	NR	1	0	1	0	0	(2)	3		FD	3	
Triisopropanolamine	711												CAS NO	122-20-3		
Trisopropylated phenyl phosphates	1375	5	5	5	R	4	Nl	0	0	0	0	0		S	0	
Trisopropylated phenyl phosphates	712												CAS NO	68937-41-7		
Trimethylacetic acid	1350	1	1	1	R	2	Nl	1	1	(2)	2	2		Fp	2	
Trimethylacetic acid	714												CAS NO	75-98-9		
Trimethylamine	1353	0	Nl	0	R	1	Nl	1	0	2	3	3		DE	3	
Trimethylamine solution (30% or less)	715												CAS NO	75-50-3		
1,2,3-Trimethyl benzene	1354	3	3	3	NR	4	0	0	0	1	2	1		FE	2	
1,2,3-Trimethyl benzene (all isomers)	716												CAS NO	526-73-8		
2,4,4-Trimethyl hexamethylene diamine	1359	1	Nl	1	Nl	Nl	Nl	1	0	(3)	2	3	Ss	D	3	
Trimethylhexamethylene diamine (2,2,4 and 2,4,4-isomers)	718												CAS NO	25620-58-0		

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 65 of 67

ANNEX 6 - GESAMP COMPOSITE LIST
GESAMP Hazard Profiles

12 April 2019
 Page 66 of 67

EHS Name TRN Name	EHS TRN	A1a	A1b	A1	A2	B1	B2	C1	C2	C3	D1	D2	D3	E1	E2	E3	
Urea		1384	0	0	0	R	1	NI	0	0	(1)	1	(1)		D	1	
Urea solution		726									CAS No	57-13-6					
Urea/Ammonium mono and dihydrogen phosphate/ Potassium chloride solution		1386	0	0	0	R	3	2	NI	NI	NI	NI	NI	NI	NI	NI	
Urea/Ammonium mono- and di-hydrogen phosphate/Potassium chloride solution		727									CAS No						
Urea/Ammonium nitrate solution (containing < 1% aq. ammonia)		1387	0	NI	0	R	(2)	(0)	0	0	(1)	(1)	(1)	(1)	D	1	
Urea/Ammonium nitrate solution		729									CAS No						
Urea-ammonium phosphate solutions		2179	0	0	0	R	3	2	(0)	(0)	(2)	(2)	(2)	(2)	D	2	
Urea/ammonium phosphate solution		730									CAS No						
Urea-formaldehyde resin solution		1388	NI	NI	NI	NI	1	NI	1	1	NI	NI	NI	Ss	NI	2	
Urea-formaldehyde resin solution		725									CAS No						
Vegetable acid oils		2371	0	NI	0	R	0	NI	(0)	(0)	(1)	(1)	(1)		Fp	2	
Vegetable acid oils (m)		3138									CAS No						
Vegetable oils fatty acid distillates		2369	0	NI	0	R	0	NI	(0)	(0)	(0)	(0)	(0)		Fp	2	
Vegetable protein solution, hydrolyzed		3137									CAS No						
Vegetable protein solution (hydrolysed)		734									CAS No						
Vinyl acetate		1400	0	NI	0	R	2	NI	1	0	2	1	1	C	ED	3	
Vinyl acetate		735									CAS No	108-05-4					
Vinyl ethyl ether		1405	1	NI	1	NR	1	NI	0	0	0	1	1		E	2	
Vinylidene chloride		736									CAS No	109-92-2					
Vinylidene chloride		1406	2	1	1	NR	2	NI	2	0	(2)	2	2	M	SD	3	
Vinyl neodecanoate		738									CAS No	75-35-4					
Vinyl neodecanoate		1404	5	NI	5	NR	3	NI	0	0	(3)	3	3		F	3	
Vinyl toluenes		737									CAS No	45115-34-2					
White spirit, low (15-20%) aromatic		1409	3	3	3	NR	3	NI	0	0	2	2	1	NM	(T)	F	3
Vinyltoluene		739									CAS No	25013-15-4					
Wood lignin with sodium acetate/oxalate		1411	(4)	NI	(4)	(R)	3	NI	(0)	(0)	(2)	(1)	(2)	A	F	3	
Wood lignin with sodium acetate/oxalate		742									CAS No				D	1	
Wood lignin with sodium acetate/oxalate		2403	NI	NI	(0)	NR	(0)	NI	0	(0)	(1)	(1)	(1)				
Wood lignin with sodium acetate/oxalate		3638									CAS No						

ANNEX 6 - GESAMP COMPOSITE LIST GESAMP Hazard Profiles

12 April 2019
Page 67 of 67

ANNEX 7

PROVISIONAL AGENDA FOR THE FIFTY-SEVENTH SESSION OF THE GESAMP/EHS WORKING GROUP

- 1 Adoption of the agenda
 - 2 Outcome of other bodies
 - 3 Evaluation of new substances
 - 4 Re-evaluation of substances and consideration of issues related to evaluations
 - 5 Classification issues
 - 6 Consolidation of existing data files
 - 7 Communication and publication
 - 8 Any other business
 - 9 Consideration and adoption of the report
-